1 LOCATION	ON OF WAT	ER WELL:	Fraction	AICT AIL		tion Number		Number	Hange Number	_
	Stevens Co		NE 1/4	NE 1/4 NW	74	10	T 33	S		E(W)
			•	ddress of well if located	•			019380		
				ade Located in the	Southwes	t Corner o	of Stevens Cou	nty Landfi	Н	
2 WATER	R WELL OW	NER: Stevens (County							
RR#, St. /	Address, Box	# : County C	lerk's Office	•			Board of	Agriculture, [Division of Water Res	sources
	, ZIP Code	Hugoton,					Application	n Number:		
LOCATI	F WFIL'S LO	CATION WITH	DEPTH OF C	OMPLETED WELL	91	# ELEV/			levation: 3110	
AN "X"	IN SECTION	BOX:	Contb(s) Ground	water Encountered 1.	81	11. LLLV/	2	# 3	,	ft
- r	- X T									l l
†	- 1	- 1 1		WATER LEVEL						
-	NW	NE		test data: Well water						
1	1			gpm: Well water						
* w -	1			eter 8 • 25 in. to .		. <i></i> ft.,	and	in.	to	ft.
₹ "	!	! 1	WELL WAȚER T	O BE USED AS: 5	Public water	er supply	8 Air conditionin	g 11	Injection well	
7 I		!	1 Domestic	3 Feedlot 6	Oil field wa	ter supply	9 Dewatering	12	Other (Specify below)	<i>(</i>)
[T	sw	SE	2 Irrigation	4 Industrial 7	Lawn and	garden only	Monitoring we	ell ,		
	- i I	i 1	Was a chemical/t	pacteriological sample su	ubmitted to D	epartment?	resNo	X; If yes,	mo/day/yr sample wa	as sub-
1			mitted	,			ater Well Disinfect		No X	
5 TYPE (OF BLANK C	ASING USED:		5 Wrought iron	8 Concr			-	i Clamped	
ا Stر		3 RMP (SR)	6 Asbestos-Cement		(specify belo			ed	
_		4 ABS	,						idedX	
2°V			71	7 Fiberglass						
				ft., Dia						
Casing he	ight above la	and surface		.in., weight			./ft. Wall thickness	or gauge N) Scuednie 40	
TYPE OF	SCREEN O	R PERFORATION	MATERIAL:		? ?∨			sbestos-ceme		
1 St	eel	3 Stainless	steel	5 Fiberglass	8 RM	MP (SR)	11 Ot	her (specify)		
2 Br	ass	4 Galvanize	d steel	6 Concrete tile	9 AE	s	12 No	one used (op	en hole)	
SCREEN	OR PERFOR	RATION OPENING	S ARE:	5 Gauze	d wrapped		8 Saw cut		11 None (open hole	ie)
1 Co	ontinuous slo	t (3)Mil	l slot	6 Wire w	6 Wire wrapped 9			:		
	uvered shutt			7 Torch						
		ED INTERVALS:		ft. to)1 # Er/		•		- 1
SCHEEN	FERFORATE	D INTERVALS.		ft. to						
	0041/51 04	OK INTERVALO								
(GRAVEL PA	CK INTERVALS:		ft. to	<i></i> 3					
	,,,,,,		From	ft. to	_	ft., Fro	om	ft. t		ft.
6 GROU	T MATERIAL	.: 1) Neat ce	ement	2 Cement grout	3 Bento	onite 69	1 Other			
Grout Inte	rvals: Fro	m	ft. to	2 Cement grout 7 ft., From	ft.	to	ft., From .		ft. to	ft.
What is th	ne nearest so	ource of possible of	contamination:			10 Live	stock pens	14 A	bandoned water well	ı
1 Se	eptic tank	4 Latera	l lines	7 Pit privy		11 Fue	l storage	15 O	il well/Gas well	
2 Sewer lines 5 Cess pool				8 Sewage lago	12 Fertilizer storage 16 Other (specify below)					
		er lines 6 Seepa		9 Feedyard			ecticide storage			
	from well?	2 2 200ро	J- F	3 . 233yara			any feet?			
FROM	TO		LITHOLOGIC	LOG	FROM	TO		PLUGGING I	NTERVALS	
0'	6'	FILL			1				-	
61	291		y Fine Sand,	Trace Clay			No. of the Control of		auditubility to the state of th	
						·	energia, sa ca			
291	91'	Brown, SIIT	y Fine Sand V	with Caliche Seams		-				
									1 10 10 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
				8.17.2						

	 			787/11	+	+				
						-				
	-									
7 00	D.4.0707:5	00.140.00	10.0557555	ON THE		1 (5)			dan and 1	
T CONT	HACTOR'S	JH LANDOWNER	'S CERTIFICATI	ON: This water well wa	is (1) constri	ucted, (2) red	constructed, or (3)	plugged und	ier my jurisdiction ar	na was
									Pa	Kansas
•		's License No	416	This Water We	ell Record w	as completed	d on (mo/day/yr)	6124-	75. F g	
under the	business na	me of Terracor	Consultants	, inc.		by (sign	nature)	Mus ?	telle	
				FIRMLY and PRINT clearly. Pleaton 10-0001. Telephone: 913-296-55						nent
or nea	and Livino(III	, Dorodo or Waldi,	. spona, nansas 0002	.5 5561. Totaphone. 310-230-00			und retain one	, 100010	**	

WATER WELL RECORD

KSA 82a-1212

Form WWC-5