USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD KSA 82a-1201-1215 Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

CWW Inv. #15470		Crawford C-#1		Topeka, Kansas 66620				
	County	Fraction		Section number		Township number	Range number	
1. Location of well:	Stevens	SE 1/4 NW 1/4 NW 1/4		29		T 33S S	R 37₩ E/W	
2. Distance and direc	ction from nearest town or city: F1	om Hugoton on	3. Own	er of well:	Ar	adarko Producti	on Company	1
						/o P. Gatlin, Box 351		
location. City, state, zip code: Li						beral, Kansas 6		⊥_
4. Locate with "X" in section below: Sketch map:						6. Bore hole dia. 9 in. Completion date 1-30-79 Well depth 240 ft.		
						7 Cable tool KRotary Driven Dug		
NW NE > , , Huge						Hollow rod Jetted Bored Reverse rotary		
- Inust						8. Use: Domestic Public supply Industry Irrigation Air conditioning Stock		
Hwy56						Irrigation Air conditioning Stock Lawn X Oil field water Other		
sw se						9. Casing: Material		1
East to						Threaded Welded	ISurface 28in	
s ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~						RMPPVCXWeight_2_78_lbs./ft. Dia_5_in. to 169. depth Wall Thickness_inches or		
5. Type and color of				From	То	Dia in. to ft. dep		_
,,						10. Screen: Manufacturer's r		-
Surface				o	2	Sawed perf. Type PVC	Dia 5#	-
						Slot/gauze	Length <u>80 *</u>	_[
Fine sand	,			2	22	Set between160	_ft. andft	
Clay				22	45	ft. c Gravel pack? YES _ Size ra	andtt inge of material	6
Class 30%	e fine and 70%			45	59	11. Static water level:	mo./day/yr	_
Clay 30% & fine sand 70%							face Date <u>1-30-79</u>	4
Clay				59	152	12. Pumping level below land	d surfaces: hrs.pumpingg.p.m.	
Clay 20% & medium to large sand 80%				152	160	ft. after	hrs. pumping g.p.m.	
						Estimated maximum yield		_
Clay 15% & fine sand 85%				160		13. Water sample submitted: Yesx No	Date	
Medium to large sand				170	240	14. Well head completion: Pitless adapter	20	٦
						Pitless adapter	Inches above grade	4
						15. Well grouted? yes	Bentonite Concrete	
						Depth: FromO ft. to		- 1
						16. Negrest source of possible	e contamination:] \
					-	ft. 100 Direction Well disinfected upon comple	NE Type oilwel	
						17. Pump:	Not installed	7 1
						Manufacturer's name		- "]
						!	HP Volts	-16
						Length of drop pipe Type:	ft. capacityg.p.m.	
						Submersible	Turbine	1
	(Use a second s	heet if needed)				Jet Centrifugal	Reciprocating Other	Sec
18. Elevation: 19. Remarks:					20. Water well contractor's	certification:	⅂ ゙∤	
						This well was drilled under my jurisdiction and this report		
Topography:						is true to the best of my know	wledge and belief. Well Service 11	اکھ
HIII					Business name	License No	, ,	
Slope						Address Box AA, L	iberal, KS 6790	4
						Signed Literat & Means Date 2-9-79 Authorized representative		