


1 LOCATION OF WATER WELL:		Fraction	Section Number		Township Number	Range Number
County: STEVENS		SW 1/4 SW 1/4 NE 1/4	31		T 33 S	R 38W E/W
Distance and direction from nearest town or city street address of well if located within city? 1 1/2 MILES SOUTH/SOUTHWEST FETERITA, KS.						
2 WATER WELL OWNER: ANADARKO PET.						
RR#, St. Address, Box # : BOX 351			#1 DOWDY "A" Board of Agriculture, Division of Water Resources			
City, State, ZIP Code : LIBERAL, KS 67905-0351			Application Number: 950343			
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 380 ft. ELEVATION:				
<div style="text-align: center;">N 1 Mile W E S</div> 		Depth(s) Groundwater Encountered 1. 82 ft. 2. ft. 3. ft.				
		WELL'S STATIC WATER LEVEL 82 ft. below land surface measured on mo/day/yr				
		Pump test data: Well water was 100 ft. after 1 hours pumping 100 gpm				
		Est. Yield 100 gpm: Well water was ft. after hours pumping gpm				
		Bore Hole Diameter 11 in. to 380 ft. and in. to ft.				
		WELL WATER TO BE USED AS:				
		1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)				
		2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well				
		Was a chemical/bacteriological sample submitted to Department? Yes No X ; If yes, mo/day/yr sample was submitted				
		Water Well Disinfected? Yes X No				
5 TYPE OF BLANK CASING USED:						
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped						
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded						
Blank casing diameter 6 in. to 380 ft. Dia. in. to ft. Dia. in. to ft.						
Casing height above land surface 24 in., weight 2.902 lbs./ft. Wall thickness or gauge No. 280 SDR 21						
TYPE OF SCREEN OR PERFORATION MATERIAL:						
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement						
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify)						
SCREEN OR PERFORATION OPENINGS ARE:						
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)						
2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes						
3 Torch cut 10 Other (specify)						
SCREEN-PERFORATED INTERVALS: From 220 ft. to 380 ft. From ft. to ft.						
GRAVEL PACK INTERVALS: From 200 ft. to 380 ft. From ft. to ft.						
6 GROUT MATERIAL:						
1 Neat cement 2 Cement grout 3 Bentonite 4 Other HOLE PLUG						
Grout Intervals: From 0 ft. to 16 ft. From ft. to ft.						
What is the nearest source of possible contamination:						
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well						
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well						
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)						
13 Insecticide storage						
Direction from well? Northeast How many feet? 165						
FROM		TO		LITHOLOGIC LOG		FROM TO PLUGGING INTERVALS
0		2		SAND		
2		20		SAND & SANDY CLAY		
20		75		SAND		
75		95		CLAY		
95		115		CLAY & SANDY CLAY		
115		123		COARSE SAND		
123		202		SANDY CLAY		
202		214		CLAY		
214		262		COARSE SAND		
262		332		CLAY		
332		340		SANDY CLAY		
340		372		CLAY		
372		380		RED CLAY		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 10-13-95 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. KWNC-430 This Water Well Record was completed on (mo/day/yr) 10-13-95 under the business name of HOWARD DRUG CO. BOX 806 BEAVER, OK 73932 by (signature) <i>Howard Drug Co.</i>						
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.						

OFFICE USE ONLY

T

R

EW

SEC.

1/4

1/4

1/4