

PERMIT #T78-168

USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.WATER WELL RECORD
KSA 82a-1201-1215Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

CWW Inv. #15096

Smith N-#1

1. Location of well:	County Stevens	Fraction SW 1/4 SW 1/4 NW 1/4	Section number 12	Township number T 33S S R 38W E/W	Range number
2. Distance and direction from nearest town or city: From Hugoton Elevations go 3 1/4 miles West - 3/4 mile North & East to loc.			Owner of well: Anadarko Production Company R.R. or street: c/o P. Gatlin, Box 351 City, state, zip code: Liberal, Kansas 67901		
4. Locate with "X" in section below: N W E S 1 Mile		Sketch map: <i>3 1/4 miles West of Hugoton Elevations</i>		6. Bore hole dia. 9 in. Completion date 10-6-78 Well depth 260 ft.	
5. Type and color of material		From	To	7. <input checked="" type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary	
Surface		0	2	8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input checked="" type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input checked="" type="checkbox"/> Oil field water <input type="checkbox"/> Other	
Clay		2	25	9. Casing: Material <input type="checkbox"/> Height: Above or below Threaded <input type="checkbox"/> Welded <input type="checkbox"/> Surface 28 in. RMP <input type="checkbox"/> PVC <input checked="" type="checkbox"/> Weight 2.78 lbs./ft. Dia. 5 in. to 160 ft. depth Wall Thickness: inches or Dia. 5 in. to 260 ft. depth gage No. 265	
Medium to large sand		25	80	10. Screen: Manufacturer's name Sawed perf. Type PVC Dia. 5" Slot/gauze Length 100' Set between 160 ft. and 260 ft. ft. and ft. Gravel pack? yes Size range of material 1/8-3/16	
Clay		80	90	11. Static water level: mo./day/yr. 110 ft. below land surface Date 10-6-78	
Medium to large sand		90	260	12. Pumping level below land surfaces: ft. after hrs. pumping g.p.m. ft. after hrs. pumping g.p.m. Estimated maximum yield 70 g.p.m.	
				13. Water sample submitted: mo./day/yr. <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date	
				14. Well head completion: 28 Pitless adapter 28 Inches above grade	
				15. Well grouted? yes With: <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From 0 ft. to 10 ft.	
				16. Nearest source of possible contamination: ft. 100 Direction NE Type oil well Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
				17. Pump: <input checked="" type="checkbox"/> Not installed Manufacturer's name Model number HP Volts Length of drop pipe ft. capacity g.p.m. Type: <input type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other	
(Use a second sheet if needed)					
18. Elevation:	19. Remarks:		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Carlile Water Well Service 118 Business name License No. Address Box AA, Liberal, KS Signed Edward E. Means Date 10-9-78 Authorized representative		
Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input checked="" type="checkbox"/> Upland <input type="checkbox"/> Valley					

33 380 12 SUSUNW
1/4 1/4 1/4 1/4