


1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: Stevens		NE 1/4 SW 1/4 SW 1/4	15	T 33 S	R 38 E
Distance and direction from nearest town or city street address of well if located within city? From Hugoton go west on Hwy 51					
2 1/2 miles 2 mi West 1/2 mi North West into location.					
2 WATER WELL OWNER: Bobby J. & Evelyn McBride		Johnson Drilling			
RR#, St. Address, Box # : 601 East 11th street		Board of Agriculture, Division of Water Resources			
City, State, ZIP Code : Hugoton, Kansas		Application Number: T 85-906			
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 285 ft. ELEVATION:			
<div style="text-align: center;"></div>		Depth(s) Groundwater Encountered 1. 140 ft. 2. ft. 3. ft.			
		WELL'S STATIC WATER LEVEL 145 ft. below land surface measured on mo/day/yr 10/22/85			
		Pump test data: Well water was ft. after hours pumping gpm			
		Est. Yield 75 gpm: Well water was ft. after hours pumping gpm			
		Bore Hole Diameter 11 in. to ft. and in. to ft.			
WELL WATER TO BE USED AS:		5 Public water supply 8 Air conditioning 11 Injection well			
1 Domestic 3 Feedlot		6 <u>Oil field water supply</u> 9 Dewatering 12 Other (Specify below)			
2 Irrigation 4 Industrial		7 Lawn and garden only 10 Observation well			
Was a chemical/bacteriological sample submitted to Department? Yes.....No.....; If yes, mo/day/yr sample was submitted					
Water Well Disinfected? Yes.....No					
5 TYPE OF BLANK CASING USED:		CASING JOINTS: <u>Glued</u> Clamped			
1 Steel 3 RMP (SR)		6 Asbestos-Cement 9 Other (specify below) Welded			
2 <u>PVC</u> 4 ABS		7 Fiberglass Threaded			
Blank casing diameter 5 in. to 200 ft., Dia in. to ft., Dia in. to ft.					
Casing height above land surface 28 in., weight 2.85 lbs./ft. Wall thickness or gauge No. 265					
TYPE OF SCREEN OR PERFORATION MATERIAL:		7 <u>PVC</u> 10 Asbestos-cement			
1 Steel 3 Stainless steel 5 Fiberglass		8 RMP (SR) 11 Other (specify)			
2 Brass 4 Galvanized steel 6 Concrete tile		9 ABS 12 None used (open hole)			
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped 8 <u>Saw cut</u> 11 None (open hole)			
1 Continuous slot 3 Mill slot		6 Wire wrapped 9 Drilled holes			
2 Louvered shutter 4 Key punched		7 Torch cut 10 Other (specify)			
SCREEN-PERFORATED INTERVALS: From 200 ft. to 285 ft., From ft. to ft.					
From ft. to ft., From ft. to ft.					
GRAVEL PACK INTERVALS: From 105 ft. to 285 ft., From ft. to ft.					
From ft. to ft., From ft. to ft.					
6 GROUT MATERIAL: 1 <u>Neat cement</u> 2 Cement grout 3 Bentonite 4 Other		Grout Intervals: From 0 ft. to 10 ft., From ft. to ft., From ft. to ft.			
What is the nearest source of possible contamination:					
1 Septic tank 4 Lateral lines 7 Pit privy		10 Livestock pens 14 Abandoned water well			
2 Sewer lines 5 Cess pool 8 Sewage lagoon		11 Fuel storage 15 <u>Oil well/Gas well</u>			
3 Watertight sewer lines 6 Seepage pit 9 Feedyard		12 Fertilizer storage 16 Other (specify below)			
13 Insecticide storage					
Direction from well? Northeast of water well		How many feet? 115'			
FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	2	surface			
2	18	clay			
18	66	med. to large sand & gravel rock mixed			
66	145	clay			
145	276	med. to large sand			
276	285	clay			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) October 22, 1985 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 118 This Water Well Record was completed on (mo/day/yr) October 29, 1985 under the business name of Carlile Water Well Service, Inc. by (signature) <i>[Signature]</i>					
INSTRUCTIONS: Use typewriter or ball point pen, <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.					