


1 LOCATION OF WATER WELL		Fraction	Section Number	Township Number	Range Number		
County: <u>Stevens</u>		<u>SE</u> $\frac{1}{4}$ <u>NE</u> $\frac{1}{4}$ <u>NE</u> $\frac{1}{4}$	<u>20</u>	<u>T</u> <u>33</u> <u>S</u>	<u>R 38</u> <u>2W</u>		
Distance and direction from nearest town or city? <u>1 mile east and about 1 mile north of Feterita, Ks.</u>			Street address of well if located within city?				
2 WATER WELL OWNER: <u>Larry Slempp</u> RR#, St. Address, Box #: <u>1506 S. Jefferson</u> City, State, ZIP Code: <u>Hugoton, Ks. 67951</u> Board of Agriculture, Division of Water Resources Application Number:							
3 DEPTH OF COMPLETED WELL: <u>401</u> ft. Bore Hole Diameter: <u>9 7/8</u> in. to <u>401</u> ft. and in. to ft. Well Water to be used as: 1 Domestic 3 Feedlot 5 Public water supply 8 Air conditioning 11 Injection well 2 Irrigation 4 Industrial 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 7 Lawn and garden only 10 Observation well Well's static water level: <u>189</u> ft. below land surface measured on <u>May</u> month <u>7</u> day <u>1981</u> year Pump Test Data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm							
4 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile Casing Joints: Glued <u>X</u> Clamped 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) & riveted Welded 7 Fiberglass Threaded Blank casing dia <u>5</u> in. to <u>351</u> ft. Dia in. to ft. Dia in. to ft. Casing height above land surface <u>18</u> in. weight lbs./ft. Wall thickness or gauge No. <u>320</u> TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify) 12 None used (open hole) Screen or Perforation Openings Are: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify) Screen-Perforation Dia <u>5</u> in. to <u>401</u> ft. Dia in. to ft. Dia in. to ft. Screen-Perforated Intervals: From <u>351</u> ft. to <u>401</u> ft. From ft. to ft. From ft. to ft. From ft. to ft. Gravel Pack Intervals: From <u>13</u> ft. to <u>401</u> ft. From ft. to ft. From ft. to ft. From ft. to ft.							
5 GROUT MATERIAL: <u>1 Neat cement</u> 2 Cement grout 3 Bentonite 4 Other Grouted Intervals: From <u>3</u> ft. to <u>13</u> ft. From ft. to ft. From ft. to ft. What is the nearest source of possible contamination: 1 Septic tank 4 Cess pool 7 Sewage lagoon 10 Fuel storage 14 Abandoned water well 2 Sewer lines 5 Seepage pit 8 Feed yard 11 Fertilizer storage 15 Oil well/Gas well 3 Lateral lines 6 Pit privy 9 Livestock pens 12 Insecticide storage 16 Other (specify below) 13 Watertight sewer lines field for new home Direction from well How many feet ? Water Well Disinfected? Yes <u>X</u> No Was a chemical/bacteriological sample submitted to Department? Yes No <u>X</u> If yes, date sample was submitted month day year Pump Installed? Yes No <u>X</u> If Yes: Pump Manufacturer's name Model No. HP Volts Depth of Pump Intake ft. Pumps Capacity rated at gal./min. Type of pump: 1 Submersible 2 Turbine 3 Jet 4 Centrifugal 5 Reciprocating 6 Other							
6 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on <u>May</u> month <u>9</u> day <u>1981</u> year and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>164</u> This Water Well Record was completed on <u>June</u> month <u>22</u> day <u>1981</u> year under the business name of <u>Houck Bros. Drilling Co.</u> by (signature) <u>Mark Beard</u>							
7 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
		0	2	Surface	310	350	Sandy clay w/fine sand strips
		2	20	Gray clay w/fine sand			
		20	40	Sandy clay	350	408	Coarse sand w/small caly breakers
		40	56	Coarse sand			
		56	125	Clay w/fine sand strips	408	420	Yellow chalk & brown shale
		125	150	Sandy clay w/lime shells			
		150	200	Brown clay			
		200	240	Sandy clay			
		240	292	Sandy clay w/fine sand strips			
		292	310	Brown gummy clay			
ELEVATION: <u>slope</u>							
Depth(s) Groundwater Encountered 1. <u>189</u> ft. 2. ft. 3. ft. 4. ft. (Use a second sheet if needed)							
INSTRUCTIONS: Use typewriter or ball point pen, please press firmly and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Water Well Contractors, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.							

OFFICE USE ONLY

T

33

R

38

FW

SEC.

20

SE 1/4

NE 1/4

NE 1/4