

1 LOCATION OF WATER WELL: County: Stevens		Fraction NW 1/4 NE 1/4 SE 1/4		Section Number 25	Township Number T 33 S	Range Number R 39 E
Distance and direction from nearest town or city street address of well if located within city? Feterita: 1 W--1/4 S and W into--						
2 WATER WELL OWNER: RR#, St. Address, Box # : Seaboard Farms Co. P.O. Box 1207 City, State, ZIP Code : Guyton, OK 73942		Farm 223 West well Board of Agriculture, Division of Water Resources Application Number:				
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 180 ft. ELEVATION:				
<div style="text-align: center;"><p>1 Mile</p></div>		Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.				
		WELL'S STATIC WATER LEVEL 95 ft. below land surface measured on mo/day/yr 11-12-99				
		Pump test data: Well water was ft. after hours pumping gpm				
		Est. Yield gpm: Well water was ft. after hours pumping gpm				
Bore Hole Diameter 6 in. to 180 ft. and in. to ft.		WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well				
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)		2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well				
Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was sub-		mitted				
Water Well Disinfected? Yes No X						
5 TYPE OF BLANK CASING USED:						
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile		CASING JOINTS: Glued Clamped				
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded						
Blank casing diameter 2 in. to 75 ft. Dia 2 in. to 170 to 180 ft. Dia in. to ft.		Threaded. X				
Casing height above land surface in., weight lbs./ft. Wall thickness or gauge No.						
TYPE OF SCREEN OR PERFORATION MATERIAL:						
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement						
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify)						
SCREEN OR PERFORATION OPENINGS ARE:		12 None used (open hole)				
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)						
2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes						
SCREEN-PERFORATED INTERVALS: From 170 ft. to 75 ft., From ft. to ft.						
GRAVEL PACK INTERVALS: From 180 ft. to 26 ft., From ft. to ft.						
From ft. to ft., From ft. to ft.						
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other						
Grout Intervals: From 24 ft. to surface ft., From 26 ft. to 24 ft., From ft. to ft.						
What is the nearest source of possible contamination:						
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well						
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well						
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)						
Direction from well? East		How many feet? 60				
FROM TO LITHOLOGIC LOG		FROM TO PLUGGING INTERVALS				
0 2 Clay/Sandy Clay						
2 6 Clay						
6 16 Sand						
16 24 Clay						
24 40 Sand						
40 62 Large Gravel						
62 77 Sand/Small Gravel						
77 80 Clay						
80 106 Clay/Sand streaks						
106 124 Clay						
124 141 Sand						
141 162 Clay/Sand streaks						
162 170 Clay						
170 180 Clay/Sandy Clay						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 11-12-99 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. KWWCL-652 This Water Well Record was completed on (mo/day/yr) 11-12-99 under the business name of HDC Ag, L.L.C. by (signature) <i>[Signature]</i>						
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.						