

WATER WELL		WWC-5 1347	DI	vision of Wate			
Original Record Correction Chang 1 LOCATION OF WATER WELL:				sources App. Nection Numbe		Well ID r Range Number	
County:					T S	$\begin{array}{c c} R & \Box E & \Box W \\ \hline \end{array}$	
2 WELL OWNEI Business: Address: Address:	C: Last Name:	First:			where well is located (intersection): If at owner'		
City:	State:	ZIP:					
3 LOCATE WELL	4 DEPTH OF COM	APLETED WELL.	f	t 5 Latit	ude:	(decimal degrees)	
4 DEPTH OF COMPLETED WELL: Depth(s) Groundwater Encountered: 1)						(decimal degrees)	
SECTION BOX: N		3) ft., or 4) [Dry Well Datum: WGS 84 NAD 83 NAD 27			
	WELL'S STATIC WATER LEV				Source for Latitude/Longitude:		
NW🗶-NE		, measured on (mo-day-yr) vater was ft.			(WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map		
	Pump test data: Well						
w		s pumping			nline Mapper:		
SW SE		s pumping					
	Estimated Yield:	gpm				Ground Level TOC	
S		in. to		Source	Source: Land Survey GPS Topographic Map		
7 WELL WATER		in. to	It.				
1. Domestic:		ater Supply: well ID		10. 🗖 Oi	l Field Water Supply: lea	se	
Household	6. 🗌 Dewaterii	ng: how many wells?		11. Test Hole: well ID			
□ Lawn & Garden □ Livestock		echarge: well ID			ised 🗌 Uncased 🔲 G		
2. Irrigation		al Remediation: well II					
3. Feedlot	☐ Air Sparg	e 🗌 Soil Vapor	Extraction b) Open Loop 🗌 Surface Discharge 🔲 Inj. of Water			charge 🔲 Inj. of Water	
4. 🗌 Industrial		5			her (specify):		
	cteriological sample subr	nitted to KDHE?	Yes 🗌 No	If yes, date	e sample was submitted	·	
	ed? Yes No		CAS				
8 TYPE OF CASE Casing diameter	NG USED: □ Steel □ PV in. to ft.	Diameter	in to	ft Dian	eter in to	ft weided infreaded	
	and surface in						
	OR PERFORATION MA						
	Stainless Steel Galvanized Steel Cond		used (open ho		ner (Specify)		
	ORATION OPENINGS A		ised (open no	ie)			
Continuous Slot	Mill Slot	auze Wrapped 🛛 🗌 To			Other (Specify)		
	er 🗌 Key Punched 🔲 V						
	ATED INTERVALS: From						
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft. to ft. 9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other							
Grout Intervals: From							
Nearest source of possible contamination:							
Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well							
	r Lines Seepage Pi			Fertilizer Sto			
□ Other (Specify)					-		
Direction from well?10 FROMTO	LITHOLO		FROM			PLUGGING INTERVALS	
		GIC LUG	ГКОМ	10		FLUGGING INTERVALS	
			Notes:				
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, a reconstructed, or a plugged							
11 CONTRACTO	R'S OR LANDOWNER' in and was completed on (1	S CERTIFICATION	N: This wat	er well was		structed, or \square plugged	
Kansas Water Well	Contractor's License No		ater Well Re	cord was con	npleted on (mo-day-ve	ar)	
	ame of						
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.							
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212							

Form	WWC5	
Contractor	Hydro Resources Mid Continent, Inc.	
Well Owner		
Doc ID	1347574	

Litholgy

From	То	LithologicLog
0	1	top soil
1	13	brown sandy clay
13	17	red sandy clay
17	23	gray sandy clay w/ few lime rock strips
23	38	sand fine to med coarse small med gravel
38	57	brown sandy clay
57	64	sand fine to med coarse small gravel
64	86	brown sandy clay w/ couple lime rock ledges
86	101	fine sand
101	120	brown sandy clay w/ some lime rock & few sand strips
120	147	brown sandy clay w/ few sand strips
147	155	brown sandy clay w/ some fine sand beds
155	167	brown sandy clay
167	171	fine sand w/ some clay mixed
171	203	brown sandy clay
203	243	brown sandy clay w/ some lime rock strips
243	251	brown clay
251	260	brown sandy clay w/ many small sand beds

Form	WWC5	
Contractor	Hydro Resources Mid Continent, Inc.	
Well Owner		
Doc ID	1347574	

Litholgy

From	То	LithologicLog
260	266	brown sandy clay
266	304	sand fine to med few coarse w/ few clay stringers
304	323	brown sandy clay
323	336	fine sand w/ some clay stringers
336	344	sand fine to med
344	356	fine sand w/ many clay stringers
356	364	sand fine to med coarse small brown rock
364	371	red clay
371	427	red fine sand
427	440	red bed