


USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

T R EW sec 1/4 1/4 1/4 No.

Kansas State Dept. Of Health
(Water Well Contractors)
Forbes-Bldg. 740
Topeka, Kansas 66620

1 Location of well:		County STEVENSON	Township name BANDER	Fraction N 1/4 Sec 24	Section number 24	Town number T 33 S	Range number R 39 W
Distance and direction from nearest town or city: 2.5 mi. N. of Federita, Ark				3 Owner of well: James Light Address: Rolla, 15 mi.			
Locate with "X" in section below:		Sketch map:		4 Well depth: 423 ft. Date of completion 5/1/75 Well diameter 16 in.			
				5 <input type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary			
2		Type and color of material		From	To	6 Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Commercial <input type="checkbox"/> Test well <input type="checkbox"/>	
		Top Soil			0	7 Casing: Material Steel Height: above/below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 16 in. Diam. 4 1/2 in. Weight 11.3 lbs./ft. 1 16 in. to 423 ft. depth Drive shoe? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No 16 in. to 423 ft. depth	
		Overburden			2	8 Screen: Manufacturer L.B. Foster Type Steel Dia. 16" Slot/gauze 1/8 Length 3" Set between 195 ft. and 423 ft. Fittings: Gravel pack <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Size range of material 1/4 to 1/2	
		Sd., Clay & Brn. Clay			60	9 Static water level: _____ ft. below land surface Date _____	
		Clay			160	10 Pumping level below land surfaces: NA _____ ft. after _____ hrs. pumping _____ g.p.m. _____ ft. after _____ hrs. pumping _____ g.p.m. Estimated maximum yield _____ g.p.m.	
		Sd., Clay, Strks. of Sand			195	11 Water sample submitted: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date _____	
		Med. Sd.			330	12 Well head completion: <input type="checkbox"/> Pitless adapter NA <input type="checkbox"/> Inches above grade	
		Red Clay			370	13 Well grouted? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Depth: From 0 ft. to 10 ft.	
						14 Nearest source of possible contamination: ft. _____ Direction _____ Type _____ Well disinfected upon completion? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
						15 Pump: <input checked="" type="checkbox"/> Not installed Manufacturer's name _____ Model number _____ HP _____ Volts _____ Length of drop pipe _____ ft. capacity _____ g.m.p. Type: Pump Set By Third Party <input type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other	
16 Remarks: elevation		8A. Johnson FRI Steel 16" 1000 slot 403-423'		17 Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. KTM DRILLING, INC. 225 Business name Box 1388, Gayman, Okla. License No. _____ Address _____ Signed Archie Wicker Date 5/26/75 Authorized representative			
Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input checked="" type="checkbox"/> Upland <input type="checkbox"/> Valley		14. Pasture Land					