

1 LOCATION OF WATER WELL: County: MORTON	Fraction NE ¼ NE ¼ NW ¼	Section Number 25	Township Number T 33 S	Range Number R 40 E/W
---	----------------------------	----------------------	---------------------------	--------------------------

Distance and direction from nearest town or city street address of well if located within city?
 2½ MILES NORTH AND ½ MILE EAST OF ROLLA, KS.

2 WATER WELL OWNER: BOB ANDERSON
 RR#, St. Address, Box # : HC 02, BOX 71
 City, State, ZIP Code : ROLLA, KS 67954
 Board of Agriculture, Division of Water Resources
 Application Number: 41,295

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

N

X	
---	---
NW	NE
---	---
SW	SE
---	---
S	

E

4 DEPTH OF COMPLETED WELL: 417 ft. ELEVATION:

Depth(s) Groundwater Encountered 1 92 ft. 2. ft. 3. ft.

WELL'S STATIC WATER LEVEL 92 ft. below land surface measured on mo/day/yr

Pump test data: Well water was ft. after hours pumping gpm

Est. Yield gpm: Well water was ft. after hours pumping gpm

Bore Hole Diameter: 26 in. to 417 ft., and in. to ft.

WELL WATER TO BE USED AS:

5 Public water supply	8 Air conditioning	11 Injection well
1 Domestic	3 Feedlot	6 Oil field water supply
2 Irrigation	4 Industrial	7 Lawn and garden only
		9 Dewatering
		12 Other (Specify below)

Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yr sample was submitted

Water Well Disinfected? Yes No

5 TYPE OF CASING USED:

1 Steel	3 RMP (SR)	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued Clamped
2 PVC	4 ABS	6 Asbestos-Cement	9 Other (specify below)	Welded <input checked="" type="checkbox"/>
		7 Fiberglass		Threaded

Blank casing diameter 16 in. to 417 ft., Dia in. to ft., Dia in. to ft.

Casing height above land surface 12 in., weight 42.5 lbs./ft. Wall thickness or gauge No. .250

TYPE OF SCREEN OR PERFORATION MATERIAL:

1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)	10 Asbestos-cement
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS	11 Other (specify)
				12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:

1 Continuous slot	3 Mill slot	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
2 Louvered shutter	4 Key punched	6 Wire wrapped	9 Drilled holes	
		7 Torch cut	10 Other (specify)	

SCREEN-PERFORATED INTERVALS: From PERF. 92 ft. to 290 ft., From SCREEN 290 ft. to 310 ft.

From PERF. 310 ft. to 385 ft., From SCREEN 385 ft. to 405 ft.

GRAVEL PACK INTERVALS: From 20 ft. to 417 ft., From PERF. 405 ft. to 417 ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other

Grout Intervals: From 0 ft. to 20 ft., From ft. to ft., From ft. to ft.

What is the nearest source of possible contamination:

1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
			13 Insecticide storage	CROPLAND-NOTHING
				IMMEDIATE VICINITY

Direction from well? How many feet?

FROM		TO		LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	120			SURFACE, SANDY CLAY & SAND			
120	160			SANDY BROWN CLAY W/FINE SAND			
160	220			FINE SAND W/BROWN CLAY STRINGERS			
220	260			SOFT BROWN CLAY W/FINE SAND			
260	380			FINE SAND			
380	415			RED CLAY W/FINE SAND			
415	420			RED CLAY			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 5/10/95 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 225 This Water Well Record was completed on (mo/day/yr) 5/23/95 under the business name of KTM DRILLING, INC. by (signature) *Bob Anderson*

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.