	WATER WELL RECORD Form W	VC-5 KSA 82a	-1212	
1 LOCATION OF WATER WELL: Fract		Section Number	Township Number	Range Number
County: // Or ton	36/4 SW 1/4 SW 1/4	3 32	<u>τ 33 s-≥3</u>	R 40 EV
IW. 13 N. 2 W.	street address of well if located within a	aty?		
2 WATER WELL OWNER. An adar	25, 5 W of 1	KD/La, X		
RR#, St. Address, Box # :	ko Prod Go			
	4 KS 61950			Division of Water Resources
		, ,	Application Number:	
3 LOCATE WELL'S LOCATION WITH 4 DEPTH AN "X" IN SECTION BOX:				
	Groundwater Encountered 1			
	STATIC WATER LEVEL 8.9			
NW NE Fot Viold	Pump test data: Well water was .	ft. al	ter hours pu	ımping gpm
	gpm: Well water was .			
	Diameter			
_			•	Injection well
- \ W 5E	gation 4 Industrial 7 Lawn	u water supply	9 Dewatering120 Monitoring well	Other (Specify below)
	emical/bacteriological sample submitted			
s mitted	emical bacteriological sample submitted			
5 TYPE OF BLANK CASING USED:	5 Wrought iron 8 C	oncrete tile	er Well Disinfected? Yes	No No Clamped
Steel 3 RMP (SR)	_	ther (specify below		ed Clamped
2 PVC 4,ABS	7 Fiberglass		Three	adad
Blank casing diameter	ft Dia		ft Dia	in to 4
Casing height above land surface3.1.Be	D.W.in. weight	lhe /f	t Wall thickness or gauge N	in. to
TYPE OF SCREEN OR PERFORATION MATERI		PVC	10 Asbestos-ceme	
1 Steel 3 Stainless steel		RMP (SR)	11 Other (specify)	1.
2 Brass 4 Galvanized steel	-	ABS	12 None used (op	797
SCREEN OR PERFORATION OPENINGS ARE:	5 Gauzed wrapp			11 None (open hole)
1 Continuous slot 3 Mill slot	6 Wire wrapped		9 Drilled holes	i
2 Louvered shutter 4 Key punched		1	10 Other (specify)	U/A
SCREEN-PERFORATED INTERVALS: From.	ft. to		n ft. t	
F				
l From.				
		ft., Fron	n	o
	ft. to	ft., Fron	n ft. t n ft. t	o
GRAVEL PACK INTERVALS: From.	ft. to	ft., Fron ft., Fron ft., Fron	n	o
GRAVEL PACK INTERVALS: From. From GROUT MATERIAL: Grout Intervals: From ft. to	ft. to	ft., Fron ft., Fron ft., Fron	n	o
GRAVEL PACK INTERVALS: From. From GROUT MATERIAL: Neat cement	ft. to	ft., Fron ft., Fron ft., Fron	n	o
GRAVEL PACK INTERVALS: From. From GROUT MATERIAL: Neat cement Grout Intervals: From. ft. to What is the nearest source of possible contaminat 1 Septic tank 4 Lateral lines	ft. to	ft., Fron ft., Fron ft., Fron ft., Fron ft., Fron ft. ft. to	n	o
GRAVEL PACK INTERVALS: From. From GROUT MATERIAL: Neat cement Grout Intervals: From. ft. to What is the nearest source of possible contaminat 1 Septic tank 4 Lateral lines 2 Sewer lines 5 Cess pool	ft. to	ft., Fron ft., Fron ft., Fron ft., Fron ft., Fron ft., Fron ft. ft. to	n	o
GRAVEL PACK INTERVALS: From. From GROUT MATERIAL: Neat cement Grout Intervals: From ft. to What is the nearest source of possible contaminat 1 Septic tank 4 Lateral lines 2 Sewer lines 5 Cess pool 3 Watertight sewer lines 6 Seepage pit	ft. to	ft., Fron ft., Fron ft., Fron ft., Fron ft., Fron ft., Fron ft. ft. to	n	o
GRAVEL PACK INTERVALS: From. From GROUT MATERIAL: Neat cement Grout Intervals: From ft. to What is the nearest source of possible contaminat 1 Septic tank 4 Lateral lines 2 Sewer lines 5 Cess pool 3 Watertight sewer lines 6 Seepage pit Direction from well?	tion: ft. to ft. to ft. to 2 Cement grout 3 E 7 Pit privy 8 Sewage lagoon 9 Feedyard	ft., Fron ft., Fron ft., Fron ft., Fron ft., Fron ft., Fron ft. ft. to	n	o
GRAVEL PACK INTERVALS: From. From GROUT MATERIAL: Neat cement Grout Intervals: From ft. to What is the nearest source of possible contaminat 1 Septic tank 4 Lateral lines 2 Sewer lines 5 Cess pool 3 Watertight sewer lines 6 Seepage pit Direction from well?	tion: ft. to ft. to ft. to 2 Cement grout 3 E 2 ft., From ition: 7 Pit privy 8 Sewage lagoon 9 Feedyard OGIC LOG FRO	ft., Fron ft. ft. to	n ft. t n ft.	o
GRAVEL PACK INTERVALS: From. From GROUT MATERIAL: Neat cement Grout Intervals: From ft. to What is the nearest source of possible contaminat 1 Septic tank 4 Lateral lines 2 Sewer lines 5 Cess pool 3 Watertight sewer lines 6 Seepage pit Direction from well?	tt. to ft. to ft. to 2 Cement grout 3 E 2 ft., From tion: 7 Pit privy 8 Sewage lagoon 9 Feedyard OGIC LOG FRO	ft., Fron ft., F	n	o
GRAVEL PACK INTERVALS: From. From GROUT MATERIAL: Neat cement Grout Intervals: From ft. to What is the nearest source of possible contaminat 1 Septic tank 4 Lateral lines 2 Sewer lines 5 Cess pool 3 Watertight sewer lines 6 Seepage pit Direction from well?	tt. to ft. to ft. to 2 Cement grout 3 E 2 ft., From tion: 7 Pit privy 8 Sewage lagoon 9 Feedyard OGIC LOG FRO	tt., Fron ft., Fron ft., Fron ft., Fron ft., Fron gentonite ft. to	n ft. to ft. ft. ft. to ft. ft. from ft. ft. ft. from ft.	o
GRAVEL PACK INTERVALS: From. From GROUT MATERIAL: Neat cement Grout Intervals: From ft. to What is the nearest source of possible contaminat 1 Septic tank 4 Lateral lines 2 Sewer lines 5 Cess pool 3 Watertight sewer lines 6 Seepage pit Direction from well?	tt. to ft. to ft. to 2 Cement grout 3 E 2 ft., From tion: 7 Pit privy 8 Sewage lagoon 9 Feedyard OGIC LOG FRO	ft., Fron ft., F	n	o
GRAVEL PACK INTERVALS: From. From GROUT MATERIAL: Neat cement Grout Intervals: From ft. to What is the nearest source of possible contaminat 1 Septic tank 4 Lateral lines 2 Sewer lines 5 Cess pool 3 Watertight sewer lines 6 Seepage pit Direction from well?	tt. to ft. to ft. to 2 Cement grout 3 E 2 ft., From tion: 7 Pit privy 8 Sewage lagoon 9 Feedyard OGIC LOG FRO	tt., Fron ft., Fron ft., Fron ft., Fron ft., Fron gentonite ft. to	n ft. to ft. ft. ft. to ft. ft. from ft. ft. ft. from ft.	o
GRAVEL PACK INTERVALS: From. From GROUT MATERIAL: Neat cement Grout Intervals: From ft. to What is the nearest source of possible contaminat 1 Septic tank 4 Lateral lines 2 Sewer lines 5 Cess pool 3 Watertight sewer lines 6 Seepage pit Direction from well?	tt. to ft. to ft. to 2 Cement grout 3 E 2 ft., From tion: 7 Pit privy 8 Sewage lagoon 9 Feedyard OGIC LOG FRO	tt., Fron ft., Fron ft., Fron ft., Fron ft., Fron gentonite ft. to	n ft. to ft. ft. ft. to ft. ft. from ft. ft. ft. from ft.	o
GRAVEL PACK INTERVALS: From. From GROUT MATERIAL: Neat cement Grout Intervals: From ft. to What is the nearest source of possible contaminat 1 Septic tank 4 Lateral lines 2 Sewer lines 5 Cess pool 3 Watertight sewer lines 6 Seepage pit Direction from well?	tt. to ft. to ft. to 2 Cement grout 3 E 2 ft., From tion: 7 Pit privy 8 Sewage lagoon 9 Feedyard OGIC LOG FRO	tt., Fron ft., Fron ft., Fron ft., Fron ft., Fron gentonite ft. to	n ft. to ft. ft. ft. to ft. ft. from ft. ft. ft. from ft.	o
GRAVEL PACK INTERVALS: From. From GROUT MATERIAL: Neat cement Grout Intervals: From ft. to What is the nearest source of possible contaminat 1 Septic tank 4 Lateral lines 2 Sewer lines 5 Cess pool 3 Watertight sewer lines 6 Seepage pit Direction from well?	tt. to ft. to ft. to 2 Cement grout 3 E 2 ft., From tion: 7 Pit privy 8 Sewage lagoon 9 Feedyard OGIC LOG FRO	tt., Fron ft., Fron ft., Fron ft., Fron ft., Fron gentonite ft. to	n ft. to ft. ft. ft. to ft. ft. from ft. ft. ft. from ft.	o
GRAVEL PACK INTERVALS: From. From GROUT MATERIAL: Neat cement Grout Intervals: From ft. to What is the nearest source of possible contaminat 1 Septic tank 4 Lateral lines 2 Sewer lines 5 Cess pool 3 Watertight sewer lines 6 Seepage pit Direction from well?	tt. to ft. to ft. to 2 Cement grout 3 E 2 ft., From tion: 7 Pit privy 8 Sewage lagoon 9 Feedyard OGIC LOG FRO	tt., Fron ft., Fron ft., Fron ft., Fron ft., Fron gentonite ft. to	n ft. to ft. ft. ft. to ft. ft. from ft. ft. ft. from ft.	o
GRAVEL PACK INTERVALS: From. From GROUT MATERIAL: Neat cement Grout Intervals: From ft. to What is the nearest source of possible contaminat 1 Septic tank 4 Lateral lines 2 Sewer lines 5 Cess pool 3 Watertight sewer lines 6 Seepage pit Direction from well?	tt. to ft. to ft. to 2 Cement grout 3 E 2 ft., From tion: 7 Pit privy 8 Sewage lagoon 9 Feedyard OGIC LOG FRO	tt., Fron ft., Fron ft., Fron ft., Fron ft., Fron gentonite ft. to	n ft. to ft. ft. ft. to ft. ft. from ft. ft. ft. from ft.	o
GRAVEL PACK INTERVALS: From. From GROUT MATERIAL: Neat cement Grout Intervals: From ft. to What is the nearest source of possible contaminat 1 Septic tank 4 Lateral lines 2 Sewer lines 5 Cess pool 3 Watertight sewer lines 6 Seepage pit Direction from well?	tt. to ft. to ft. to 2 Cement grout 3 E 2 ft., From tion: 7 Pit privy 8 Sewage lagoon 9 Feedyard OGIC LOG FRO	tt., Fron ft., Fron ft., Fron ft., Fron ft., Fron gentonite ft. to	n ft. to ft. ft. ft. to ft. ft. from ft. ft. ft. from ft.	o
GRAVEL PACK INTERVALS: From. From GROUT MATERIAL: Neat cement Grout Intervals: From ft. to What is the nearest source of possible contaminat 1 Septic tank 4 Lateral lines 2 Sewer lines 5 Cess pool 3 Watertight sewer lines 6 Seepage pit Direction from well?	tt. to ft. to ft. to 2 Cement grout 3 E 2 ft., From tion: 7 Pit privy 8 Sewage lagoon 9 Feedyard OGIC LOG FRO	tt., Fron ft., Fron ft., Fron ft., Fron ft., Fron gentonite ft. to	n ft. to ft. ft. ft. to ft. ft. from ft. ft. ft. from ft.	o
GRAVEL PACK INTERVALS: From. From GROUT MATERIAL: Neat cement Grout Intervals: From ft. to What is the nearest source of possible contaminat 1 Septic tank 4 Lateral lines 2 Sewer lines 5 Cess pool 3 Watertight sewer lines 6 Seepage pit Direction from well?	tt. to ft. to ft. to 2 Cement grout 3 E 2 ft., From tion: 7 Pit privy 8 Sewage lagoon 9 Feedyard OGIC LOG FRO	tt., Fron ft., Fron ft., Fron ft., Fron ft., Fron gentonite ft. to	n ft. to ft. ft. ft. to ft. ft. from ft. ft. ft. from ft.	o
GRAVEL PACK INTERVALS: From. From GROUT MATERIAL: Neat cement Grout Intervals: From ft. to What is the nearest source of possible contaminat 1 Septic tank 4 Lateral lines 2 Sewer lines 5 Cess pool 3 Watertight sewer lines 6 Seepage pit Direction from well?	tt. to ft. to ft. to 2 Cement grout 3 E 2 ft., From tion: 7 Pit privy 8 Sewage lagoon 9 Feedyard OGIC LOG FRO	tt., Fron ft., Fron ft., Fron ft., Fron ft., Fron gentonite ft. to	n ft. to ft. ft. ft. to ft. ft. from ft. ft. ft. from ft.	o
GRAVEL PACK INTERVALS: From. From GROUT MATERIAL: Neat cement Grout Intervals: From ft. to What is the nearest source of possible contaminat 1 Septic tank 4 Lateral lines 2 Sewer lines 5 Cess pool 3 Watertight sewer lines 6 Seepage pit Direction from well?	tt. to ft. to ft. to 2 Cement grout 3 E 2 ft., From tion: 7 Pit privy 8 Sewage lagoon 9 Feedyard OGIC LOG FRO	tt., Fron ft., Fron ft., Fron ft., Fron ft., Fron gentonite ft. to	n ft. to ft. ft. ft. to ft. ft. from ft. ft. ft. from ft.	o
GRAVEL PACK INTERVALS: From. From 6 GROUT MATERIAL: Neat cement Grout Intervals: From. 1. to What is the nearest source of possible contaminar 1 Septic tank 4 Lateral lines 2 Sewer lines 5 Cess pool 3 Watertight sewer lines 6 Seepage pit Direction from well? FROM TO LITHOL	ft. to ft. to ft. to 2 Cement grout 3 E 2 Tement grout 7 Pit privy 8 Sewage lagoon 9 Feedyard COGIC LOG FRO	ft., Fron ft., F	n ft. the ft.	oft. oft. oft. oft. toft. toft. bandoned water well bil well/Gas well other (specify below) NTERVALS
GRAVEL PACK INTERVALS: From. From 6 GROUT MATERIAL: Neat cement Grout Intervals: From. 1. to What is the nearest source of possible contaminar 1 Septic tank 4 Lateral lines 2 Sewer lines 5 Cess pool 3 Watertight sewer lines 6 Seepage pit Direction from well? FROM TO LITHOL	ft. to ft. to ft. to 2 Cement grout 3 E 2 Fit, From 7 Pit privy 8 Sewage lagoon 9 Feedyard OGIC LOG FRO FRO FRO FRO FRO FRO FRO F	ft., From ft., F	n ft. to	oft. oft. oft. oft. toft. bandoned water well bit well/Gas well bther (specify below)
GRAVEL PACK INTERVALS: From. From GROUT MATERIAL: Neat cement Grout Intervals: From. 1. to What is the nearest source of possible contaminat 1 Septic tank 4 Lateral lines 2 Sewer lines 5 Cess pool 3 Watertight sewer lines 6 Seepage pit Direction from well? FROM TO LITHOL TO LITHOL 7 CONTRACTOR'S OR LANDOWNER'S CERTIFIC completed on (mo/day/year)	ft. to ft. to ft. to 2 Cement grout 3 E 2 This Water Well Become	ft., From ft., F	n ft. to	oft. oft. oft. oft. toft. bandoned water well bit well/Gas well bther (specify below)
GRAVEL PACK INTERVALS: From. From GROUT MATERIAL: Neat cement Grout Intervals: From. 1. to What is the nearest source of possible contaminat 1 Septic tank 4 Lateral lines 2 Sewer lines 5 Cess pool 3 Watertight sewer lines 6 Seepage pit Direction from well? FROM TO LITHOL TO LITHOL 7 CONTRACTOR'S OR LANDOWNER'S CERTIFIC completed on (mo/day/year)	ft. to ft. to ft. to 2 Cement grout 3 E 2 This Water Well Become	ft., From ft., F	n ft. to	oft. oft. oft. oft. toft. bandoned water well bit well/Gas well bther (specify below)
GRAVEL PACK INTERVALS: From. From 6 GROUT MATERIAL: Neat cement Grout Intervals: From. 1. ft. to What is the nearest source of possible contamina: 1 Septic tank 4 Lateral lines 2 Sewer lines 5 Cess pool 3 Watertight sewer lines 6 Seepage pit Direction from well? FROM TO LITHOL 7 CONTRACTOR'S OR LANDOWNER'S CERTII Completed on (mo/day/year) 2 7	ft. to ft. to ft. to 2 Cement grout 3 E 2 This Water Well Recor	ft., Fron ft., F	n ft. the ft.	der my jurisdiction and was owledge and belief. Kansas