WATER WELL RI		WWC-5		sion of Water		Wallin Mc-MW 15	
Original Record LOCATION OF W		ge in Well Use		irces App. No.	Taumahin Numb	Well ID	
County: Morton	AIER WELL:	Fraction NE ¼ SW ¼ SW ¼		ion Number 18	Township Numb	R 43 DE W	
2 WELL OWNER: La		Street or Rural Address where well is located (if unknown, distance and					
Business: Kinder Mo	rgan		direction from nearest town or intersection): If at owner's address, check here:				
Address: 195 County Road P							
City: Richfield State: KS ZIP: 67953							
3 LOCATE WELL		APLETED WELL:	117 д	5 I -4'4de	37 1806	14 (1	
WITH "X" IN	Depth(s) Groundwater	(.).{ II. 5 A	5 Latitude	5 Latitude: 37.180614 (decimal degrees) Longitude: -102.026973 (decimal degrees)			
SECTION BOX:	2) ft.		Horizontal Datum: ■ WGS 84 □ NAD 83 □ NAD 27				
	WELL'S STATIC WA	5 ft.	Source fo	Source for Latitude/Longitude:			
' '	below land surface, measured on (mo-day-yr)6-21-17				GPS (unit make/model: IPhone 5C		
NW NE	above land surface, measured on (mo-day-yr)			(WAAS enabled? ☐ Yes ■ No)			
W E	after hours pumping gpm			☐ Land Survey ☐ Topographic Map ☐ Online Mapper:			
] "	Well water was ft.			- Commit Mapper			
SW SE	after hours pumping gpm			6 Floretio	m: A	□ Ground Level □ TOC	
S	Estimated Yield:gpm Bore Hole Diameter:6in. to118 ft. and			6 Elevation:ft. ☐ Ground Level ☐ TOC Source: ☐ Land Survey ■ GPS ☐ Topographic Map			
mile	Bole Hole Diameter:	in. to	. n. and ft.				
7 WELL WATER TO BE USED AS:							
1. Domestic:		ater Supply: well ID				ease	
Household	6. Dewatering: how many wells?			11. Test Hole: well ID			
☐ Lawn & Garden ☐ Livestock	 7. ☐ Aquifer Recharge: well ID			Cased Uncased Geotechnical			
2. Irrigation	9. Environmental Remediation: well ID			12. Geothermal: how many bores?			
3. ☐ Feedlot	☐ Air Sparge ☐ Soil Vapor Extraction			b) Open Loop Surface Discharge Inj. of Water			
4. Industrial	☐ Recovery	☐ Injection		I3. 🗌 Other	(specify):		
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:							
Water well disinfected? ☐ Yes ■ No							
8 TYPE OF CASING USED: ☐ Steel ☐ PVC ☐ Other							
Casing diameter							
Casing height above land surface							
☐ Steel ☐ Stainless Steel ☐ Fiberglass ■ PVC ☐ Other (Specify)							
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)							
SCREEN-PERFORATED INTERVALS: From1.17 ft. to ft., From ft., From ft. to ft.							
GRAVEL PACK INTERVALS: From							
9 GROUT MATERIAL: ■ Neat cement ☐ Cement grout ☐ Bentonite ☐ Other							
Grout Intervals: From							
Nearest source of possible contamination:							
□ Septic Tank □ Lateral Lines □ Pit Privy □ Livestock Pens □ Insecticide Storage □ Sewer Lines □ Cess Pool □ Sewage Lagoon □ Fuel Storage □ Abandoned Water Well							
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well ☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well							
Other (Specify) N/A							
Direction from well?							
10 FROM TO	LITHOLO	GIC LOG	FROM	TO LI	THO. LOG (cont.) or	PLUGGING INTERVALS	
0 118 C	Clay/Sand						
			Notes:				
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged and belief							
under my jurisdiction and was completed on (mo-day-year) .6-2.1-1.7							
under the business name of Cascade Drilling. Signature Stava Johnson.							
Mail I white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section,							
1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 7/10/2015							
visit us at http://www.kdheks	.gov/waterwell/index.html		NOM 028-12	14		ACVISCU // 10/2015	

Google Maps Richfield



Imagery @2017 Google, Map data @2017 Google United States

RECEIVED

BUREAU OF WATER





Pamela, here is a detailed map for the Richfield, KS property for the flushmount wells installed. The wells MC-MW-18 and MC-MW-15 appear to be out in a field but are near the sites pumping stations and have regular tractor-trailer traffic coming to these locations to get there product out and transferred away.

Thanks

CHACLOHNSON PROJECT MANAGER

CASCADE | 209 Lemieur St, Little Falls MN 56345 320-632-6552 Ext 3215 M 320-232-7379 | CJOHNSON@CASCADE-ENV.COM

EXCELLENCE ON EVERY LEVEL™ <u>WWW.CASCADE-ENV.COM</u>

RECEIVED

SEP 05 2017

BUREAU OF WATER