WATER WELL R			WWC-5	Div	ision of Wate	r	mc-mw 18	
Original Record			ge in Well Use		ources App. N		Well ID	
1 LOCATION OF W	ATER WEI	L:	Fraction		tion Numbe			
County: Morton			NE 1/4 SW 1/4 SW 1/4		18	T 33 S	R 43 □E ■ W	
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance at								
Business: Kinder Morgan Address: 195 County Road P direction from nearest town or intersection): If at owner's address, check here:								
Address:	ty Road F							
City: Richfield		State: KS	ZIP: 67953					
3 LOCATE WELL								
WITH "X" IN			Encountered: 1) 9				6963 (decimal degrees)	
SECTION BOX:	2)	ft.	3) ft., or 4) □	Dry Well			4 □ NAD 83 □ NAD 27	
 	WELL'S ST	WELL'S STATIC WATER LEVEL:134 ft. Source for Latitude/Longitude:						
			, measured on (mo-day-			Phone 5C		
NW NE			, measured on (mo-day- vater was ft		1	(WAAS enabled? ☐ Yes ■ No)		
w + + - E			s pumping			☐ Land Survey ☐ Topographic Map ☐ Online Mapper:		
"		Well water was ft.						
SW SE	after	after hours pumping gpm						
S	Bore Hole I	Bore Hole Diameter:						
mile in. to ft. Other								
1. Domestic:			ater Supply: well ID		10. □ Oi	Field Water Supply: 1	ease	
☐ Household	6. Dewatering: how many wells?							
☐ Lawn & Garden	7. ☐ Aquifer Recharge: well ID				☐ Cased ☐ Uncased ☐ Geotechnical			
Livestock	8. Monitoring: well IDMC-MVV-18 12. Geothermal: how many bores?							
2. ☐ Irrigation 3. ☐ Feedlot	9. Environmental Remediation: well ID							
4. ☐ Industrial	_	Recovery		xtraction			ischarge inj. of water	
				Van Nia				
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ■ No If yes, date sample was submitted:								
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter 2 in to 130 ft Diameter in to ft Diameter in to ft								
Casing diameter								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ Fiberglass ■ PVC ☐ Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE: ☐ Continuous Slot								
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify) ☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole)								
SCREEN-PERFORATED INTERVALS: From150 ft. to ft., From ft., From ft., From ft.								
GRAVEL PACK INTERVALS: From 130 ft. to 128 ft., From ft. to ft., From ft., From ft. to ft.								
9 GROUT MATERIAL: ■ Neat cement □ Cement grout □ Bentonite □ Other								
Grout Intervals: From								
Nearest source of possible contamination: □ Septic Tank								
□ Septic Tank □ Lateral Lines □ Pit Privy □ Livestock Pens □ Insecticide Storage □ Sewer Lines □ Cess Pool □ Sewage Lagoon □ Fuel Storage □ Abandoned Water Well								
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well								
Other (Specify) .N/A	4			••••				
Direction from well?								
10 FROM TO 0 140 (LITHOLO	GIC LOG	FROM	TO	LITHO, LOG (cont.) o	r PLUGGING INTERVALS	
	Clay Silt Sandstone					,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
130	Sanusione							
				1				
				Notes:				
11 CONTRACTORIS OR LANDOWNERS CERTIFICATION. This was all to the state of the state								
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) 6-26-17 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Cor	ntractor's Lic	ense No	597 This Wa	ter Well Red	cord was cor	npleted on (mo-day-y	/ear) .7131.7	
under the business name of Cascade Drilling Signature Stave Johnson								
Mail 1 white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.								
1000 SW Jackson St Visit us at http://www.kdheks				Water Well Ow KSA 82a-12		ne tor your records. Telep	hone 785-296-5524. Revised 7/10/2015	
viole us at http://www.kuneks	.gov/waterwell/	mucx.ntiiii		130/1 02a-12	-14		ALUTIOUS // IV/AUIU	

Google Maps Richfield



Imagery @2017 Google, Map data @2017 Google United States

RECEIVED

BUREAU OF WATER





Pamela, here is a detailed map for the Richfield, KS property for the flushmount wells installed. The wells MC-MW-18 and MC-MW-15 appear to be out in a field but are near the sites pumping stations and have regular tractor-trailer traffic coming to these locations to get there product out and transferred away.

Thanks

CHACLOHNSON PROJECT MANAGER

CASCADE | 209 Lemieur St, Little Falls MN 56345 320-632-6552 Ext 3215 M 320-232-7379 | CJOHNSON@CASCADE-ENV.COM

EXCELLENCE ON EVERY LEVEL™ <u>WWW.CASCADE-ENV.COM</u>

RECEIVED

SEP 05 2017

BUREAU OF WATER