		RECORD		n WWC	-5 r			sources: Ap				
1 LOCA County:	TION OF	WATER WELL:	Fraction	NW 1/	SW 1/	Section	n Number	r Towns	hip Number	Range Number		
Distance a	nd directio	n from nearest town	or city stre	et address	of well if	Global	Positioni	ng System	(decimal degr	rees min of 4 digits)		
County: Harper NW ½ NW ½ SW ½ 25 T 33 S R 7 W Distance and direction from nearest town or city street address of well if Clobal Positioning System (decimal degrees, min. of 4 digits) Latitude: N 37.14378°												
2 WATI	711 S. Lawrence, Anthony, KS 67003 2 WATER WELL OWNER: Harper County Shop							Elevation: 1321.14 pin/1320.88 toc				
						Datum:						
City, State, ZIP Code : Anthony, KS 67003							Data Collection Method: legal survey					
5 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL 30.5 m.												
LOCA						MW						
1	I AN "X" I	N Depth(s) Groun	idwater End	countered 1			ft. 2	2	ft. 3	ft.		
SECT	ION BOX:	WELL'S STAT	TIC WATE	R LEVEL	14.4	ft. belo	w land su	rface meas	ured on mo/d	ay/yr 4/12/07		
N Pump test data: Well water was ft. after hours pumping gpm												
Est. Yield gpm: Well water was ft. after hours pumping gpm												
	/—— NE —	WELL WATER	R TO BE II	ISED AS:	5 Public	water su	innly 8	Air conditi	oning 11 lt	niection well		
,,		_ 1 Domestic 3	Feed lot	6 Oil field	d water su	pply	9 De	watering	12 Oth	er (Specify below)		
W	x	2 Irrigation 4	Industrial	7 Domest	ic (lawn d	garder	n) (10)Mo	onitoring v	vell			
- sw - sE -												
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yrs												
<u> </u>	S	Sample was cul	amittad				Water	Wall Digit	nfected? Vec	No V		
S Sample was submitted Water Well Disinfected? Yes No X 5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded 2 PVC 4 ABS 7 Fiberglass Threaded X Blank casing diameter 2 in. to 30.5 ft., Dia in. to ft., Dia in. to ft. Casing height below land surface 0.26 ft., Weight Ibs./ft. Wall thickness or gauge No. TYPE OF SCREEN OR PERFORATION MATERIAL:												
1 240	or CASII	O DAID (CD)	A chastas (0 Conc	rete tile	f. balann)	romo ioi	INIS. Ulucu	Clamped		
1 316	eel C	$\begin{array}{ccc} 5 & \text{RMP}(5R) & 6 \\ 4 & \text{ADC} & 7 \end{array}$	Aspestos-C	Lement	9 Otne	r (specii	ry below)		Weide	:U		
$\left \sum_{i=1}^{n} (2)^{p_i} \right $		4 ABS /	riberglass	o					Inread	ied X		
Biank casing diameter 2 in. to 30.5 ft., Dia in. to ft., Dia in. to ft.												
Casing height below land surface 0.26 ft., Weight lbs./ft. Wall thickness or gauge No.												
TYPE OF SCREEN OR PERFORATION MATERIAL:												
1 Steel 3 Stainless steel 5 Fiberglass (7) PVC 9 ABS 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)												
SCREEN OR PERFORATION OPENINGS ARE:												
1 Continuous slot (3) Mill slot 5 Guaze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)												
1 Continuous slot 3 Mill slot 5 Guaze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)												
SCREEN-	PERFORA	TED INTERVALS:	From	10.5	ft. to	30.	5 ft. 1	From	ft. t	o ft.		
			From		ft. to		ft. I	From	ft. t	o ft.		
GR	AVEL PAG	CK INTERVALS:	From	9	ft. to	30	π	From	π. τ	ο π.		
			From		ft. to		ft.	From	ft. t	o ft.		
From ft. to ft. From ft. to ft. From ft. to ft.												
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other cement, 0-2 ft Grout Intervals From 2 ft. to 9 ft. From ft. to ft. From ft. to ft.												
What is the nearest source of possible contamination:												
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify												
	er lines	5 Cess pool								below)		
2 Sewer lines 5 Cess pool 8 Sewage lagoon (1) Fuel storage 14 Abandoned water well below) 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 15 Oil well/ gas well												
1	from well?			<u>-</u>	How ma			5				
		LITIO			• •			DITI	CCINC INT	CDVALC		
FROM	TO	Gravel, Fill	LOGIC LO	<u>U</u>	FRO	M I	O	PLU	GGING INT	EKVALS		
3	5	Silty clay, red-bro	Wn govern	d with blo	ok							
	3	sediment, no odor,		u willi bia	CN	-						
8	10	Silty clay, red-bro		to wet								
13	15	Silty clay, red-bro										
							Flus	hmount w	aiver by D.	Taylor		
												
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 4/12/07 and this record is true to the best of my knowledge and belief												
under my j	urisdiction a	nd was completed on (mo/day/year) <u>4/12/07</u>	17-4 117. 11							
		ntractor's License No.						eten on mo	urayuyear)	5/9/07		
1						nature) _		***	1 5	. D		
INSTRUCTIONS: Please fill in blanks or circle the correct answers. Send top three copies to Kansas Department of Health and Environment. Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420. Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one WATER WELL OWNER and retain one for												
your records	your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell.											