WATER WELL RECORD Form WWC-5 Division of Water Resources: App. No.									
1 LOCA	TION OF	WATER WELL:	raction	N. CW.	Section	n Number	Township Number	Range Number	
County:	nd direction	from nearest town o	r city street ad	dress of well i	f Globa	25 Docitioning	System (decimal dea	rees min of 4 digits)	
County: Harper NW ½ NW ½ SW ½ 25 T 33 S R 7 W Distance and direction from nearest town or city street address of well if Global Positioning System (decimal degrees, min. of 4 digits) located within city? Latitude: N 37.14358°									
711 S. Lawrence, Anthony, KS 67003 Longitude: W 98.03844°									
2 WATER WELL OWNER: Harper County Shop						Elevation: 1319.88 pin/1319.56 toc			
RR#, St. Address, Box # : 711 S. Lawrence					Datur	Datum:			
City, State, ZIP Code : Anthony, KS 67003						Data Collection Method: legal survey			
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL 30 ft.									
LOCA	TON				MW				
WITH	[AN "X"]]	N Depth(s) Ground	lwater Encount	tered 1		ft. 2	ft. 3	ft.	
SECT	ION BOX:	WELL'S STAT	IC WATER LE	EVEL 13.67	ft. belo	w land surfa	ace measured on mo/o	lay/yr 4/12/07	
	N Pump test data: Well water was ft. after hours pumping gpm								
	Est. Yield gpm: Well water was ft. after hours pumping gpm								
L NV	WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well								
W I Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well									
1 .									
SW SE Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yrs									
 i-									
S Sample was submitted Water Well Disinfected? Yes No X									
5 TYPE	OF CASIN	NG USED: 5	Wrought Iron	8 Co	icrete tile	CAS	ING JOINTS: Glued	Clamped	
1 Ste	PE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded								
(2) PV	C ·	4 ABS 7 1	Fiberglass				Threa	ded X	
PVC 4 ABS 7 Fiberglass Threaded X Blank casing diameter 2 in. to 30 ft., Dia in. to ft., Dia in. to ft. Casing height below land surface 0.32 ft., Weight lbs./ft. Wall thickness or gauge No.									
Casing height below land surface 0.32 ft., Weight lbs./ft. Wall thickness or gauge No.									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
1 Steel 3 Stainless steel 5 Fiberglass (7) PVC 9 ABS 11 Other (specify)									
1 Steel 3 Stainless steel 5 Fiberglass (7) PVC 9 ABS 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)									
SCKEEN	OK PEKFC	KATION OPENING	IS ARE:						
1 Continuous slot 3 Mill slot 5 Guaze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)									
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 10 ft. to 30 ft. From ft. to ft.									
SCREEN-	PERFORA	TED INTERVALS:	From	π. το	30	π. Fr	om	ιοπ.	
9			From	π. το		π. Fr	om ft. 1	ιοπ.	
GRAVEL PACK INTERVALS: From 9 ft. to 30 ft. From ft. to								io ft.	
GRAVEL PACK INTERVALS: From 9 ft. to 30 ft. From ft. to ft. From ft. to ft.									
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout (3 Bentonite (4) Other cement, 0-2 ft									
Grout Inte	rvals Fr	rom 2 ft. to	9 ft. Fro	om	ft. to	ft.	From	ft. to ft.	
Grout Intervals From 2 ft. to 9 ft. From ft. to ft. From ft. to ft. From ft. to ft. What is the nearest source of possible contamination:									
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify									
2 Sew	er lines	5 Cess pool	8 Sewage la	agoon (11) Fue			andoned water well	below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 15 Oil well/ gas well									
Direction from well? How many feet?									
FROM	TO	LITHOL	OGIC LOG	FR	OM T	0	PLUGGING INT	FRVALS	
0		Sand, fill	odic Lod	110	0141	-	TEOGGING INT	LICYTES	
3	5	Silty clay, red-brow	n. moist.						
		no petro odor	11, 1110151,						
8	10	Silty clay, red-brow	n. moist.						
		no petro odor							
13	15	Silty clay, red-brow	n, moist,						
		no petro odor							
21	22	Hard zone							
22	30	Sily clay, red-brown	n, moist, no sa	nd,		Flush	mount waiver by D.	Taylor	
no petro odor									
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged									
under my jurisdiction and was completed on (mo/day/year) 4/12/07 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 757 This Water Well Record was completed on (marday/year) 5/9/07 under the business name of Larsen & Associates, Inc. by (signature)									
					gnature) _				
INSTRUCTIONS: Please fill in blanks or circle the correct answers. Send top three copies to Kansas Department of Health and Environment. Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for									
your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell.									