KOLAR Document ID: 1513206

	WELL R			WWC-5		vision of Wat						
U		Correction		ge in Well Use		ources App.			Well ID			
			Fraction		ction Numb	er	Township Numb		ige Number			
County: $\frac{1}{4}$ $\frac{1}{4}$						1 4 1 1						
						treet or Rural Address where well is located (if unknown, distance and rection from nearest town or intersection): If at owner's address, check here:						
Address:					direction from	rection from hearest town of intersection). If at owner's address, check here.						
Address:												
City:		T	State:	ZIP:								
3 LOCATE WELL WITH WY IN 4 DEPTH OF COMPLETED WELL:						t 5 Latif	nde.			(decimal degrees)		
					ncountered: 1) ft.			5 Latitude:(decimal degrees) Longitude:(decimal degrees)				
	N DUA:			Dry Well			WGS 84 🗌 NAI					
	Y	WELL'S ST			Source	Source for Latitude/Longitude:						
				yr)			unit make/model:					
NW	NE	Pump test d		yr)		(WAAS enabled? 🗌 Yes 🗌 No)						
w	Е	-	hours			□ Land Survey □ Topographic Map □ Online Mapper:						
			Well water was ft.									
SW	SE	after	after hours pumping gp									
		Estimated Yield:gpm				6 Elevation:ft. Ground Level TOC						
	S	Bore Hole I	Bore Hole Diameter: in. to			Source: Land Survey GPS Topographic Mag Other						
7 WELL WATER TO BE USED AS: 1. Domestic: 5. Public Water Supply: well ID 10. Oil Field Water Supply: lease 												
T. Domestic			6. Dewatering: how many wells?				11. Test Hole: well ID					
			7. Aquifer Recharge: well ID					\Box Uncased \Box (
Livesto				g: well ID	12. Geot	therm	al: how many bores	?				
	2. Irrigation 9. Environmental Remediation: we											
3. EFeedlot								Open Loop 🔲 Surface Discharge 📋 Inj. of Water				
4. Industrial Recovery Injection 13. Other (specify):												
Was a chemical/bacteriological sample submitted to KDHE? \Box Yes \Box No If yes, date sample was submitted:												
Water well disinfected? Ves No												
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded												
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No												
TYPE OF SCREEN OR PERFORATION MATERIAL:												
\Box Steel \Box Stainless Steel \Box PVC \Box Other (Specify)												
Brass Galvanized Steel None used (open hole)												
SCREEN OR PERFORATION OPENINGS ARE:												
Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)												
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)												
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft., From ft. to ft.												
GRAVEL PACK INTERVALS: From												
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other												
		e contaminati	on: No	potential source of con	tamination w	ithin 200 ft.						
□ Septic			Lateral Line			Livestock P	ens		cide Storage			
Sewer			Cess Pool	🗌 Sewage Lag		Fuel Storage			oned Water			
	ight Sewer Li			☐ Feedyard		Fertilizer St	orage	☐ Oil We	ll/Gas Well			
Direction from well? ft.												
10 FROM	TO		ITHOLO		FROM	ТО		HO. LOG (cont.) or		GINTERVALS		
	Notes:											
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged												
under my i	urisdiction a	nd was compl	leted on (n	no-day-year)	and	this record	is tru	ie to the best of m	y knowled	ge and belief.		
Kansas Wa	ter Well Cor	ntractor's Lice	ense No	This Wa	ter Well Re	cord was co	mple	ted on (mo-day-ye	ear)			
under the b	ousiness name	<u>e of</u>	***		· · · · · · · · · · · · · · · · · · ·	1 5 2		• •				
KS Departs				ELL OWNER and retain of Vater, Geology Section, 10						785-296-3565		
-		ks.gov/waterwel		, ceology beenon, to		, Sance 120	, 1 0pt	, 1		SA 82a-1212		