			ER WELL RECORD F	Form WWC-5	KSA 82a-	212			
LOCATION OF WA		Fraction		Section	n Number	Township	•	Range	Number
ounty: SUM		MC,		) 1/4	0	<u> </u>	(5)	R	<b>E</b> (W)
			address of well if located	within city?		•			
3 miles r	-		1/2 morth	South	flave-				
WATER WELL OV	~ X .	W 15 191	nT						
R#, St. Address, Bo	11 11	1,,				Board of	Agriculture, [	Division of W	ater Resource
ity, State, ZIP Code	:_S	uth Ha	<del>uk~</del>	·,		Application	on Number:	8_	<u> </u>
LOCATE WELL'S L	OCATION WITH	4 DEPTH OF	COMPLETED WELL	65	ft. ELEVAT	ION: <u>.</u>			
AN "X" IN SECTIO	N BOX:	Depth(s) Groun	dwater Encountered 1.	35	ft. 2.	59	ft. 3		
!		WELL'S STATION	C WATER LEVEL	<b>3</b> ft. beld	ow land surfa	ice measured	on mo/day/yr	narl	L. 1.4
	NE	Pun	np test data: Well water	was	ft. aft	er	hours pu	mping	gpr
122 1411		Est. Yield	gpm: Well water	was	ft. aft	er	hours pu	mping	gpr
w		Bore Hole Diam	neter <b>7.</b> . <b>/</b> in. to .		ft., aı	nd	in.	to	<b>.</b>
	,	1		Public water s		Air conditioning		Injection we	
× 1		1 Domestic	3 Feedlot 6	Oil field water	supply 9	Dewatering	12	Other (Spec	ify below)
sw	] 3E	2 Irrigation	4 Industrial 7	Lawn and gar	den only 10				
[ i	ı	Was a chemical	l/bacteriological sample su	ubmitted to Depa	artment? Yes	No	<b>(</b> ; If yes,	mo/day/yr s	ample was su
	S	mitted				r Well Disinfed		/	
TYPE OF BLANK	CASING USED:		5 Wrought iron	8 Concrete	tile	CASING J	OINTS: Glued	i X Cla	amped
1 Steel	3 RMP (S	SR)	6 Asbestos-Cement	9 Other (sp	pecify below)			,	
@ PVC	4 ABŞ		7 Fiberglass				Threa	ded	
lank casing diameter	·	.in. to 41	ft., Dia	in. to	<i></i>	ft., Dia		in. to	fr
			in., weight						
YPE OF SCREEN O				PVC			sbestos-ceme		
1 Steel	3 Stainles	s steel	5 Fiberglass	8 RMP					
2 Brass	4 Galvania	zed steel	6 Concrete tile	9 ABS	(- /		one used (op		
CREEN OR PERFO	RATION OPENIN	NGS ARE:		d wrapped		8 Saw cut	(-)	11 None (	open hole)
1 Continuous slo	ot EN	fill slot	6 Wire w			9 Drilled holes	5	,	,
2 Louvered shut	_	(ey punched		, ,					
			/ TORCH	cut		10 Other (spec	ITV)		
	ED INTERVALS:	From	7 Torch of the to	65	ft., From		ft. to	0	
GRAVEL PA	ED INTERVALS:	From From From.	40 ft. to	65	ft., From ft., From ft., From ft., From		ft. to ft. to ft. to ft. to	0	
GROUT MATERIAL	ED INTERVALS:  CK INTERVALS:  1 Neat	From From From From cement	40 ft. to	6 \$ 6 \$ 3 Bentonit	ft., From ft., From ft., From ft., From	other	ft. to ft. to ft. to	0	
GRAVEL PA GROUT MATERIAL irout Intervals: Fro	ED INTERVALS:  CK INTERVALS:  1 Neat m38	From From From From cement .ft. to	40 ft. to	6 \$ 6 \$ 3 Bentonit	ft., From ft., From ft., From ft., From	Other	ft. to	0	
GRAVEL PA GROUT MATERIAL Frout Intervals: Fro Vhat is the nearest so	ED INTERVALS:  CK INTERVALS:  1 Neat m38	From. From. From cement ft. to	## ft. to  ## ft. to  ## ft. to  ## ft. to  ## Cement grout  ## ft., From	6 \$ 6 \$ 3 Bentonit	ft., From ft., From ft., From ft., From ft., From ft. From ft. From ft. From ft. From	other ft., Fromck pens	ft. to ft. to ft. to ft. to ft. to ft. to	ooooooooo	
GRAVEL PA GROUT MATERIAL irout Intervals: Fro	ED INTERVALS:  CK INTERVALS:  1 Neat  m38  Durce of possible	From From From cement ft. to contamination: ral lines	ft. to  7 Pit privy	65 65 3 Bentonit 0 ft. to.	tt., From tt., From ft., From te 4 C	Other	ft. to	ooooooooo	
GRAVEL PA GROUT MATERIAL GROUT Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines	ED INTERVALS:  CK INTERVALS:  1 Neat m	From From From From cement ft. to 40 contamination: ral lines s pool	ft. to  ft. from  7 Pit privy  8 Sewage lagor	65 65 3 Bentonit 0 ft. to.	tt., From tt., From ft., From te 4 C 10 Livesto 11 Fuel st 12 Fertiliz	Othertt., Fromck pensorage	ft. to ft	o	f
GRAVEL PA  GROUT MATERIAL  frout Intervals: Fro  /hat is the nearest so  1 Septic tank  2 Sewer lines  3 Watertight sew	ED INTERVALS:  CK INTERVALS:  1 Neat m	From From From From cement ft. to 40 contamination: ral lines s pool	ft. to  7 Pit privy	65 65 3 Bentonit 0 ft. to.	ft., From ft., From ft., From ft., From ft. From	other ft., From ck pens orage er storage cide storage	ft. to ft	ooooooooo	f
GRAVEL PA GROUT MATERIAL Frout Intervals: Fro /hat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew irection from well?	ED INTERVALS:  CK INTERVALS:  1 Neat m	From From From From cement ft. to 40 contamination: ral lines s pool	ft. to  ft. ft. From  7 Pit privy  8 Sewage lagor  9 Feedyard	65 65 3 Bentonit 0 ft. to.	tt., From tt., From ft., From te 4 C 10 Livesto 11 Fuel st 12 Fertiliz	Other	ft. to ft	of the to obandoned we will well/Gas wither (specify	f
GRAVEL PA GROUT MATERIAL Frout Intervals: Fro /hat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew irection from well?	ED INTERVALS:  CK INTERVALS:  1 Neat m	From From From From cement ft. to 40 contamination: ral lines s pool page pit	ft. to  ft. ft. From  7 Pit privy  8 Sewage lagor  9 Feedyard	65  3 Bentonit  ft. to.	ft., From ft., From ft., From ft., From ft. From	Other	ft. to ft. to ft. to ft. to ft. to	of the to obandoned we will well/Gas wither (specify	f
GRAVEL PA  GROUT MATERIAL rout Intervals: Fro /hat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew irrection from well? FROM TO	ED INTERVALS:  CK INTERVALS:  1 Neat m	From From From From cement ft. to 40 contamination: ral lines s pool page pit	ft. to  ft. ft. From  7 Pit privy  8 Sewage lagor  9 Feedyard	65  3 Bentonit  ft. to.	ft., From ft., From ft., From ft., From ft. From	Other	ft. to ft. to ft. to ft. to ft. to	of the to obandoned we will well/Gas wither (specify	f
GRAVEL PA  GROUT MATERIAL rout Intervals: Fro hat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew rection from well? FROM TO 0 35 35 42	ED INTERVALS:  CK INTERVALS:  1 Neat m	From From From From cement ft. to 40 contamination: ral lines s pool page pit	ft. to  ft. ft. From  7 Pit privy  8 Sewage lagor  9 Feedyard	65  3 Bentonit  ft. to.	ft., From ft., From ft., From ft., From ft. From	Other	ft. to ft. to ft. to ft. to ft. to	of the to obandoned we will well/Gas wither (specify	f
GRAVEL PA  GROUT MATERIAL rout Intervals: Fro hat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sev rection from well? FROM TO D 35 35 42	ED INTERVALS:  CK INTERVALS:  1 Neat m	From From From From cement ft. to 40 contamination: ral lines s pool page pit	ft. to  ft. ft. From  7 Pit privy  8 Sewage lagor  9 Feedyard	65  3 Bentonit  ft. to.	ft., From ft., From ft., From ft., From ft. From	Other	ft. to ft. to ft. to ft. to	of the to obandoned we will well/Gas wither (specify	f
GRAVEL PA  GROUT MATERIAL rout Intervals: Fro hat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew rection from well? FROM TO 0 35 35 42	ED INTERVALS:  CK INTERVALS:  1 Neat m	From From From From cement ft. to 40 contamination: ral lines s pool page pit	ft. to  ft. ft. From  7 Pit privy  8 Sewage lagor  9 Feedyard	65  3 Bentonit  ft. to.	ft., From ft., From ft., From ft., From ft. From	Other	ft. to ft. to ft. to ft. to	of the to obandoned we will well/Gas wither (specify	f
GRAVEL PA  GROUT MATERIAL rout Intervals: Fro hat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew rection from well? FROM TO 0 35 35 42	ED INTERVALS:  CK INTERVALS:  1 Neat m	From From From From cement ft. to 40 contamination: ral lines s pool page pit	ft. to  ft. ft. From  7 Pit privy  8 Sewage lagor  9 Feedyard	65  3 Bentonit  ft. to.	ft., From ft., From ft., From ft., From ft. From	Other	ft. to ft. to ft. to ft. to	of the to obandoned we will well/Gas wither (specify	f
GRAVEL PA  GROUT MATERIAL rout Intervals: Fro /hat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew irrection from well? FROM TO D 35 35 42	ED INTERVALS:  CK INTERVALS:  1 Neat m	From From From From cement ft. to 40 contamination: ral lines s pool page pit	ft. to  ft. ft. From  7 Pit privy  8 Sewage lagor  9 Feedyard	65  3 Bentonit  ft. to.	ft., From ft., From ft., From ft., From ft. From	Other	ft. to ft. to ft. to ft. to	of the to obandoned we will well/Gas wither (specify	f
GRAVEL PA  GROUT MATERIAL rout Intervals: Fro /hat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew irrection from well? FROM TO D 35 35 42	ED INTERVALS:  CK INTERVALS:  1 Neat m	From From From From cement ft. to 40 contamination: ral lines s pool page pit	ft. to  ft. ft. From  7 Pit privy  8 Sewage lagor  9 Feedyard	65  3 Bentonit  ft. to.	ft., From ft., From ft., From ft., From ft. From	Other	ft. to ft. to ft. to ft. to	of the to obandoned we will well/Gas wither (specify	f
GRAVEL PA  GROUT MATERIAL rout Intervals: Fro /hat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew irrection from well? FROM TO D 35 35 42	ED INTERVALS:  CK INTERVALS:  1 Neat m	From From From From cement ft. to 40 contamination: ral lines s pool page pit	ft. to  ft. ft. From  7 Pit privy  8 Sewage lagor  9 Feedyard	65  3 Bentonit  ft. to.	ft., From ft., From ft., From ft., From ft. From	Other	ft. to ft. to ft. to ft. to	of the to obandoned we will well/Gas wither (specify	f
GRAVEL PA  GROUT MATERIAL rout Intervals: Fro /hat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew irrection from well? FROM TO D 35 35 42	ED INTERVALS:  CK INTERVALS:  1 Neat m	From From From From cement ft. to 40 contamination: ral lines s pool page pit	ft. to  ft. ft. From  7 Pit privy  8 Sewage lagor  9 Feedyard	65  3 Bentonit  ft. to.	ft., From ft., From ft., From ft., From ft. From	Other	ft. to ft. to ft. to ft. to	of the to obandoned we will well/Gas wither (specify	f
GRAVEL PA  GROUT MATERIAL rout Intervals: Fro /hat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sev irrection from well? FROM TO D 35 35 42	ED INTERVALS:  CK INTERVALS:  1 Neat m	From From From From cement ft. to 40 contamination: ral lines s pool page pit	ft. to  ft. ft. From  7 Pit privy  8 Sewage lagor  9 Feedyard	65  3 Bentonit  ft. to.	ft., From ft., From ft., From ft., From ft. From	Other	ft. to ft. to ft. to ft. to	of the to obandoned we will well/Gas wither (specify	f
GRAVEL PA  GROUT MATERIAL  rout Intervals: Fro  /hat is the nearest so  1 Septic tank 2 Sewer lines 3 Watertight sev  irrection from well?  FROM TO  O 35  42	ED INTERVALS:  CK INTERVALS:  1 Neat m	From From From From cement ft. to 40 contamination: ral lines s pool page pit	ft. to  ft. ft. From  7 Pit privy  8 Sewage lagor  9 Feedyard	65  3 Bentonit  ft. to.	ft., From ft., From ft., From ft., From ft. From	Other	ft. to ft. to ft. to ft. to	of the to obandoned we will well/Gas wither (specify	f
GRAVEL PA  GROUT MATERIAL  rout Intervals: Fro  /hat is the nearest so  1 Septic tank 2 Sewer lines 3 Watertight sev  irrection from well?  FROM TO  O 35  42	ED INTERVALS:  CK INTERVALS:  1 Neat m	From From From From cement ft. to 40 contamination: ral lines s pool page pit	ft. to  ft. ft. From  7 Pit privy  8 Sewage lagor  9 Feedyard	65  3 Bentonit  ft. to.	ft., From ft., From ft., From ft., From ft. From	Other	ft. to ft. to ft. to ft. to	of the to obandoned we will well/Gas wither (specify	f
GRAVEL PA  GROUT MATERIAL Frout Intervals: Fro  /hat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew  irrection from well?  FROM TO  35  42	ED INTERVALS:  CK INTERVALS:  1 Neat m	From From From From cement ft. to 40 contamination: ral lines s pool page pit	ft. to  ft. ft. From  7 Pit privy  8 Sewage lagor  9 Feedyard	65  3 Bentonit  ft. to.	ft., From ft., From ft., From ft., From ft. From	Other	ft. to ft. to ft. to ft. to	of the to the bandoned we will well/Gas wither (specify	f
GRAVEL PA  GROUT MATERIAL rout Intervals: Fro /hat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew irrection from well? FROM TO D 35 35 42	ED INTERVALS:  CK INTERVALS:  1 Neat m	From From From From cement ft. to 40 contamination: ral lines s pool page pit	ft. to  ft. ft. From  7 Pit privy  8 Sewage lagor  9 Feedyard	65  3 Bentonit  ft. to.	ft., From ft., From ft., From ft., From ft. From	Other	ft. to ft. to ft. to ft. to	of the to the bandoned we will well/Gas wither (specify	fff ater well vell r below)
GRAVEL PA  GROUT MATERIAL  irout Intervals: Fro  /hat is the nearest so  1 Septic tank 2 Sewer lines 3 Watertight sew  irrection from well?  FROM TO  D 35  42  42  42  55	ED INTERVALS:  CK INTERVALS:  1 Neat m 38  Durce of possible 4 Later 5 Cess ver lines 6 Seep	From From From From cement ft. to 40 contamination: ral lines s pool page pit LITHOLOGIC	ft. to ft. ft. ft. From  7 Pit privy 8 Sewage lagor 9 Feedyard  C LOG	3 Bentonit  on  FROM	ft., From ft., F	other	14 Al 15 O	o	ff
GRAVEL PA  GROUT MATERIAL  Frout Intervals: Fro  /hat is the nearest so  1 Septic tank 2 Sewer lines 3 Watertight sew  irrection from well?  FROM TO  O 35  34  42  42  43  43  43  43  43  43  43	CK INTERVALS:  1 Neat m	From From From From  cement ft. to 40 contamination: ral lines s pool page pit  LITHOLOGIC	ft. to  ft. to  ft. to  ft. to  ft. to  ft. to  ft. ft.  ft. From  7 Pit privy 8 Sewage lagor 9 Feedyard  CLOG	3 Bentonit  ft. to.	tt., From tt., F	other	ft. to ft	o	ffffffffffff
GRAVEL PA  GROUT MATERIAL rout Intervals: Fro /hat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sev irrection from well? FROM TO 0 35 35 42 42 45  CONTRACTOR'S ompleted on (mo/day)	CK INTERVALS:  1 Neat m. 38  Durce of possible 4 Later 5 Cess ver lines 6 Seep  Clay  Shall  OR LANDOWNE	From From From From From Cement Ift. to 40 Contamination: ral lines Spool Dage pit LITHOLOGIC	ft. to  ft. fo  7 Pit privy  8 Sewage lagor  9 Feedyard  LOG	3 Bentonit  The first to the fi	tt., From tt., F	other	ft. to ft	of the to the bandoned will well/Gas wither (specify MTERVALS)	ffffffffffff
GRAVEL PA  GROUT MATERIAL  irout Intervals: Fro  /hat is the nearest so  1 Septic tank 2 Sewer lines 3 Watertight sew  irrection from well?  FROM TO  D 35  42  42  42  55	CK INTERVALS:  1 Neat m. 38  Durce of possible 4 Later 5 Cess ver lines 6 Seep  Clay Shall  OR LANDOWNE //year)  's License No.	From. From. From. From. Cement ft. to 40 contamination: ral lines s pool page pit LITHOLOGIC	ft. to  ft. fo  7 Pit privy  8 Sewage lagor  9 Feedyard  LOG	3 Bentonit  ft. to.	tt., From tt., F	other	ft. to ft	o	ffffffffffff