	145 (Poland Well) I VELL RECORD	OW-3-12 Form WWC-5	5	Division of Wate	er Resources App. N	0
	ON OF WATER WELL:	Fraction	Se		Township No.	Range Number
County:	Barber	1/4 SE 1/4 NE 1/4 S		6	T 34 S	R 11 □E 🛛 W
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here				Global Positioning System (GPS) information: Latitude: 37.113007 (in decimal degrees)		
Approximately 6.5 miles north and 4 miles west of Kiowa.				1 -98.550/29 (in decimal degrees)		
Approximately 0.5 miles flortif and 4 miles west of Riowa.				evation:	unknown	(iii decimai degrees)
2 WATER WELL OWNER: Brian Poland				Datum: WGS 84, MAD 83, MAD 2/		
RR#, Street Address, Box #: 110194 SE 130th Ave.				Collection Method: ☐ GPS unit (Make/Model: WAAS)		
	te, ZIP Code : Isabel, I			Digital Map/Ph	noto, Topographi	c Map, Land Survey
				t. Accuracy: -	<3 m, 🔀 3-5 m, 🗀	5-15 m, □>15 m
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 170 ft.						
SECTION BOX: Depth(s) Groundwater Encountered (1) ft. (2) ft. (3) ft.						
Depth(s) Groundwater Encountered (1). N						
Pump test data: Well water was Not checked ft. after hours pumping gpm						
W -NWNE- E EST. YIELD gpm. Well water was ft. after hours pumping gpm Bore Hole Diameter 8 3/4 in. to ft.						
W						
-SW -SE						
Was a chemical/bacteriological sample submitted to Department?						
S If yes, mo/day/yr sample was submitted 1 mile Water well disinfected? Yes No						
. Water wer disinfected: 🔼 Tes 🗀 No						
5 TYPE OF CASING USED: Steel PVC Other						
CASING JOINTS: Simple Glued Gl						
Casing height above land surface 24 in., Weight 2.36 lbs./ft., Wall thickness or gauge No214						
TYPE OF S	CREEN OR PERFORATION	MATERIAL:				
Stee		None used (open hole)	∐ Oth	er (Specify)		
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:						
Continuous clot Mill slot Gauge wranged Trotch cut Dirilled holes None (open hole)						
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)						
SCREEN-P	ERFORATED INTERVALS:	From 118 ft to	168	ft From	II.	to nt.
GR	AVEL PACK INTERVALS	From 22 ft. to	172	ft., From	ft.	to ft.
		From ft. to _		ft., From _	ft.	to ft.
Grout Intervals: From ft. to ft., From 0 ft. to 22 ft., From ft. to ft. What is the nearest source of possible contamination:						
What 13 the i	ic tank Dateral li	amm <u>at</u> ion.	stock pens	☐ Insecticide		ner (specify below)
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well						
Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well Windmill Direction from well Distance from well 20						
FROM T						JGGING INTERVALS
0	1 Topsoil	ITAC	10	Lillo. L	o o (com.) or rec	COMO INTERVALS
1	9 Clay, brown					
9 17	72 Shale, red, some gre	en				
						W. C.
						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION; This water well was a constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year) and this record is true to the best of my knowledge and belief.						
Kansas Water Well Contractor's License No. 185 — 185 — 185 — 3/5/12 — 3/5/1						
		e Well & Equipment, Inc.	by	(signature)	on (neorday/year)	/ • • • • • • • • • • • • • • • • • • •
INSTRUCTION	IS: Use typewriter or ball point p	en. PLEASE PRESS FIRMLY and P	RINT clearl	V. Please fill in blank	cs and check the corre	ct answers. Send three copies
Telephone 785	nk) to Kansas Department of Health -296-5522. Send one copy to WA	i and Environment, Bureau of Wate TER WELL OWNER and retain one	er, Geology S e for your re	section, 1000 SW J ecords. Include fee	ackson St., Suite 420, c of \$5.00 for each of	10peka, Kansas 66612-1367. Onstructed well. Visit us at
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html .						
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy						