WATER WELL RECORD	Form WWC-5	Division of Wate	r Resources App. No.
1 LOCATION OF WATER WELL County: Salber	Fraction NE 1/4 NE 1/4 N W 1/4	Section Number	Township No. Range Number T \$37 R / 2 DE ZW
	on; if unknown, distance & direction		System (GPS) information:
	f at owner's address, check here .		(in decimal degrees)
	, —	Longitude:	(in decimal degrees)
		Elevation:	4, □ NAD 83, □ NAD 27
2 WATER WELL OWNER: (Datum: WGS 8	4, 🔲 NAD 83, 🔲 NAD 27
RR#, Street Address, Box #:	John Cook BOX 23A	Collection Method:	/h f1-1-
		Digital Man/Ph	xe/Model:) toto, ☐ Topographic Map, ☐ Land Survey
City, State, 211 code	Wattner K1 67057	Est. Accuracy:	3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m
3 LOCATE WELL			
WITH AN "X" IN 4 DEPTH (OF COMPLETED WELL	<i>1.8.9</i> ft.	
SECTION BOX: Depth(s) Gro	Depth(s) Groundwater Encountered (1). 120		
N WELL'S ST	WELL'S STATIC WATER LEVEL6.Cft. below land surface measured on mo/day/yr. 6.25/1.9		
Pump test data: Well water was \(\int_{\infty} \int_{\infty} \) after			
EST. YIELI	EST. YIELDgpm., Well water wasft. afterhours pumpinggpm		
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well			
swsE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)			
Irrigation Industrial Domestic-lawn & garden Monitoring well			
Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yr sample was submitted			
S If yes, mo/day/yr sample was submitted			
5 TYPE OF CASING USED: Steel PVC Other			
CASING JOINTS: Glued Clamped Welded Threaded			
Casing diameter			
Casing height above land surface			
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel PVC Other (Specify)			
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify) ☐ Brass ☐ Galvanized Steel ☐ None used (open hole)			
SCREEN OR PERFORATION OPENINGS ARE:			
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)			
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)			
SCREEN-PERFORATED INTERVALS: From. 16.5 ft. to 18.5 ft., From ft. to ft.			
From			
GRAVEL PACK INTERVALS: From			
From			
Grout Intervals: From			
What is the nearest source of possible contamination:			
Septic tank			
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well			
☐ Watertight sewer lines ☐ Seepa	age pit Feedyard Fertilizer sto	orage 🔲 Oil well/gas	s well
Direction from well		rom well	
	OGIC LOG FROM	TO LITHO, LO	OG (cont.) or PLUGGING INTERVALS
0 10 Ked Loam	lopsoil		
10 100 Red & Blue	day		
120 125 ditt,	0		
125 140 Med clay 8.	Blue clay		
140 150 Set			1000 0000
150 185 Red & Blue	Stale		
7 CONTRACTORIS OR LANDONS	VED2C CEDTIFICATION TO		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, or plugged under my invidiction and was completed on (mo) day/(see)			
under my jurisdiction and was completed on (mo/day/year)			
under the business name of			
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send one copy to			
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.			
Telephone 785-296-5524. Send one copy to W	ATER WELL OWNER and retain one for your re	ecords. Include fee of \$5	5.00 for each constructed well. Visit us at

http://www.kdheks.gov/waterwell/index.html