WATER WELL RECORD		Form WWC-5		Division of Water Resources App. No.			
1 LOCATION OF WAT		Fraction		Section Number		Range Number	
County: Barber	J	14 5E14 NE	14 NE14			R / J □E WW	
Street/Rural Address of		Global Positioning					
from nearest town or intersection: If at owner's address, check here .				Latitude:			
				Longitude: (in decimal degrees)			
				Elevation:			
2 WATER WELL OWNER: Gary Jat 0				Collection Method:			
RR#, Street Address, Box #:				GPS unit (Make/Model:)			
RR#, Street Address, Box #: City, State, ZIP Code: 15/85 Sld Crownpoint				☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m			
A LOCATE MELL		rather 10) .	Est. Accuracy: \Box <	3 m, <u></u> 3-3 m, <u></u>	3-13 m, ∐ >13 m	
3 LOCATE WELL WITH AN "X" IN	4 DEPTH OF	COMPLETED WEL	L 95	ft.		48114	
SECTION BOX:	Depth(s) Groundwater Encountered (1)						
N	WELL'S STATIC WATER LEVEL 25ft. below land surface measured on mo/day/yr.						
	Pump test data: Well water was\$\omegaft. after\omegahours pumping\omegagpm						
EST. YIELDgpm, Well water wasft. after hours pumpinggpm							
W E	w Land E Bore Hole Diameter						
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well							
Domestic Feedlot Oil field water supply Dewatering Other (Specify below)							
☐ Irrigation ☐ Industrial ☑ Domestic-lawn & garden ☐ Monitoring well							
s If yes, mo/day/yr sample was submitted							
1 mile Water well disinfected? ▼ Yes □ No							
5 TYPE OF CASING USED: Steel PVC Other							
					••••		
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter in. to							
Casing height above land surface. 34. in., Weight							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
☐ Steel ☐ Stainless Steel ☑ PVC ☐ Other (Specify)							
Brass Galvanized Steel None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)							
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)							
SCREEN-PERFORATED INTERVALS: From							
From							
GRAVEL PACK INTERVALS: From. 20. ft. to							
From							
6 GROUT MATERIAL: Weat cement Cement grout Bentonite Other							
Grout Intervals: From							
What is the hearest source of possible contamination: Septic tank							
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well							
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well							
Direction from well				rom well			
FROM TO	LITHOLOG	IC LOG	FROM	TO LITHO, LO	OG (cont.) <u>or</u> PLU	GGING INTERVALS	
0 10 Loom			ļ				
	Olgy /						
60 65 Red 1	DILLE F.DO	nor	 				
65 95 Ked 7		an					
			<u> </u>			***************************************	
	· · · · · · · · · · · · · · · · · · ·						
	· · · · · · · · · · · · · · · · · · ·						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ▼ constructed, □ reconstructed, or □ plugged							
under my jurisdiction and was completed on (mo/day/year) and this record is true to the best of my knowledge and belief.							
Kansas Water Well Contractor's License No. 14. This Water Well Record was completed on (mo/day/year)							
INSTRUCTIONS: Heatmour	riter or hall noint non	PIFASE PRESS FIDMI	and PRINT class	by (Signature)	and check the accept	gnewers Send one consider	
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send one copy to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.							
Telephone 785-296-5524. Sens	d one copy to WATE	R WELL OWNER and retain	ain one for your re	cords. Include fee of \$5	5.00 for each construct	ed well. Visit us at	

http://www.kdheks.gov/waterwell/index.html