WATER WELL F		WWC-5		sion of Water			
Original Record				urces App. No.		Well ID	
1 LOCATION OF	ATER WELL:	Fraction SF S	W4 Sec	tion Number	Township Numb		
County: D		First:		al Address wh		(if unknown distance and	
Business: 7 - 64th LLC							
Address: 14003 3 W ACTIVA RA							
City: Lake City State: KS ZIP: 67071 From Lake City 5w 225							
2 7 0 0 4 10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1							
WITH "X" IN	4 DEPTH OF COMPLETED WELL: 7.7						
SECTION BOX:	Depth(s) Groundwater Encountered: 1)ft. 2)ft. 3)ft., or 4) Dry Well Horizontal Datum: DWGS 84 DNAD 83 NAD 27						
N	WELL'S STATIC WATER LEVEL: Source for Latitude/Longitude: Source for Latitude/Longitude: GPS (unit make/model:						
NW NE	□ above land surface, measured on (mo-day-yr)						
w E	Pump test data: Well water was						
		Well water was ft.					
SW SE	after ho	rs pumping	gpm	6 Flavation	. 1537 #	☐ Ground Level ☐ TOC	
S	Estimated Yield:	in, to	ft and			GPS Topographic Map	
mile		in. to					
7 WELL WATER TO BE USED AS:							
1. Domestic:	5. 🔲 Public V	Water Supply: well ID				ease	
Household	6. Dewatering: how many wells?						
☐ Lawn & Garden ☐ Livestock	7. Aquifer Recharge: well ID						
2. Irrigation		9. Environmental Remediation: well ID					
3. Feedlot	☐ Air Spa	rge 🔲 Soil Vapor I		b) Open	Loon Surface Di	scharge I Ini. of Water	
4. Industrial Recovery Injection 13. Other (specify): Keereafieh							
Was a chemical/bacteriological sample submitted to KDHE? The Yes No If yes, date sample was submitted:							
Water well disinfected? Yes No							
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Casing diameter							
Casing height above land surface 30 in. Weight							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)							
☐ Brass ☐ Galvanized Steet ☐ Concrete tile ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:							
Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)							
□ Louvered Shutter □ Key Punched □ Wire Wrapped ☑ Saw Cut □ None (Open Hole)							
SCREEN-PERFORATED INTERVALS: From							
SCREEN-PERFORATED INTERVALS: From 24. ft. to 44. ft., From ft. to ft., From ft. to ft. GRAVEL PACK INTERVALS: From 3 ft. to 44. ft., From ft. to ft., From ft. to ft.							
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From							
Grout Intervals: From							
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage							
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well							
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☑ Oil Well/Gas Well							
Other (Specify) Direction from well?	NW	Distance from we	-11?	26	00 A		
10 FRQM TQ		OGIC LOG	FROM	TO LIT		PLUGGING INTERVALS	
0 2	5017						
7 9	Braun Ch	ly					
9- 16	Ked Clay	<i></i>	<u> </u>				
14 200	Silty d	Sand	y -				
212 1111	sand W/G	cavel Streat	45	-			
70 44	Na 'U	STALL	Notes:				
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, a reconstructed, or plugged							
under my jurisdiction and was completed on (mo-day-year)							
under the business name	e of	INS WA	Sio	nature	LI A A	Mh.	
under the business name Mail 1 white copy alo	ong with a fee of \$5,00 for e	ach constructed well to: Kan	sas Department	of Health and Env	ironment, Bureau of Wa	iter, GWTS Section,	
1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.							
Visit us at http://www.kdheks.gov/waterwell/index.html KS				2		Revised 7/10/2015	