	WATER	WELL RECORD) Form W	WC-5 KSA	82a-1212		M	·W.	#	1
1 LOCATION OF WATER WELL:	Fraction		~~	Section Num	ber Towns	hip Number		Range	Numb	oer
County: SUMNER	NW 1/4	JW 1/4	SE 14		T	34 G		R		EW
Distance and direction from nearest town	Z 1 4" \		cated within	city?						
	City 1			_,						
2 WATER WELL OWNER: Walcot	t Lincoln	n & GP	PRUEY E	ELEVATOR	2		D :	d-1 6 14		
RR#, St. Address, Box #	Vanc	200	'			rd of Agricult		ision of W	rater H	esourc
City, State, ZIP Code CD2816 LOCATE WELL'S LOCATION WITH 4	MKHID	XL2	. 20 (7		ication Numb				
		MPLETED WELF vater Encountered								
		WATER LEVEL .								
1		test data: Well								
NW NE	•	gpm; Well								
		er. 7. 14 in								
·- W		BE USED AS:		water supply		tioning				
7 1 1 1 1 1 1 1 1 1	1 Domestic	3 Feedlot	6 Oil fie	ld water supply	9 Dewaterin	ng	12 Ot	her (Spec	ify belo	ow)
SW SE	2 Irrigation	4 Industrial			y Monitorin					
l li li liw	/as a chemical/ba	acteriological sam	nple submitted	to Department	? YesN	lo; 1	f yes, m	io/day/yr s	sample	was su
I s m	nitted				Water Well Disi	infected? Ye	es	No)	
5 TYPE OF BLANK CASING USED:		5 Wrought iron	8 (Concrete tile	CASIN	IG JOINTS:	Glued .	Cla	amped	
1 Steel 3 RMP (SR)		6 Asbestos-Cem	nent 9 (Other (specify b	elow)			٠		
OPVC 4 ABS		7 Fiberglass						ed. 🄆		
Blank casing diameter 2 in										
Casing height above land surface		in., weight . ンに								
TYPE OF SCREEN OR PERFORATION				DPVC		0 Asbestos-				
1 Steel 3 Stainless s		5 Fiberglass		8 RMP (SR)		1 Other (sp				
2 Brass 4 Galvanized SCREEN OR PERFORATION OPENINGS		6 Concrete tile		9 ABS		2 None use		i noie) I1 None (onen t	nole)
,	slot O-/O		Sauzed wrapp Vire wrapped		8 Saw cu 9 Drilled I		'	i None (openin	ioie)
2 Louvered shutter 4 Key			rvire wrapped Forch cut			specify)				
SCREEN-PERFORATED INTERVALS:	From 2 C	ft. ا	10 / O /	4 #	From	specify)	ft to			
33.1 <u>2.11.21.11.25</u> 2.11.25.		ft.								
GRAVEL PACK INTERVALS:	From €	2 / 4 ft.	to 8'		From		ft. to.			
	From	ft.			From		ft. to			1
6 GROUT MATERIAL: 1 Neat cer	ment · 🖒	Cement grout	<u> </u>	Bentonite	4 Other					
Grout Intervals: From	. to . 	ft., From	. 	. ft. to 6 .	ft., Fr	om		ft. to		f
What is the nearest source of possible co	ntamination:			10 L	ivestock pens		14 Aba	ındoned w	ater w	ell
1 Septic tank 4 Lateral	lines ·	7 Pit privy	y	11 F	uel storage		15 Oil v	well/Gas v	well	
2 Sewer lines 5 Cess po		8 Sewage	e lagoon	12 F	ertilizer storage		16 Othe	er (specify	/ below	v)
Watertight sewer lines 6 Seepag	e pit	9 Feedya	rd	13 lr	secticide storag					
Direction from well? South WSS					many feet?	500'	NO INT	FFD)/ALO		
FROM TO CLAVEN	LITHOLOGIC L		FRO	OM TO		PLUGGI	NG IN	ERVALS		
C J CHAYEY	STUT-O	K Reddisi	h ben							
2 31/TY CAY	moist, s	ben, moi	5 <i>T</i>				-			
		HIFF								
7' 8' SAndy Silt	O'AMD									
14' 20' SIHY SAND		DOAL SOL	inday		-					
	Mille GRA	V deal	\wedge							
201 20,41 Clayey sitt;	onve yes	7104119	_							
										- :
		_								1
										- 41
										. 2.1
7 CONTRACTOR'S OR LANDOWNER'S	CERTIFICATIO	ON: This water w	ell was (1) co	onstructed. (2)	reconstructed. o	or (3) pluage	d under	my jurise	diction	and wa
completed on (mo/day/year) 10.1	6-96				record is true to					
Water Well Contractor's License, No 5	75	This Wat			ted on (mo/day/	, , ,	M-	18-96	·	
under the business name of KNATT	-	OMENTAL	SEPI		gnature)	1/h	1		-	
INSTRUCTIONS: Use typewriter or ball point per					**************************************	swers. Sen	three cor	pies to Kans	as Depar	rtment
of Health and Environment, Bureau of Water, To									-	