

1 LOCATION OF WATER WELL:		Fraction		Section Number		Township Number		Range Number	
County: Sumner		SE 1/4 NW 1/4 NW 1/4		4		T 34 S		R 2 EW	
Distance and direction from nearest town or city street address of well if located within city? 1107 S. Robin Rd, Corbin, KS									
2 WATER WELL OWNER: Brent Rice									
RR#, St. Address, Box # : 463 W 4th St									
City, State, ZIP Code : Wellington, KS 67152									
Board of Agriculture, Division of Water Resources Application Number: MW-1									
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 25.5 ft. ELEVATION:							
		Depth(s) Groundwater Encountered: 19.28 ft. 2. . ft. 3. . ft.							
		WELL'S STATIC WATER LEVEL: 19.28 ft. below land surface measured on mo/day/yr							
		Pump test data: Well water was . ft. after . hours pumping . gpm							
		Est. Yield . gpm Well water was . ft. after . hours pumping . gpm							
		Bore Hole Diameter: 6 7/8 in. to 25.5 ft. and . in. to . ft.							
		WELL WATER TO BE USED AS:							
		1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 <u>Monitoring well</u>							
		Was a chemical/bacteriological sample submitted to Department? Yes . No X . If yes, mo/day/yr sample was sub- mitted							
		Water Well Disinfected? Yes . No X							
5 TYPE OF BLANK CASING USED:									
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped 2 <u>PVC</u> 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded 7 Fiberglass Threaded X									
Blank casing diameter: 2 in. to 15.5 ft. Dia . in. to . ft. Dia . in. to . ft.									
Casing height above land surface: 0 in. weight: 716 lbs./ft. Wall thickness or gauge No. 154									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify) 12 None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 <u>Saw cut</u> 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify)									
SCREEN-PERFORATED INTERVALS: From 15.5 ft. to 25.5 ft. From . ft. to . ft.									
From . ft. to . ft. From . ft. to . ft.									
GRAVEL PACK INTERVALS: From 13.5 ft. to 25.5 ft. From . ft. to . ft.									
From . ft. to . ft. From . ft. to . ft.									
6 GROUT MATERIAL:									
1 Neat cement 2 <u>Cement grout</u> 3 <u>Bentonite</u> 4 Other Grout Intervals: From 0 ft. to 3 ft. From 3 ft. to 13.5 ft. From . ft. to . ft.									
What is the nearest source of possible contamination:									
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) Removed Fuel Storage									
Direction from well? How many feet?									
FROM		TO		LITHOLOGIC LOG		FROM		TO	
0		4		Fill Sand					
4		8		Silty Clay					
8		15		Clayey Silt					
15		25.5		Sand					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) <u>constructed</u> , (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 8-6-96 and this record is true to the best of my knowledge and belief. Kansas									
Water Well Contractor's License No. 554 This Water Well Record was completed on (mo/day/yr) 8-29-96									
under the business name of Woofert Pump & Well, Inc. by (signature)									