5VE-4

	WATER WELL RECORD F	orm WWC-5	(SA 82a-1212		
<b>-</b>	ction NW 1/4 1/W	) Section	Number Township	./   -^	Number
County: Sun Distance and direction from nearest town or city	street address of well if located		01 0.1	$f \circ R \mathcal{J}$	_ E(W)
War.	1107 510	Obin K	e Corpor	No.	
	orbes Field Bldg;	•	Donal of	A code o Novembro Dividada and SAVA	D
RR#, St. Address, Box # :  City, State, ZIP Code :	pelca, Ks-666	00001		Agriculture, Division of Wa n Number:	iter nesource
	TH OF COMPLETED WELL	?B #			
	) Groundwater Encountered 1				
	STATIC WATER LEVEL . MA	ft. below	land surface measured o	n mo/day/yr . <i>8./.4/.9</i>	9 <b>.8</b>
NW NE	Pump test data: Well water			/	
Est. Yie	ld gpm: Well water	was	ft. after	. hours pumping	gpm
- W	ole Diameter. 8.6.25. in. to		ft., and <del></del>	in. to	
-		Public water sup	• •	· _ ·	
SW  SE		Oil field water su	ipply 9 Dewatering n only 10 Monitoring we	Other (Specif	y below)
	rrigation 4 Industrial 7 chemical/bacteriological sample sul	•			mnle was suit
s mitted	memical/bacteriological sample sui	ornited to Departi	Water Well Disinfect		
TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete til		DINTS: Glued : Clar	
1 Steel 3 RMP (SR)	6 Asbestos-Cement	9 Other (spec	ify below)	Welded	 
27°VC 4 ABS	7 Fiberglass			Threaded	
Blank casing diameterin. to .	- 11		📆	in. to <del></del> .	ft.
Casing height above land surface. $\mathcal{O}$	in., weight . SCH40	_	lbs./ft. Wall thickness	or gauge No.	
YPE OF SCREEN OR PERFORATION MATE		PVC		bestos-cement	
1 Steel 3 Stainless steel	5 Fiberglass	8 RMP (S	•	her (specify)	
2 Brass 4 Galvanized steel CREEN OR PERFORATION OPENINGS ARE	6 Concrete tile 5 Gauzed	9 ABS	8 Saw cut	ne used (open hole) 11 None (o	nen hole)
1 Continuous slot (3)Mill slot	6 Wire wr	• •	9 Drilled holes	. ,	Jen noie)
2 Louvered shutter 4 Key punch		• •		fy)	
CREEN-PERFORATED INTERVALS: From	n 8 ft. to	. <i>(8</i> .		ft. to	
From				ft. to	
MAVEL PACK INTERVALS: From	n $\ldots \mathcal{J}$ $\ldots$	. 1. <b>6</b>	.ft., From	ft. to	
Fron			ft., From	ft. to	ft.
GROUT MATERIAL: 1 Neat cement Grout Intervals: 3 From	② Cement grout	3 Bentonite	4 Other	ft. to <del></del>	
Grout Intervals: 3 From	<i>[</i> (2)		π., From	το <del>τ</del> 14 Abandoned wa	
1 Septic tank 4 Lateral lines	7 Pit privy		1 Fuel storage	15 Oil well/Gas we	
2 Sewer lines 5 Cess pool	8 Sewage lagoo		2 Fertilizer storage		
3 Watertight sewer lines 6 Seepage pit	9 Feedyard		3 Insecticide storage	60 Other (specify Contain)	nated
Direction from well?	-	. 1	How many feet?	3	ite
	OLOGIC LOG	FROM T	O P	LUGGING INTERVALS	
0 1 501					
14 GAR SAMD WISON	na aid t				
18 10 and of price					
					· · · · · · · · · · · · · · · · · · ·
					<del></del>
		<b></b>			
CONTRACTOR'S OR LANDOWNERS OF	TIEICATIONI THE SUFF	<b>2</b>	(0)		
CONTRACTOR'S OR LANDOWNER'S CER	TIFICATION: This water well was	constructed,	(2) reconstructed, of (3)	prugged under my jurisdic	non and was
	<u>۴</u> ۱		nis record is true to the bi	A1161000	Julioi. INdilisas
nder the business name of	O.J IIII3 Water Wei		y (signature)	The Cold	1100

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.