			WATER	WELL RECORD	Form WV	VC-5 KS	SA 82a-1212	ID No. MW	23		
1 LOCATIO						Section N		Township Numl	ber R	ange Numb	
County: S	umner		SE 1/4	NW ¼	NW ¼	4	<u> </u>	т 34	S R	2	E(W
Distance and	direction fror	n nearest tow	n or city street addre	ess of well if loc	ated within o	ity?					1
2 WATER W	/FILOWNE	Corbin	Service								
2 WATER WELL OWNER: Corbin Service RR#, St. Address, Box # : 1107 S Robin Road Board of Agriculture, Division of Water Resources											
City State 7	P Code	Corbin	, KS 67022					Application Numb		vvator res	lour cos
2 LOCATE V	WELL'S LOC	ATON WITH									
AN "X" IN	SECTION BO	JX:	DEPTH OF CO					TION:			
	N		Depth(s) Groundwa	iter Encountere	d 1		ft. 2	·	ft. 3		ft.
1			WELL'S STATIC W								
	X v	NE						ifter			
	i		Est. Yield	. gpm: Well	water was		ft. a	ifter	hours pumpin	g	_ gpm
₹ W		- 	Bore Hole Diamete WELL WATER TO 1 Domestic	r 8 ir	n. to	25	ft.	and	in. to		ft.
li l			1 Domestic	3 Feed lot	6 Oil field	vater supply water supp	/ otv	9 Dewatering	g 11 injed 12 Othe	ation well er (Specify i	below)
 	sw	SE	2 Imigation	4 Industrial	7 Lawn a	nd garden (domestic)	Monitoring w	ell	. (-,,	,
 		1	Was a chemical/ba								
	s		submitted		,			Well Disinfected?	_		
5 TYPE OF	BLANK CAS	ING USED:		5 Wrought Iro	n 8	Concrete ti		CASING JOINTS			
→ Stee								0,10,110,00,111			
1 / 1	•			7 Fiberglass							
Blank casing	diameter	2	in to 10	ft Dia		in to		ft. Dia	in. to		ft.
Casing heigh	above land	surface	-0.23 in MATERIAL: ess steel	weight	.071		lbs./ft W	all thickness or ga	uge No.	1.54	
TYPE OF SC	REEN OR P	ERFORATIO	N MATERIAL:	., weight		(-) PV()	10 Asbest	os-cement		
1 Stee	1	3 Stainle	ess steel	5 Fiberglass		8 RM	P (SR)	11 Other (specify)		
2 Bras	S	4 Galva	nized steel	6 Concrete tile	е	9 ABS	,	12 None u	sed (open hole)	
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes											
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)											
SCREEN-PE							ft Ero	m	ft to		
SUREEN-PE	KEUKATEU	INTERVALS:									
CDA	VEL DACE II	NTERVALS:	From	R 44		25	# Ero	m	ft to		it.
			From	# 40			# Fro	.m	ft to		IL
6 GPOUT	AATERIAI ·	1 Noct	From 2 C	`ement crout		3 Rentonit	ii. F(0	Other	11. 10		11.
Grout Interve	de From	1	ft. to 8	ft From	•	ff to	4	ft From	ft :	 to	
1			contamination:	IL FIUIN				ck pens			
1 Sept		e oi possible	4 Lateral lines	7 Pi	t privy			orage			
1 '	er lines		5 Cess pool		ewage lagoo	n 1	2 Fertilize	er storage	16 Other (sp	ecify below)
									ninated \$		
Direction from	n well?					H	ow many fe				
FROM	то	CODE	LITHOLO		F	ROM	ТО	PLUG	GING INTERV	/ALS	
0	2		ownish red de								
2	7.5		eddish orange oist slightly pl								
7.5	14.5		eddish orange					,,-			
7.5	17.5		iable moist	orayoy ont,							
14.5	18		ixed brown loc	se sand							
18	22	Fi	ne to very fine	grained cla	ayey						
			ed sand, cohes								
22	25	Re	ed silty clay, d	ense, plast	ic						
								7			

								1979 A Alder standard			
			R'S CERTIFICATIO								
completed or	n (mo/day/yr)		2/16/	06		and this re	ecord is true	e to the best of my	knowledge an	d belief. Ka	ansas
Water Well C	Contractor's L	icense No.		554		This Wate	r Well Rec	ord was completed	on (mo/day/y) 3/2 4	4/06
lunder the bu	siness name	of	ννοοπε	r Pump & 1	Well, Inc		by	(signature)	M/ /de	2110>	>
INSTRU	CTIONS: PIE	ease fill in blani	ks and circle the corre	t answers. Send	three copies	to Kansas D	Department of	of Health and Environ	nment. Bureau o	t Water, 100	0 S W
Jackson	St., Ste. 420,	горека, Kans	as 66612-1367. Telep	none: 913-296-5	0040. Send 0	ne to WATE	K WELL OV	VINER and regain one	or your record	y	