WATER WELL R		WWC-5		ision of Water			
☐ Original Record ☐		ge in Well Use		urces App. No.		Well ID	
1 LOCATION OF WATER WELL:		Fraction					
County: Sunner		14 SE14 SE1					
2 WELL OWNER: Last Name: Wy/iE First: 5AM Street or Rural Address where well is located (if unknown, distance and							
Business: direction from nearest town or intersection): If at owner's address, check here.							
Address: 146 W 17012 37. Address:							
City: Caldwell State: KS ZIP: 67022							
3 LOCATE WELL			1				
WITH "X" IN	4 DEPTH OF COMPLETED WELL:65			5 Latitude			
SECTION BOX:	Depth(s) Groundwater Encountered: 1)				Longitude:(decimal degrees)		
N	2) ft. 3) ft., or 4) Dry Well			Horizontal Datum: WGS 84 NAD 83 NAD 27			
	WELL'S STATIC WATER LEVEL: 3/				r Latitude/Longitude		
'	above land surface, measured on (mo-day-yr)						
NWNE	Pump test data: Well water was ft.			(WAAS enabled? ☐ Yes ☐ No)			
W E	after hours pumping			☐ Land Survey ☐ Topographic Map ☐ Online Mapper:			
"	1	water was			Offinic Wapper.		
SW   SE	after hours pumping						
	Estimated Yield: gpm					t. Ground Level TOC	
S	Bore Hole Diameter: 10.3/3 in. to63 ft. and			Source:			
mile		in. to	ft.	L	」 Other	,	
7 WELL WATER TO BE USED AS:							
1. Domestic:		ater Supply: well ID				lease	
Household	6. Dewatering: how many wells?			11. Test Hole: well ID			
Lawn & Garden	7. Aquifer Recharge: well ID			☐ Cased ☐ Uncased ☐ Geotechnical			
Livestock				12. Geothermal: how many bores?			
2. ☐ Irrigation 3. ☐ Feedlot	9. Environmental Remediation: well ID			a) Closed Loop ☐ Horizontal ☐ Vertical b) Open Loop ☐ Surface Discharge ☐ Inj. of Water			
4. Industrial	☐ Recovery		Extraction				
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:							
Water well disinfected?   ✓ Yes   No							
8 TYPE OF CASING USED: ☐ Steel ☑ PVC ☐ Other							
Casing diameter							
Casing height above land surface // in. Weight SDR Z   lbs./ft. Wall thickness or gauge No.							
TYPE OF SCREEN OR PERFORATION MATERIAL:  Steel Stainless Steel Fiberglass FYPC Cher (Specify)							
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ Fiberglass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
☐ Continuous Slot   ☐ Mill Slot   ☐ Gauze Wrapped  ☐ Torch Cut  ☐ Drilled Holes  ☐ Other (Specify)							
Louvered Shutter							
GRAVEL PACK INTERVALS: From 65. ft. to 20. ft., From ft. to ft., From ft. to ft.							
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other							
Grout Intervals: From							
Nearest source of possible contamination:							
☐ Septic Tank	☐ Lateral Lin	es Pit Privy	П	Livestock Pens	☐ Insect	icide Storage	
☐ Sewer Lines	Cess Pool	☐ Sewage L		Fuel Storage	☐ Aband	loned Water Well	
☐ Watertight Sewer Lin				Fertilizer Storag	ge 🔲 Oil W	ell/Gas Well	
Other (Specify) Direction from well? 999 ft.							
10 FROM TO	LITHOLO		FROM	TO LI	THO. LOG (cont.) c	or PLUGGING INTERVALS	
0 5		Clay top So,	.'/				
5 15	Tan Sandy						
15 35	Brn Sandy	day					
35 55	I an med	Sand					
55 65	BIK ShAle	<u></u>					
	Notes:						
11 CONTRACTOR'S	OR LANDOWNER	'S CERTIFICATIO	N: This water	r well was 🔀 o	constructed, 🗌 rec	constructed, or  plugged	
under my jurisdiction ar	id was completed on (	mo-day-year) .32.	7-2/ and	this record is t	rue to the best of n	ny knowledge and belief.	
under my jurisdiction and was completed on (mo-day-year) 3-2?-2/ and this record is true to the best of my knowledge and belief.  Kansas Water Well Contractor's License No							
under the business name	OI .C.CO.W. S W	Ater Well S.	Si	gnature	Am Lill	War GWTC Carting	
Mail 1 white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.							
Visit us at http://www.kdheks			o Water Well Owr KSA 82a-12		ioi youi records. Telep	Revised 7/10/2015	
	HIIII. VANCE MEDITINGEN HIIII		12012 02a-12			AND IADOU I / AUI MULD	