WATER WELL RECORD			Form V	WC-5	Division of Wa	iter Resources App. N	lo	
	1 LOCATION OF WATER WELL: County: Comanche		Fraction 1/4 1/4	1/4 SE 1/4	Section Number 27	Township No. T 34 S	Range Number R 20 ☐E ☑W	
			if unknown, distance	Global Positionin	ng System (GPS) in	nformation:		
1						Latitude: .37,047339 (in decimal degrees)		
from Ave X & Rd 5 go W @ 2/10m on Ave X to wire gate on S side, go thru gate S 1/10m					Longitude: -99.475138			
2 WATER WELL OWNER: Larry Petty/ 5 Star Energy						Collection Method:		
RR#, Street Address, Box #: 463 Ave X					GPS unit (Make/Model:)			
City, State, ZIP Code : Protection, KS 67127					☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey  Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m			
3 LOCATE WELL								
	WITH AN "X" IN SECTION BOX: 4 DEPTH OF COMPLETED WELL 95							
	WELL'S STATIC WATER LEVEL. 26							
	Pump test data: Well water wasft. after hours pumping							
	EST. YIELD. 50gpm. Well water was							
W	W   E   Bore Hole Diameter 9.7/8in. to .95ft., andin. toft.  WELL WATER TO BE USED AS: □ Public water supply □ Geothermal □ Injection well							
	SWSE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)							
3	Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well							
Was a chemical/bacteriological sample submitted to Department? Yes V No								
S If yes, mo/day/yr sample was submitted								
5 TYPE OF CASING USED: Steel PVC Other Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter .5 in. to .75 ft., Diameter in. to ft., Diameter ft.								
Casing height above land surface30								
TYPE OF SCREEN OR PERFORATION MATERIAL:  ☐ Steel ☐ Stainless Steel								
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot   Mill slot   Gauze wrapped   Torch cut   Drilled holes   None (open hole)  Louvered shutter   Key punched   Wire wrapped   Saw cut   Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
From								
GRAVEL PACK INTERVALS: From 95 ft. to 20 ft., From ft. to ft.  From ft. to ft., From ft. to ft.								
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other								
Grout Intervals: From .20 ft. to .0 ft., From ft. to ft., From ft. to ft.								
What is the nearest source of possible contamination:								
☐ Septic tank     ☐ Lateral lines     ☐ Pit privy     ☐ Livestock pens     ☐ Insecticide storage     ☐ Other (specify below)       ☐ Sewer lines     ☐ Cesspool     ☐ Sewage lagoon     ☐ Fuel storage     ☐ Abandoned water well								
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☑ Oil well/gas well								
FROM		LITHOLOGI	CLOG	FROM			GGING INTERVALS	
0	5 Silty To		C DOG	TROM	LITHO. L	OG (COIII.) OI FLO	GOING INTERVALS	
5	20 Brown							
20		Gravel						
85	95 Layere	d Red/Grey Shal	<u>e</u>					
7 CONTRACTORS OR LANDOWNERS CERTIFICATION. This was all the second secon								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was  ☐ constructed, ☐ reconstructed, or ☐ plugged under my jurisdiction and was completed on (mo/day/year) .1.1/0.1/1.2 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 665 This Water Well Record was completed on (mo/day/year) 12/03/12								
under the business name of Pratt Well Service, Inc. by (signature)								
INSTRUCTIONS: Use ty pewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Depar tment of Health and E nvironment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at								
http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy								