

1 LOCATION OF WATER WELL
 County: Clark Fraction NW 1/4 SE 1/4 NW 1/4 Section Number 22 Township Number T 34 S Range Number R 21 E/W
 Distance and direction from nearest town or city? 7S, 3 1/2 E of Sitka Street address of well if located within city?

2 WATER WELL OWNER: Slawson Drilling
 RR#, St. Address, Box #: Box 1409 Board of Agriculture, Division of Water Resources
 City, State, ZIP Code: Great Bend, Ks. 67530 Application Number: T81-50

3 DEPTH OF COMPLETED WELL: 43 ft. Bore Hole Diameter: 1 1/2 in. to 43 ft., and 43 ft. in. to 43 ft.
 Well Water to be used as:
 1 Domestic 3 Feedlot 5 Public water supply 8 Air conditioning 11 Injection well
 2 Irrigation 4 Industrial 7 Lawn and garden only 9 Dewatering 12 Other (Specify below)
 Well's static water level 5 ft. below land surface measured on 2 month 3 day 81 year
 Pump Test Data: Well water was NA ft. after NA hours pumping NA gpm
 Est. Yield NA gpm: Well water was NA ft. after NA hours pumping NA gpm

4 TYPE OF BLANK CASING USED:
 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile Casing Joints: Glued Clamped
 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded
 3 Fiberglass Threaded
 Blank casing dia 5 in. to 8 ft., Dia 5 in. to 8 ft., Dia 5 in. to 8 ft.
 Casing height above land surface 1.8 in., weight NA lbs./ft. Wall thickness or gauge No. 25.8

TYPE OF SCREEN OR PERFORATION MATERIAL:
 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)
 Screen or Perforation Openings Are:
 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes
 7 Torch cut 10 Other (specify)
 Screen-Perforation Dia 5 in. to 43 ft., Dia 5 in. to 43 ft., Dia 5 in. to 43 ft.
 Screen-Perforated Intervals: From 8 ft. to 43 ft., From 8 ft. to 43 ft., From 8 ft. to 43 ft.
 Gravel Pack Intervals: From 10 ft. to 43 ft., From 10 ft. to 43 ft., From 10 ft. to 43 ft.

5 GROUT MATERIAL: Neat cement 2 Cement grout 3 Bentonite 4 Other
 Grouted Intervals: From 0 ft. to 10 ft., From 0 ft. to 10 ft., From 0 ft. to 10 ft.
 What is the nearest source of possible contamination:
 1 Septic tank 4 Cess pool 7 Sewage lagoon 10 Fuel storage 14 Abandoned water well
 2 Sewer lines 5 Seepage pit 8 Feed yard 11 Fertilizer storage 15 Oil well/Gas well
 3 Lateral lines 6 Pit privy 9 Livestock pens 12 Insecticide storage 16 Other (specify below)
 13 Watertight sewer lines
 Direction from well NE How many feet 75? Water Well Disinfected? Yes No
 Was a chemical/bacteriological sample submitted to Department? Yes No If yes, date sample was submitted NA month NA day NA year: Pump Installed? Yes No
 If Yes: Pump Manufacturer's name NA Model No. NA HP NA Volts NA
 Depth of Pump Intake NA ft. Pumps Capacity rated at NA gal./min.
 Type of pump: 1 Submersible 2 Turbine 3 Jet 4 Centrifugal 5 Reciprocating 6 Other

6 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on 2 month 3 day 81 year
 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 134
 This Water Well Record was completed on 2 month 10 day 81 year under the business name of Rosenkrantz-Bemis by (signature) Loia Dodson

7 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	1	Top soil'			
1	28	Sand and gravel			
28	43	Clay			

ELEVATION:

Depth(s) Groundwater Encountered 1 ft. 5 ft. NA ft. NA ft. (Use a second sheet if needed)

INSTRUCTIONS: Use typewriter or ball point pen, please press firmly and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Water Well Contractors, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY
 T 34
 R 21
 SEC. 22
 NW 1/4
 SE 1/4
 NW 1/4