

1 LOCATION OF WATER WELL: County: Clark	Fraction 1/4 C-NW 1/4	Section Number 17	Township Number T 34 S	Range Number R 22 EW
---	---------------------------------	-----------------------------	----------------------------------	--------------------------------

Distance and direction from nearest town or city street address of well if located within city? **From west edge of Ashland go 6mi South 1 1/2 mi East go South thru pasture approx. 1mi then West into location.**

2 WATER WELL OWNER: Dwight Klinger RR#, St. Address, Box # : 437 West 6th Street City, State, ZIP Code : Ashland, Kansas 67831	Oil Company Tucker Production Board of Agriculture, Division of Water Resources Application Number: T 82-242
---	--

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: 120 ft. ELEVATION:
--	--

Depth(s) Groundwater Encountered 1. **107** ft. 2. ft. 3. ft.

WELL'S STATIC WATER LEVEL **13** ft. below land surface measured on mo/day/yr **2/26/82**

Pump test data: Well water was ft. after hours pumping gpm

Est. Yield **60** gpm: Well water was ft. after hours pumping gpm

Bore Hole Diameter **9** in. to **120** ft., and in. to ft.

WELL WATER TO BE USED AS:

5 Public water supply	8 Air conditioning	11 Injection well
1 Domestic	3 Feedlot	6 <u>Oil field water supply</u>
2 Irrigation	4 Industrial	7 Lawn and garden only
		10 Observation well

Was a chemical/bacteriological sample submitted to Department? Yes.....No.....; If yes, mo/day/yr sample was submitted

Water Well Disinfected? Yes Yes No

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: <u>Glued</u> Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
<u>2 PVC</u>	4 ABS	7 Fiberglass	11 Other (specify)
Blank casing diameter 5 in. to 40 ft., Dia in. to ft., Dia in. to ft., Dia in. to ft.
Casing height above land surface 28 in., weight 2.78 lbs./ft.	Wall thickness or gauge No. .256		
TYPE OF SCREEN OR PERFORATION MATERIAL:	7 PVC	10 Asbestos-cement	
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS
SCREEN OR PERFORATION OPENINGS ARE:	5 Gauzed wrapped	8 <u>Saw cut</u>	11 None (open hole)
1 Continuous slot	3 Mill slot	6 Wire wrapped	9 Drilled holes
2 Louvered shutter	4 Key punched	7 Torch cut	10 Other (specify)
SCREEN-PERFORATED INTERVALS:	From 40 ft. to 120 ft., From	ft. to	ft. to
GRAVEL PACK INTERVALS:	From 20 ft. to 120 ft., From	ft. to	ft. to

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other
Grout intervals: From 0 ft. to 10 ft., From	ft. to	ft. to	ft. to	ft. to
What is the nearest source of possible contamination:	10 Livestock pens	14 Abandoned water well		
1 Septic tank	4 Lateral lines	7 Pit privy	11 Fuel storage	15 <u>Oil well/Gas well</u>
2 Sewer lines	5 Cess pool	8 Sewage lagoon	12 Fertilizer storage	16 Other (specify below)
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	13 Insecticide storage	
Direction from well? Northeast of water well.	How many feet? 100'			

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	2	surface			
2	18	sandy clay			
18	28	blue clay			
28	43	sandy clay			
43	98	medium to large sand			
98	120	20% medium to large sand and 80% redbed			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <u>(1) constructed</u> , (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) April 26, 1982 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 118 This Water Well Record was completed on (mo/day/yr) April 29, 1982 under the business name of Carlile Water Well Service Inc. by (signature) Edward E. Means
--

INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY
T 34
R 22
E00
SEC
17
C 8/11/82 1/4