

USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

BBB

CITKA SW

1. Location of well:		County Clark	Fraction nw 1/4 nw 1/4 nw 1/4	Section number 12	Township number T 34 S R 22	Range number 22
2. Distance and direction from nearest town or city: 11 mile SE of			3. Owner of well: Pike and Pike Gladys Pike Kirby Pike			
Street address of well location if in city: Ashland, Kansas			R.R. or street: City, state, zip code: Ashland, Kansas 67831			
4. Locate with "X" in section below:		Sketch map:		6. Bore hole dia. 9.75 in. Completion date 5-29-78		
				Well depth 110 ft.		
5. Type and color of material		From	To	7. Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary		
Surface		0	3	8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input checked="" type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other		
Clay		3	15	9. Casing: Material pits Height: Above or below Threading: <input checked="" type="checkbox"/> Welded <input type="checkbox"/> Surface 1.8 in. RMP <input checked="" type="checkbox"/> PVC <input type="checkbox"/> Weight 1.8 lbs./ft. Dia. 5 in. to 110 ft. depth; Wall Thickness: 0.250 inches or Dia. 0.250 in. to 0.250 ft. depth; Gauge No. 0.250		
Fine sand		15	30	10. Screen: Manufacturer's name Jess and Lowell Type RMP Dia. 5 in. Slot/gauze .06 Length 20 ft. Set between 90 ft. and 110 ft. 90 ft. and 110 ft. Gravel pack? <input checked="" type="checkbox"/> yes Size range of material 1/8-1/4		
Red clay		30	40	11. Static water level: 40 ft. below land surface Date 5-29-78		
Red clay and jip rock		40	60	12. Pumping level below land surfaces: ____ ft. after ____ hrs. pumping ____ g.p.m. ____ ft. after ____ hrs. pumping ____ g.p.m. Estimated maximum yield ____ g.p.m.		
Jip rock		60	85	13. Water sample submitted: ____ mo./day/yr. Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Date ____		
Clay		(85)	95	14. Well head completion: Nc <input type="checkbox"/> Pitless adapter ____ inches above grade		
White rock and fine sand		95	110	15. Well grouted? yes With: <input type="checkbox"/> Neat cement <input checked="" type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From 0 ft. to 13 ft.		
				16. Nearest source of possible contamination: nc ft. ____ Direction ____ Type ____ Well disinfected upon completion? ____ Yes ____ No		
				17. Pump: <input checked="" type="checkbox"/> Not installed Manufacturer's name ____ Model number ____ HP ____ Volts ____ Length of drop pipe ____ ft. capacity ____ g.p.m. Type: <input type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other		
18. Elevation:		19. Remarks:		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Hodde Drilling Co. 302 Business name Hodde Drilling Co. License No. 302 Address RR # 3 Dodge City, Kas Signed Walter Hodde Jr. Date 6-20-78 Authorized representative		
Topography: <input type="checkbox"/> Hill <input checked="" type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley		10/11		1875 85 1753		

34 225 12
T
R
Sec
1/4 1/4 1/4

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5