

W			RECORD	-	W W C-3	0104		sion of Wate					
		Record	e in Well Use			rces App. No.			Well ID				
1	LOCATION OF WATER WELL:				Fraction Sect			on Number Township Number Range Number T S R \Box E \Box W			-		
2	County	OWNER:	I 4 NI				Dur	al Addrage	who		R		
4	Business:	OWNER:	Last Name:					Address where well is located (if unknown, distance and arest town or intersection): If at owner's address, check here:					
	Address:										,		
	Address: City:			State:	ZIP:								
3	LOCAT	E WELL						_					
-	WITH "				IPLETED WELL: ft. Encountered: 1) ft.			5 Latitude:					
	SECTIO			ft.			Longitude:(decimal degrees) Datum: WGS 84 NAD 83 NAD 27						
	N		ft.		Source for Latitude/Longitude:								
	X below land surface, measured on (mo-day-y above land surface, measured on (mo-day-y above land surface, measured on (mo-day-y pump test data: Well water was							GPS (unit make/model:)					
									(WAAS enabled? \Box Yes \Box No)				
337		E	-				Land Survey Topographic Map						
W	I		unter	after hours pumping gpm Well water was ft.					Online Mapper:				
	SW	SE		after hours pumping gpm									
			Estimated Y		61				6 Elevation :ft. □ Ground Level □ TOC Source: □ Land Survey □ GPS □ Topographic Map				
1	י 1 n וי	S nilel	Bore Hole L	in. to	it. und			\Box Other					
Image:													
	1. Domestic: 5. Public Water Supply: well ID 10. Oil Field Water Supply: lease												
	🗌 Housel		6. 🗌	6. Dewatering: how many wells?				11. Test Hole: well ID					
	🗌 Lawn &				echarge: well ID								
	Livesto	g: well ID											
	☐ Inigan ☐ Feedlo		9. El	al Remediation: well ID			b) Open Loop 🗌 Surface Discharge 🔲 Inj. of Water						
	Industr			Recovery				13. 🗌 Other (specify):					
W	Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:												
	Water well disinfected? \Box Yes \Box No												
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded													
	Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.												
	Casing height above land surface												
1	TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Fiberglass PVC Other (Specify)												
	Brass Galvanized Steel Concrete tile None used (open hole)												
SC	SCREEN OR PERFORATION OPENINGS ARE:												
	Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)												
0.0	□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole) SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft. to ft.												
SC													
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft. to ft. to ft. 9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other													
					ft., From								
Ne	arest sou	rce of possil	ole contamination										
	Septic]			Lateral Line				Livestock Pe					
	□ Sewer I □ Waterti			Cess Pool	☐ Sewage La ☐ Feedyard			Fuel Storage Fertilizer Sto		☐ Abando ☐ Oil Wel		well	
	Other (Specify)						crunzer Su	Juge		il/Gas weil		
Di	rection fro				Distance from w	vell?							
10	FROM	TO	L	ITHOLOG	GIC LOG	FRO	M	TO	LIT	HO. LOG (cont.) or	PLUGGIN	G INTERVALS	
						_							
						_							
			<u> </u>				-+						
_						Notes	:						
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, a reconstructed, or a plugged													
11	der my i	KACTOR'	5 UK LAND	eted on (m	o CERTIFICATIO 10-day-year)	IN: This v	vater	well was L	_ CC	Instructed, \square reco	nstructed,	or \square plugged	
under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No													
under the business name of													
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.													
	-		neks.gov/waterwell		, ator, Geology Section, I	JUD D II JAC	1.5011 0	, Suite 420,	, rope	Au, Auisas 00012-130		SA 82a-1212	