

WATER WELL RECORD Form WWC-5

Division of Water Resources App. No.

[]

Well ID

SVE03

Original Record Correction Change in Well Use

1 LOCATION OF WATER WELL: County: Clark Fraction NW 1/4 NW 1/4 SE 1/4 NE 1/4 Section Number 29 Township Number T 34 S Range Number R 24 E W

2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here: DCP Midstream, LP 370 17th Street, Ste 2500 ~2 mi. NE of Engelwood, KS

3 LOCATE WELL WITH "X" IN SECTION BOX: NW NE SW SE

4 DEPTH OF COMPLETED WELL: 20 ft. Depth(s) Groundwater Encountered: 1) ft. 2) ft. 3) ft., or 4) Dry Well

5 Latitude: 37.058356 Longitude: -99.946456 Horizontal Datum: WGS 84 NAD 83 NAD 27

6 Elevation: ft. Ground Level TOC Source: Land Survey GPS Topographic Map Other

7 WELL WATER TO BE USED AS: 1. Domestic: Household Lawn & Garden Livestock Irrigation Feedlot Industrial 5. Public Water Supply: well ID 6. Dewatering: how many wells? 7. Aquifer Recharge: well ID 8. Monitoring: well ID 9. Environmental Remediation: well ID SVE03 Air Sparge Soil Vapor Extraction Recovery Injection 10. Oil Field Water Supply: lease 11. Test Hole: well ID Cased Uncased Geotechnical 12. Geothermal: how many bores? a) Closed Loop Horizontal Vertical b) Open Loop Surface Discharge Inj. of Water 13. Other (specify):

Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted: Water well disinfected? Yes No

8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded Casing diameter: 2 in. to 10 ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No. Sch. 40

TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel Fiberglass PVC Other (Specify) Brass Galvanized Steel Concrete tile None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify) Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole) SCREEN-PERFORATED INTERVALS: From 10 ft. to 20 ft., From ft. to ft., From ft. to ft. GRAVEL PACK INTERVALS: From 8 ft. to 20 ft., From ft. to ft., From ft. to ft.

9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From 0 ft. to 1 ft., From 1 ft. to 8 ft., From ft. to ft. Nearest source of possible contamination: Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well Watertight Sewer Lines Seepage Pit Feedyard Fertilizer Storage Oil Well/Gas Well Other (Specify) Contaminated site Direction from well? Distance from well? ft.

Table with columns: 10 FROM, TO, LITHOLOGIC LOG, FROM, TO, LITHO. LOG (cont.) or PLUGGING INTERVALS. Rows: 0-10 Hydrovac, 10-20 Sand, f-m, Lt. Brown and Brown

Notes:

11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) 9/11/2018 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 527 This Water Well Record was completed on (mo-day-year) 1/11/2019 under the business name of GeoCore Inc. Signature [Signature]

Clark

29- 34S 24W

NW NWSE NE
SW NE SE NE



ALL INSTALLED WELLS (Sheet 1 of 2)

DCP Midstream, LP
~2 mi. NE of Englewood, KS *Clark Co. #1*
(Tasman Geoscience)

GPS Coordinates:

AS02: 37.058458, -99.946332
 AS03: 37.058411, -99.946413
 AS04: 37.058404, -99.946520
 AS05: 37.058400, -99.946651

MW22: 37.057615, -99.944401
 SVE02: 37.058500, -99.946331
 SVE03: 37.058356, -99.946456
 SVE04: 37.058349, -99.946650

RECEIVED

JAN 31 2019

BUREAU OF WATER

Clark

29-34S 24W NW NW SE NE



Google Earth

© 2018 Google

200 ft

FOCUSED ON MAIN CLUSTER OF WELLS (Sheet 2 of 2)

DCP Midstream, LP

~2 mi. NE of Englewood, KS

(Tasman Geoscience)

Clark Co. #1

GPS Coordinates:

AS02: 37.058458, -99.946332

AS03: 37.058411, -99.946413

AS04: 37.058404, -99.946520

AS05: 37.058400, -99.946651

MW22: 37.057615, -99.944401

SVE02: 37.058500, -99.946331

SVE03: 37.058356, -99.946456

SVE04: 37.058349, -99.946650

RECEIVED

JAN 31 2019

BUREAU OF WATER