

WATER WELL RECORD Form WWC-5

Original Record Correction Change in Well Use

(DRL)

Division of Water Resources App. No.

Well ID

2-18

1 LOCATION OF WATER WELL:

County: Clark

Fraction SW 1/4 NW 1/4 NW 1/4 SW 1/4

Section Number 19

Township Number T 34 S

Range Number R 24 E W

2 WELL OWNER: Last Name:

Business: City Of Englewood
Address: PO Box 6
City: Englewood


First:

State: KS ZIP: 67840

Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here:

From City of Englewood- 1 1/2 Miles North on Highway 283.

3 LOCATE WELL WITH 'X' IN SECTION BOX:



4 DEPTH OF COMPLETED WELL: 125 ft.

Depth(s) Groundwater Encountered: 1) 42.9 ft. 2) ... ft. 3) ... ft., or 4) Dry Well
WELL'S STATIC WATER LEVEL: 42.96 ft.
Pump test data: Well water was ... ft. after ... hours pumping ... gpm
Estimated Yield: ... gpm
Bore Hole Diameter: 10.25 in. to 125 ft. and ... in. to ... ft.

5 Latitude: 37.069721 (decimal degrees)

Longitude: 99.979378 (decimal degrees)
Datum: WGS 84 NAD 83 NAD 27
Source for Latitude/Longitude: GPS (unit make/model: ...) (WAAS enabled? Yes No)
 Land Survey Topographic Map
 Online Mapper: ...

6 Elevation: 2010 ft. Ground Level TOC

Source: Land Survey GPS Topographic Map
 Other KOLAR

7 WELL WATER TO BE USED AS:

- 1. Domestic: Household Lawn & Garden Livestock
2. Irrigation
3. Feedlot
4. Industrial
5. Public Water Supply: well ID ...
6. Dewatering: how many wells? ...
7. Aquifer Recharge: well ID ...
8. Monitoring: well ID 2-18
9. Environmental Remediation: well ID ...
10. Oil Field Water Supply: lease ...
11. Test Hole: well ID ...
12. Geothermal: how many bores? ...
13. Other (specify): ...

Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted: ...
Water well disinfected? Yes No

8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded

Casing diameter 5 in. to 125 ft., Diameter ... in. to ... ft., Diameter ... in. to ... ft.
Casing height above land surface 24 in. Weight ... lbs./ft. Wall thickness or gauge No. SDR17

TYPE OF SCREEN OR PERFORATION MATERIAL:

- Steel Stainless Steel Fiberglass PVC Other (Specify) Certalok
 Brass Galvanized Steel Concrete tile None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:

- Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify) ...
 Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)

SCREEN-PERFORATED INTERVALS: From .95 ft. to 125 ft., From ... ft. to ... ft., From ... ft. to ... ft.

GRAVEL PACK INTERVALS: From 90 ft. to 125 ft., From ... ft. to ... ft., From ... ft. to ... ft.

9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other

Grout Intervals: From 0 ft. to 90 ft., From ... ft. to ... ft., From ... ft. to ... ft.

Nearest source of possible contamination: No potential source of contamination within 200 ft.

- Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage
 Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well
 Watertight Sewer Lines Seepage Pit Feedyard Fertilizer Storage Oil Well/Gas Well

Other (Specify) Test Well

Direction from well? North Distance from well? 80 ft.

10 FROM TO LITHOLOGIC LOG FROM TO LITHO. LOG (cont.) or PLUGGING INTERVALS

Table with 6 columns: FROM, TO, LITHOLOGIC LOG, FROM, TO, LITHO. LOG (cont.) or PLUGGING INTERVALS. Includes a 'Notes' section.

11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) 05/17/2018 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 846 This Water Well Record was completed on (mo-day-year) 05/22/2018 under the business name of Nash Water Well Service, LLC

Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.

Form	WWC5
Contractor	Nash Water Well Service, LLC
Well Owner	
Doc ID	1409860

Litholgy

0	9	TOP SOIL, FINE SAND
9	28	RED CLAY, WITH FINE/MEDIUM SAND STREAK LAYERS
28	32	FINE SAND TIGHT, WITH FINE COARSE SAND STREAKS
		WITH THIN CLAY STREAKS
32	33	FINE COARSE SAND, WITH SMALL/MEDIUM GRAVEL
33	47	FINE COARSE SAND, WITH THIN RED CLAY STREAKS
47	71	RED CLAY WITH FINE/MEDIUM SAND STREAKS AND LAYERS
71	81	FINE MEDIUM SAND, WITH STREAKS FINE COARSE SAND, THIN CLAY LAYERS
81	87	RED/BROWN/TAN/GRAY STICKY CLAY
87	92	FINE COARSE SAND
92	93	FINE COARSE SAND, WITH SMALL/LARGE GRAVEL
93	94	ROCK

Form	WWC5
Contractor	Nash Water Well Service, LLC
Well Owner	
Doc ID	1409860

Litholgy

94	111	FINE MEDIUM SAND, WITH
		FINE COARSE SAND STREAKS
111	125	FINE COARSE SAND, RED CLAY