<b>17</b>	ECORD Form WWC			ision of Water urces App. No.		Well ID 6 (North)						
Original Record   1 LOCATION OF V				ion Number		er Range Number						
County: Clark		4 NW ¼ NW ¼ :	<b>I</b>	19	T 34 S	R 24 DE WW						
2 WELL OWNER:	_ast Name: First:	[5	Street or Rura		where well is located							
Business: City of Er	Business: City of Englewood				direction from nearest town or intersection): If at owner's address, check here:							
Address: P.O. Box 46 Address: Address: Approximately 1.50 miles north of Englewood.												
City: Englewoo	d State: KS ZIP:	67840										
3 LOCATE WELL		· · · · · · · · · · · · · · · · · · ·			25.25.25							
WITH "X" IN	4 DEPTH OF COMPLET		129 ft.		le: 37.070085	(decimal degrees)						
<b>SECTION BOX:</b>	Depth(s) Groundwater Encour 2) ft. 3)	ft., or 4)	ft. Dry Well	Longitude: (accimiai degices)								
N	WELL'S STATIC WATER LEVEL: 47.60											
below land surface, measured on (mo-day-above land surface, measured on (mo-day-bump test data: Well water was not checked fi												
				☐ Land Survey ☐ Topographic Map								
X	after hours pumpi Well water w	-	om	☐ On	lline Mapper:							
SWSE	after hours pumpi		m									
	Estimated Yield: gpn			1		☐ Ground Level ☐ TOC						
S	Bore Hole Diameter: 15	in. to 132	ft. and	Source:		GPS Topographic Map						
1 mile	!	in. to	ft.		Other							
7 WELL WATER TO BE USED AS:												
Domestic:	1. Domestic: 5. ☑ Public Water Supply: well ID 6 (N ☐ Household 6. ☐ Dewatering: how many wells?				North) 10. Oil Field Water Supply: lease 11. Test Hole: well ID							
Lawn & Garden	7. Aquifer Recharge		Cased Uncased Geotechnical									
Livestock	8. Monitoring: well			12. Geothermal: how many bores?								
2. Irrigation	9. Environmental Rem		a) Closed Loop									
3. Feedlot	☐ Air Sparge	Soil Vapor E	xtraction			scharge Inj. of Water						
4. Industrial Recovery Injection 13. Other (specify):												
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☐ No If yes, date sample was submitted:												
Water well disinfected? Yes No												
8 TYPE OF CASING USED: Steel PVC CASING JOINTS: Glued Clamped Welded Threaded Other Shur-A-Lok Casing diameter 6 in to 97.40 ft. Diameter in to ft. Diameter in to ft.												
Casing diameter 6 in. to 97.40 ft., Diameter in. to ft., Diameter in. to ft.  Casing height above land surface 20 in. Weight 4.96 lbs./ft. Wall thickness or gauge No390												
	RFORATION MATERIAL:	8			ar ar gange area							
	ainless Steel Fiberglass	🔀 PVC			er (Specify)							
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)												
	<b>—</b>	e	ed (open hole)	)								
SCREEN OR PERFORAT	ON OPENINGS ARE:	<del></del>										
SCREEN OR PERFORAT Continuous Slot	ON OPENINGS ARE:  Mill Slot  Gauze W	rapped Tor	ch Cut Dr	rilled Holes	Other (Specify)							
SCREEN OR PERFORAT Continuous Slot Louvered Shutter	ON OPENINGS ARE:    Mill Slot	rapped Tor	ch Cut Dr	rilled Holes one (Open Ho	ole)	ft to ft						
SCREEN OR PERFORAT Continuous Slot Louvered Shutter SCREEN-PERFORATED	ON OPENINGS ARE:    Mill Slot	rapped ☐ Torapped ☐ Saw 127.40 ft., F	ch Cut Dr Cut No	rilled Holes one (Open Ho ft. to	_ `	ft. to ft.						
SCREEN OR PERFORAT Continuous Slot Louvered Shutter SCREEN-PERFORATED	ON OPENINGS ARE:    Mill Slot	/rapped ☐ Tor apped ☐ Saw 127.40 ft., F	ch Cut Dr Cut No	rilled Holes one (Open Ho ft. to ft. to	ft., From							
SCREEN OR PERFORAT  Continuous Slot Louvered Shutter SCREEN-PERFORATED GRAVEL PACK 9 GROUT MATERIAL: Grout Intervals: From	ON OPENINGS ARE:    Mill Slot	/rapped ☐ Tor apped ☐ Saw 127.40 ft., F 132 ft., F ent grout ☒ Ben	ch Cut Dr Cut No rom rom	rilled Holes one (Open Ho ft. to ft. to	ft., From							
SCREEN OR PERFORAT  Continuous Slot Louvered Shutter SCREEN-PERFORATED GRAVEL PACK 9 GROUT MATERIAL: Grout Intervals: From Nearest source of possi	ON OPENINGS ARE:    Mill Slot	7rapped ☐ Tor apped ☐ Saw 127.40 ft., F 132 ft., F ont grout ☒ Ben rom 26 ft	ch Cut Dr. V Cut No. rom trom tonite Ot. t. to 90	filled Holes one (Open Ho ft. to ft. to ther ft., From	ole) ft., From ft., From ft. to	ft, to ft.						
SCREEN OR PERFORAT  Continuous Slot Louvered Shutter SCREEN-PERFORATED GRAVEL PACK 9 GROUT MATERIAL: Grout Intervals: From Nearest source of possi	ON OPENINGS ARE:    Mill Slot	/rapped ☐ Tor apped ☐ Saw 127.40 ft., F 132 ft., F ont grout ☒ Ben rom 26 f	ch Cut Dr. V Cut No. rom trom tonite Of t. to 90	filled Holes one (Open Ho fi. to ft. to ther ft., From	ft., From ft., From ft. to	ft. to ft.						
SCREEN OR PERFORAT  Continuous Slot Louvered Shutter SCREEN-PERFORATED GRAVEL PACK 9 GROUT MATERIAL: Grout Intervals: From Nearest source of possi Septic Tank Sewer Lines	ON OPENINGS ARE:    Mill Slot	/rapped ☐ Tor apped ☐ Saw 127.40 ft., F 132 ft., F ont grout ☒ Ben rom 26 f ☐ Pit Privy ☐ Sewage Lago	ch Cut Dr. V Cut No. rom trom tonite Of t. to 90  L on F	filled Holes one (Open Ho fi. to ft. to ther ft., From Livestock Pens Fuel Storage	ole)     ft., From     ft., From     ft. to	ft. to ft.  ft.  ide Storage ned Water Well						
SCREEN OR PERFORAT  Continuous Slot  Louvered Shutter SCREEN-PERFORATED  GRAVEL PACK  9 GROUT MATERIAL: Grout Intervals: From Nearest source of possi  Septic Tank Sewer Lines Watertight Sewer Lines	ON OPENINGS ARE:    Mill Slot	/rapped ☐ Tor apped ☐ Saw 127.40 ft., F 132 ft., F ont grout ☒ Ben rom 26 f	ch Cut Dr. V Cut No. rom trom tonite Of t. to 90  L on F	filled Holes one (Open Ho fi. to ft. to ther ft., From	ole)     ft., From     ft., From     ft. to	ft. to ft.						
SCREEN OR PERFORAT  Continuous Slot  Louvered Shutter SCREEN-PERFORATED  GRAVEL PACK  9 GROUT MATERIAL: Grout Intervals: From Nearest source of possi  Septic Tank Sewer Lines  Watertight Sewer Line	ON OPENINGS ARE:    Mill Slot	/rapped ☐ Tor apped ☐ Saw 127.40 ft., F 132 ft., F ont grout ☒ Ben rom 26 f ☐ Pit Privy ☐ Sewage Lago	ch Cut	filled Holes one (Open Ho fi. to ft. to ther ft., From Livestock Pens Fuel Storage	ole)     ft., From     ft., From     ft. to	ft. to ft.  ft.  ide Storage ned Water Well						
SCREEN OR PERFORAT  Continuous Slot  Louvered Shutter SCREEN-PERFORATED  GRAVEL PACK  GROUT MATERIAL: Grout Intervals: From Nearest source of possi  Septic Tank Sewer Lines Watertight Sewer Lir  Other (Specify) Direction from well?	ON OPENINGS ARE:    Mill Slot	/rapped ☐ Tor apped ☐ Saw 127.40 ft., F 132 ft., F ent grout ☒ Ben rom 26 ft ☐ Pit Privy ☐ Sewage Lago ☐ Feedyard  Distance from well?	ch Cut	filled Holes one (Open Ho fit to fit to ther ft., From Livestock Pens Fuel Storage Fertilizer Storag ft. TO	ft., From ft., From ft. to  Insectic  Abando  Ge Oil Wel	ft. to ft.  ft.  ide Storage ned Water Well						
SCREEN OR PERFORAT  Continuous Slot  Louvered Shutter SCREEN-PERFORATED  GRAVEL PACK  GROUT MATERIAL: Grout Intervals: From Nearest source of possi  Septic Tank Sewer Lines Watertight Sewer Lir  Other (Specify) Direction from well?  10 FROM  TO  14	ON OPENINGS ARE:    Mill Slot	/rapped ☐ Tor apped ☐ Saw 127.40 ft., F 132 ft., F ent grout ☒ Ben rom 26 ft ☐ Pit Privy ☐ Sewage Lago ☐ Feedyard  Distance from well?	ch Cut	filled Holes one (Open Ho ft. to ft. to ther ft., From Livestock Pens Fuel Storage Fertilizer Storage ft. TO 9	ft., From ft., From ft. to  Insectic Abando ge Oil Wel  LITHO. LOG (cont.) or and, fine to medium, clay s	ft. to ft.  ft.  ide Storage ned Water Well 1/Gas Well						
SCREEN OR PERFORAT  Continuous Slot Louvered Shutter SCREEN-PERFORATED GRAVEL PACK  GROUT MATERIAL: Grout Intervals: From Nearest source of possi Septic Tank Sewer Lines Watertight Sewer Lir Other (Specify) Direction from well?  10 FROM TO  14  14  14  24	ON OPENINGS ARE:    Mill Slot	/rapped ☐ Tor apped ☐ Saw 127.40 ft., F 132 ft., F ent grout ☒ Ben rom 26 ft ☐ Pit Privy ☐ Sewage Lago ☐ Feedyard  Distance from well?	ch Cut Dr Cut No rom rom tonite Ot t. to 90  FROM 71 79 1	filled Holes one (Open Ho ft. to ft. to ther ft., From Livestock Pens Fuel Storage Fertilizer Storage ft. TO 9 Sc 03 Sc	ft., From ft., From ft. to  Insectic Abando ge Oil Wel  LITHO. LOG (cont.) or and, fine to medium, clay sand, fine, coarse	ft. to ft.  ft.  ide Storage ned Water Well 1/Gas Well						
SCREEN OR PERFORAT  Continuous Slot Louvered Shutter SCREEN-PERFORATED GRAVEL PACK  GRAVEL PACK  GROUT MATERIAL: Grout Intervals: From Nearest source of possi Septic Tank Sewer Lines Watertight Sewer Lire Other (Specify) Direction from well?  10 FROM TO 14 14 14 24 29	ON OPENINGS ARE:    Mill Slot	/rapped ☐ Tor apped ☐ Saw 127.40 ft., F 132 ft., F ent grout ☒ Ben rom 26 ft ☐ Pit Privy ☐ Sewage Lago ☐ Feedyard  Distance from well?	ch Cut	rilled Holes one (Open Ho ft. to ft. to ther ft., From Livestock Pens Fuel Storage Fertilizer Storage  ft.  TO 9 Si 03 Si 08 C	ft., From ft., From ft. to  Insectic Abando ge Oil Wel  LITHO. LOG (cont.) or and, fine to medium, clay sand, fine, coarse lay, red, brown	ft. to ft.  ft.  ide Storage ned Water Well 1/Gas Well						
SCREEN OR PERFORAT  Continuous Slot Louvered Shutter SCREEN-PERFORATED GRAVEL PACK  GROUT MATERIAL: Grout Intervals: From Nearest source of possi Septic Tank Sewer Lines Watertight Sewer Lir Other (Specify) Direction from well?  To FROM To  14 14 24 24 29 29 44	ON OPENINGS ARE:    Mill Slot	/rapped ☐ Tor apped ☐ Saw 127.40 ft., F 132 ft., F ent grout ☒ Ben rom 26 ft ☐ Pit Privy ☐ Sewage Lago ☐ Feedyard  Distance from well?	Cot	filled Holes one (Open Ho ft. to ft. to ther ft., From Livestock Pens Fuel Storage Fertilizer Storage ft. TO 9 Si 03 Si 08 C 15 Si	ft., From ft., From ft. to  Insectic Abando ge Oil Wel  LITHO. LOG (cont.) or and, fine to medium, clay sand, fine, coarse lay, red, brown and, fine	ft. to ft.  ft.  ide Storage ned Water Well I/Gas Well  PLUGGING INTERVALS streaks						
SCREEN OR PERFORAT  Continuous Slot Louvered Shutter SCREEN-PERFORATED GRAVEL PACK  9 GROUT MATERIAL: Grout Intervals: From Nearest source of possi Septic Tank Sewer Lines Watertight Sewer Lin Other (Specify) Direction from well?  10 FROM TO  14 14 24 29 29 44 44 52	ON OPENINGS ARE:    Mill Slot	/rapped ☐ Tor apped ☐ Saw 127.40 ft., F 132 ft., F ent grout ☒ Ben rom 26 ft ☐ Pit Privy ☐ Sewage Lago ☐ Feedyard  Distance from well?	Cut	filled Holes one (Open Ho fit to fit to ther ft., From Livestock Pens Fuel Storage Fertilizer Storage  ft.  TO 9 Si 03 Si 08 C 15 Si 28 Si	ft., From ft., From ft. to  Insectic Abando ge Oil Wel  LITHO. LOG (cont.) or and, fine to medium, clay s and, fine, coarse lay, red, brown and, fine and, fine to medium, some	ft. to ft.  ft.  ide Storage ned Water Well I/Gas Well  PLUGGING INTERVALS streaks						
SCREEN OR PERFORAT  Continuous Slot Louvered Shutter SCREEN-PERFORATED GRAVEL PACK  9 GROUT MATERIAL: Grout Intervals: From Nearest source of possi Septic Tank Sewer Lines Watertight Sewer Lin Other (Specify) Direction from well?  10 FROM TO 14 14 24 29 29 44 44 52 52 52 54	ON OPENINGS ARE:    Mill Slot	/rapped ☐ Tor apped ☐ Saw 127.40 ft., F 132 ft., F ent grout ☒ Ben rom 26 ft ☐ Pit Privy ☐ Sewage Lago ☐ Feedyard  Distance from well?	ch Cut	filled Holes one (Open Ho fit to fit to ther ft., From Livestock Pens Fuel Storage Fertilizer Storage ft. TO 9 Si 03 Si 08 C 15 Si 28 Si	ft., From ft., From ft. to  Insectic Abando ge Oil Wel  LITHO. LOG (cont.) or and, fine to medium, clay sand, fine, coarse lay, red, brown and, fine	ft. to ft.  ft.  ide Storage ned Water Well I/Gas Well  PLUGGING INTERVALS streaks						
SCREEN OR PERFORAT  Continuous Slot Louvered Shutter SCREEN-PERFORATED GRAVEL PACK  9 GROUT MATERIAL: Grout Intervals: From Nearest source of possi Septic Tank Sewer Lines Watertight Sewer Lin Other (Specify) Direction from well?  10 FROM TO  14 14 24 24 29 29 44 44 52 52 54	ON OPENINGS ARE:    Mill Slot	/rapped ☐ Tor apped ☐ Saw 127.40 ft., F 132 ft., F ent grout ☒ Ben rom 26 ft ☐ Pit Privy ☐ Sewage Lago ☐ Feedyard  Distance from well?	Cut	filled Holes one (Open Ho fit to fit to ther ft., From Livestock Pens Fuel Storage Fertilizer Storage  ft.  TO 9 Si 03 Si 08 C 15 Si 28 Si	ft., From ft., From ft. to  Insectic Abando ge Oil Wel  LITHO. LOG (cont.) or and, fine to medium, clay s and, fine, coarse lay, red, brown and, fine and, fine to medium, some	ft. to ft.  ft.  ide Storage ned Water Well I/Gas Well  PLUGGING INTERVALS streaks						
SCREEN OR PERFORAT  Continuous Slot Louvered Shutter SCREEN-PERFORATED GRAVEL PACK  9 GROUT MATERIAL: Grout Intervals: From Nearest source of possi Septic Tank Sewer Lines Watertight Sewer Lin Other (Specify) Direction from well?  10 FROM TO  14 14 24 24 29 29 44 44 52 52 52 54 54	ON OPENINGS ARE:    Mill Slot	/rapped ☐ Tor apped ☐ Saw 127.40 ft., F 132 ft., F ent grout ☒ Ben rom 26 ft ☐ Pit Privy ☐ Sewage Lago ☐ Feedyard  Distance from well?	ch Cut	filled Holes one (Open Ho fit to fit to ther ft., From Livestock Pens Fuel Storage Fertilizer Storage  ft.  TO 9 Si 03 Si 08 C 15 Si 28 Si	ft., From ft., From ft. to  Insectic Abando ge Oil Wel  LITHO. LOG (cont.) or and, fine to medium, clay s and, fine, coarse lay, red, brown and, fine and, fine to medium, some	ft. to ft.  ft.  ide Storage ned Water Well I/Gas Well  PLUGGING INTERVALS streaks						
SCREEN OR PERFORAT  Continuous Slot Louvered Shutter SCREEN-PERFORATED GRAVEL PACK  9 GROUT MATERIAL: Grout Intervals: From Nearest source of possi Septic Tank Sewer Lines Watertight Sewer Line Other (Specify) Direction from well?  10 FROM TO  14 14 24 24 29 29 44 44 52 52 54 54 60 60 60 67 67 71 11 CONTRACTOR	ON OPENINGS ARE:    Mill Slot	/rapped ☐ Tor apped ☐ Saw 127.40 ft., F 132 ft., F 132 ft., F 15	ch Cut	rilled Holes one (Open Ho ft. to ft. to ther ft., From Livestock Pens ruel Storage Fertilizer Storage ft.  TO 9 03 Sa 08 C 15 Sa 28 Sa 32 R	ft., From ft., From ft. to  Insectic Abando ge Oil Wel  LITHO. LOG (cont.) or and, fine to medium, clay s and, fine, coarse lay, red, brown and, fine to medium, some ed clay  constructed, reco	ft. to ft.  ft.  ide Storage ned Water Well I/Gas Well  PLUGGING INTERVALS streaks  coarse						
SCREEN OR PERFORAT  Continuous Slot Louvered Shutter SCREEN-PERFORATED GRAVEL PACK  9 GROUT MATERIAL: Grout Intervals: From Nearest source of possi Septic Tank Sewer Lines Watertight Sewer Line Other (Specify) Direction from well?  10 FROM TO  14 14 24 24 29 29 44 44 52 52 54 54 60 60 60 67 67 71 11 CONTRACTOR' under my jurisdiction	ON OPENINGS ARE:    Mill Slot	rapped ☐ Tor apped ☐ Saw 127.40 ft., F 132 ft., F 132 ft., F 15 ft. Sewage Lagor ☐ Feedyard ☐ Distance from well? ☐ TIFICATION: -year) 04-29-20	ch Cut	rilled Holes one (Open Ho ft. to ft. to ther ft., From Livestock Pens ruel Storage Fertilizer Storage ft.  TO 9 03 Sa 08 C 15 Sa 28 Sa 32 R  well was karse record is to	ft., From  ft., From  ft. to  Insectic Abando ge Oil Wel  LITHO. LOG (cont.) or and, fine to medium, clay s and, fine, coarse lay, red, brown and, fine and, fine to medium, some ed clay  constructed, reco	ft. to ft.  ft.  ide Storage ned Water Well I/Gas Well  PLUGGING INTERVALS streaks  coarse  onstructed, or plugged owledge and belief.						
SCREEN OR PERFORAT  Continuous Slot  Louvered Shutter  SCREEN-PERFORATED  GRAVEL PACK  9 GROUT MATERIAL:  Grout Intervals: From  Nearest source of possi  Septic Tank  Sewer Lines  Watertight Sewer Line  Other (Specify)  Direction from well?  10 FROM  TO  14  14  24  24  29  29  44  44  52  52  54  54  60  60  67  67  71  11 CONTRACTOR'  under my jurisdiction  Kansas Water Well C	ON OPENINGS ARE:    Mill Slot	rapped ☐ Tor apped ☐ Saw 127.40 ft., F 132 ft., F 132 ft., F 15	ch Cut	rilled Holes one (Open Ho ft. to ft. to ft. to ther ft., From Livestock Pens Fuel Storage Fertilizer Storage ft. TO 1 9 03 08 08 0 15 28 32 R  well was well was record is tr rd was compo	ft., From  ft. to  ft. to  Insectic Abando ge Oil Wel  LITHO. LOG (cont.) or and, fine to medium, clay sand, fine, coarse lay, red, brown and, fine to medium, some ed clay  constructed, recorrect to the best of my knet of mediany.	ft. to ft.  ft.  ide Storage ned Water Well I/Gas Well  PLUGGING INTERVALS streaks  coarse  onstructed, or plugged owledge and belief.						
SCREEN OR PERFORAT  Continuous Slot  Louvered Shutter SCREEN-PERFORATED  GRAVEL PACK  9 GROUT MATERIAL: Grout Intervals: From Nearest source of possi  Septic Tank Sewer Lines  Watertight Sewer Line Other (Specify) Direction from well?  10 FROM TO  14 14 24 24 29 29 44 44 52 52 54 54 60 60 60 67 67 71 11 CONTRACTOR' under my jurisdiction Kansas Water Well C under the business na	ON OPENINGS ARE:    Mill Slot	rapped ☐ Tor apped ☐ Saw 127.40 ft., For 132 ft., For 13	ch Cut	rilled Holes one (Open Ho fit to fit to ther ft., From Livestock Pens ruel Storage Fertilizer Storage  ft.  TO 9 Sa 03 Sa 08 C 15 Sa 28 Sa 32 R  well was well was mis record is to rd was compo	ft., From  ft., From  ft. to  Insectic Abando ge Oil Wel  LITHO. LOG (cont.) or and, fine to medium, clay s and, fine, coarse lay, red, brown and, fine to medium, some ed clay  constructed, reccurrence to the best of my kn leted on (mo-day-year)	ft. to ft.  ft.  ft.  ide Storage med Water Well I/Gas Well  PLUGGING INTERVALS streaks  coarse  onstructed, or plugged owledge and belief. 05-26-20						
SCREEN OR PERFORAT  Continuous Slot  Louvered Shutter  SCREEN-PERFORATED  GRAVEL PACK  9 GROUT MATERIAL:  Grout Intervals: From  Nearest source of possi  Septic Tank  Sewer Lines  Watertight Sewer Line  Other (Specify)  Direction from well?  10 FROM  TO  14  14  24  24  29  29  44  44  52  52  54  54  60  60  67  67  71  11 CONTRACTOR'  under my jurisdiction  Kansas Water Well C  under the business na  Mail 1 white copy	ON OPENINGS ARE:    Mill Slot	rapped ☐ Tor apped ☐ Saw 127.40 ft., F 132	ch Cut	rilled Holes one (Open Ho ft. to ft. to ft. to ther ft., From  Livestock Pens rel Storage Fertilizer Storage  ft.  TO 9 03 08 C 15 28 32 R  well was wis record is to red was componing the storage for Health and E	ft., From  ft., From  ft. to  Insectic Abando ge Oil Wel  LITHO. LOG (cont.) or and, fine to medium, clay s and, fine, coarse lay, red, brown and, fine and, fine to medium, some ed clay  constructed, reco	ft. to ft.  ft.  ft.  ide Storage  ned Water Well  I/Gas Well  PLUGGING INTERVALS  streaks  coarse  onstructed, or plugged  owledge and belief.  05-26-20  ater, GWTS Section,						