		R WELL RECORD F	Form WWC-5	KSA 82a-		
OCATION OF WATER WELL:	Fraction 5E 1/4	NE V M	E 1/4 Secti	ion Number	Township Number	Range Number R 2 4 E
tance and direction from nearest t		didress of well if located		<i>, , , ,</i>	1 37 3	111 -7 -11
Nad 34 E +			•			
WATER WELL OWNER:						
#, St. Address, Box # :					Board of Agricultu	ire, Division of Water Resource
		67831	Application Number:			
OCATE WELL'S LOCATION WIT	H 4 DEPTH OF CO	OMPLETED WELL	70	. ft. ELEVAT	'ION:	
AN "X" IN SECTION BOX:	Depth(s) Grounds	water Encountered 1.		ft. 2.		ft. 3
! !						y/yr 5-5-9.2
NW NF						s pumping gpr
						s pumping 5.0 gpi
W	† !					in. to
	WELL WATER TO	_	Public water		3 Air conditioning	11 Injection well
SW SE	1 Domestic		Oil field wate			12 Other (Specify below)
	2 Irrigation					
	1	acteriological sample su	net petrimat			yes, mo/day/yr sample was s
TYPE OF BLANK CASING USED	mitted	5 Wrought iron	8 Concret		er Well Disinfected? Yes	Glued Clamped
1 Steel 3 RMP (6 Asbestos-Cement		specify below		Velded
2) PVC 4 ABS	(Sr)	7 Fiberglass	•		,	Threaded
nk casing diameter	in to 40	_				in. to
sing height above land surface						
PE OF SCREEN OR PERFORATI		,g	PVC		10 Asbestos-c	
	ess steel	5 Fiberglass	8 RMF	P (SR)		cify)
2 Brass 4 Galvar	nized steel	6 Concrete tile	9 ABS		12 None used	
REEN OR PERFORATION OPEN	IINGS ARE:	5 Gauze	d wrapped		Saw cut	11 None (open hole)
1 Continuous slot 3	Mill slot	6 Wire w	rapped	•	9 Drilled holes	
2 Louvered shutter 4	Key punched	7 Torch				
REEN-PERFORATED INTERVALS	S: From	. O ft. to	70	ft., From	1	ft. to
	From	ft. to		ft From	•	ft to f
GRAVEL PACK INTERVAL	.S: From	20 ft. to	70	ft., From	1	ft. to
GRAVEL PACK INTERVAL	From	ft. to	70	ft., From	1	ft. to
GROUT MATERIAL: 1 Nea	From at cement	ft. to	3 Benton	ft., From ft., From ite 4 0)	ft. to
GROUT MATERIAL: 1 Nea	From at cementft. to2.0	ft. to	3 Benton	ft., From ft., From ite 4 0	Dther	ft. to
GROUT MATERIAL: 1 Near Dut Intervals: From	From at cementft. to 2 . 0 ble contamination:	ft. to Cement grout ft., From	3 Benton	tt., From ft., From ite 4 Co	Other	ft. to
GROUT MATERIAL: 1 Nea out Intervals: From 1 sat is the nearest source of possib 1 Septic tank 4 Lat	From at cementft. to 2.0 ble contamination: teral lines	ft. to Cement grout ft., From 7 Pit privy	3 Benton ft. to	ft., From ft., From ite 4 (ite 10 Livesto 11 Fuel s	Other	ft. to
GROUT MATERIAL: 1 Nea out Intervals: From. 5 at is the nearest source of possib 1 Septic tank 2 Sewer lines 5 Ce	From at cement ft. to 2 ble contamination: teral lines ess pool	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor	3 Benton ft. to	ft., From ft., From ite 4 (D	Other	ft. to
GROUT MATERIAL: 1 Nea out Intervals: From at is the nearest source of possib 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 6 See	From at cement ft. to 2 ble contamination: teral lines ess pool	ft. to Cement grout ft., From 7 Pit privy	3 Benton ft. to	ft., From ft., From ite 4 C 10 Livesto 11 Fuel s 12 Fertiliz 13 Insecti	Other	ft. to
GROUT MATERIAL: 1 Nea out Intervals: From at is the nearest source of possib 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 6 Seception from well?	From at cementft. to 2 ble contamination: ateral lines ass pool appage pit	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	3 Benton ft. to	ft., From ft., From ite 4 Co. 10 Livesto 11 Fuel s 12 Fertiliz 13 Insecti How man	Other	ft. to
GROUT MATERIAL: 1 Nea out Intervals: From. 5 at is the nearest source of possib 1 Septic tank 4 Lat 2 Sewer lines 5 Ce 3 Watertight sewer lines 6 Seception from well?	From at cement ft. to . 2.0 ble contamination: teral lines ess pool bepage pit LITHOLOGIC I	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	3 Benton ft. to	ft., From ft., From ite 4 C 10 Livesto 11 Fuel s 12 Fertiliz 13 Insecti	Other	ft. to
GROUT MATERIAL: 1 Nea out Intervals: From at is the nearest source of possib 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 6 Section from well? ROM TO 24 Sauda	From at cementft. to 2 ble contamination: ateral lines ass pool appage pit	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	3 Benton ft. to	ft., From ft., From ite 4 Co. 10 Livesto 11 Fuel s 12 Fertiliz 13 Insecti How man	Other	ft. to
GROUT MATERIAL: 1 Nea aut Intervals: From at is the nearest source of possib 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 6 Section from well? ROM TO 2 4 Sewer 4 Lat 5 Ce 3 Watertight sewer lines 6 Section from well?	From at cement ft. to 2 ble contamination: teral lines ess pool bepage pit LITHOLOGIC I	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	3 Benton ft. to	ft., From ft., From ite 4 Co. 10 Livesto 11 Fuel s 12 Fertiliz 13 Insecti How man	Other	ft. to
GROUT MATERIAL: 1 Nea out Intervals: From at is the nearest source of possib 1 Septic tank 2 Sewer lines 5 Ce 3 Watertight sewer lines 6 Section from well? 7 24 5	From at cement ft. to . 2.0 ble contamination: teral lines ess pool bepage pit LITHOLOGIC I	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	3 Benton ft. to	ft., From ft., From ite 4 Co. 10 Livesto 11 Fuel s 12 Fertiliz 13 Insecti How man	Other	ft. to
BROUT MATERIAL: 1 Nea 1 Intervals: From 1 is the nearest source of possib 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 6 Section from well? 1 Nea 1 Nea 2 Sewer lines 5 Ce 3 Watertight sewer lines 6 Section from well? 1 Sewer lines 1 S	From at cement ft. to 2 ble contamination: teral lines ess pool bepage pit LITHOLOGIC I	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	3 Benton ft. to	ft., From ft., From ite 4 Co. 10 Livesto 11 Fuel s 12 Fertiliz 13 Insecti How man	Other	ft. to
GROUT MATERIAL: 1 Nea out Intervals: From at is the nearest source of possib 1 Septic tank 2 Sewer lines 5 Ce 3 Watertight sewer lines 6 Section from well? 7 24 5	From at cement ft. to 2 ble contamination: teral lines ess pool bepage pit LITHOLOGIC I	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	3 Benton ft. to	ft., From ft., From ite 4 Co. 10 Livesto 11 Fuel s 12 Fertiliz 13 Insecti How man	Other	ft. to
BROUT MATERIAL: 1 Nea 1 Intervals: From 1 is the nearest source of possib 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 6 Section from well? 1 Nea 1 Nea 2 Sewer lines 5 Ce 3 Watertight sewer lines 6 Section from well? 1 Sewer lines 1 S	From at cement ft. to 2 ble contamination: teral lines ess pool bepage pit LITHOLOGIC I	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	3 Benton ft. to	ft., From ft., From ite 4 Co. 10 Livesto 11 Fuel s 12 Fertiliz 13 Insecti How man	Other	ft. to
BROUT MATERIAL: 1 Nea 1 Intervals: From 1 is the nearest source of possib 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 6 Section from well? 1 Nea 1 Nea 2 Sewer lines 5 Ce 3 Watertight sewer lines 6 Section from well? 1 Sewer lines 1 S	From at cement ft. to 2 ble contamination: teral lines ess pool bepage pit LITHOLOGIC I	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	3 Benton ft. to	ft., From ft., From ite 4 Co. 10 Livesto 11 Fuel s 12 Fertiliz 13 Insecti How man	Other	ft. to
GROUT MATERIAL: 1 Nea out Intervals: From at is the nearest source of possib 1 Septic tank 2 Sewer lines 5 Ce 3 Watertight sewer lines 6 Section from well? 7 24 5	From at cement ft. to 2 ble contamination: teral lines ess pool bepage pit LITHOLOGIC I	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	3 Benton ft. to	ft., From ft., From ite 4 Co. 10 Livesto 11 Fuel s 12 Fertiliz 13 Insecti How man	Other	ft. to
BROUT MATERIAL: 1 Nea ut Intervals: From at is the nearest source of possib 1 Septic tank 2 Sewer lines 5 Ce 3 Watertight sewer lines 6 Section from well? 7 7 7 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	From at cement ft. to 2 ble contamination: teral lines ess pool bepage pit LITHOLOGIC I	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	3 Benton ft. to	ft., From ft., From ite 4 Co. 10 Livesto 11 Fuel s 12 Fertiliz 13 Insecti How man	Other	ft. to
BROUT MATERIAL: 1 Nea 1 Intervals: From 1 is the nearest source of possib 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 6 Section from well? 1 Nea 1 Nea 2 Sewer lines 5 Ce 3 Watertight sewer lines 6 Section from well? 1 Sewer lines 1 S	From at cement ft. to 2 ble contamination: teral lines ess pool bepage pit LITHOLOGIC I	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	3 Benton ft. to	ft., From ft., From ite 4 Co. 10 Livesto 11 Fuel s 12 Fertiliz 13 Insecti How man	Other	ft. to
GROUT MATERIAL: 1 Nea out Intervals: From at is the nearest source of possib 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 6 Section from well? ROM TO 24 5 6 7 7 7 7 7 7 7 7 7 7 7 7	From at cement ft. to 2 ble contamination: teral lines ess pool bepage pit LITHOLOGIC I	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	3 Benton ft. to	ft., From ft., From ite 4 Co. 10 Livesto 11 Fuel s 12 Fertiliz 13 Insecti How man	Other	ft. to
GROUT MATERIAL: 1 Near out Intervals: From. 5	From at cement ft. to 2 ble contamination: teral lines ess pool bepage pit LITHOLOGIC I	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	3 Benton ft. to	ft., From ft., From ite 4 Co. 10 Livesto 11 Fuel s 12 Fertiliz 13 Insecti How man	Other	ft. to
GROUT MATERIAL: 1 Near out Intervals: From. 5	From at cement ft. to 2 ble contamination: teral lines ess pool bepage pit LITHOLOGIC I	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	3 Benton ft. to	ft., From ft., From ite 4 Co. 10 Livesto 11 Fuel s 12 Fertiliz 13 Insecti How man	Other	ft. to
GROUT MATERIAL: 1 Nea out Intervals: From at is the nearest source of possib 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 6 Section from well? ROM TO 24 5 6 7 7 7 7 7 7 7 7 7 7 7 7	From at cement ft. to 2 ble contamination: teral lines ess pool bepage pit LITHOLOGIC I	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	3 Benton ft. to	ft., From ft., From ite 4 Co. 10 Livesto 11 Fuel s 12 Fertiliz 13 Insecti How man	Other	ft. to
GROUT MATERIAL: 1 Nea aut Intervals: From at is the nearest source of possib 1 Septic tank 2 Sewer lines 5 Ce 3 Watertight sewer lines 6 Section from well? 70 24 5 Section 10 70 70 70 70 70 70 70 70 70	From at cement ft. to 2.0 ble contamination: teral lines ess pool bepage pit LITHOLOGIC I	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard LOG	3 Benton ft. to	tt., From ft., F	Other ft., From ock pens torage er storage y feet? PLUGGIN	ft. to
GROUT MATERIAL: 1 Nea aut Intervals: From at is the nearest source of possib 1 Septic tank 2 Sewer lines 5 Ce 3 Watertight sewer lines 6 Section from well? 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	From at cement ft. to 2.0 ble contamination: teral lines best pool bepage pit LITHOLOGIC I	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard LOG	3 Benton ft. to	ted, (2) recondited.	Other	ft. to
GROUT MATERIAL: 1 Nea aut Intervals: From at is the nearest source of possib 1 Septic tank 2 Sewer lines 5 Ce 3 Watertight sewer lines 6 Section from well? 70 24 5 Section 10 70 70 70 70 70 70 70 70 70	From at cement ft. to 20 ble contamination: teral lines bess pool bepage pit LITHOLOGIC I	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard LOG	3 Bentonft. to	ted, (2) record	Other ft., From ock pens torage er storage y feet? PLUGGIN structed, or (3) plugged d is true to the best of m	ft. to
GROUT MATERIAL: 1 Nea out Intervals: From at is the nearest source of possib 1 Septic tank 2 Sewer lines 5 Ce 3 Watertight sewer lines 6 Section from well? 70 24 70 Coarse CONTRACTOR'S OR LANDOWN pleted on (mo/day/year) 5 Nea 1 Nea	From at cement ft. to 20 ble contamination: teral lines bess pool bepage pit LITHOLOGIC I	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard OG ON: This water well was	3 Bentonft. to	ted, (2) record	Other ft., From ock pens torage er storage y feet? PLUGGIN PLUGGIN estructed, or (3) plugged d is true to the best of m n (mo/day/yr)	ft. to