


1 LOCATION OF WATER WELL: County: Clark Fraction: SE 1/4 AH 1/4 100 1/4 Section Number: 29 Township Number: T 34 S Range Number: R 24 E (N)

Distance and direction from nearest town or city street address of well if located within city?  
1/2 U + 2 East of Englewood

2 WATER WELL OWNER: JW Berryman Trust A  
 RR#, St. Address, Box #: 1/2 First National Bank and Trust Box 1  
 City, State, ZIP Code: Wichita, KS 67201  
 Board of Agriculture, Division of Water Resources  
 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  
  
 4 DEPTH OF COMPLETED WELL: 63 ft. ELEVATION:  
 Depth(s) Groundwater Encountered 1. 25 ft. 2. ft. 3. ft.  
 WELL'S STATIC WATER LEVEL: 18 ft. below land surface measured on mo/day/yr 3-10-92  
 Pump test data: Well water was 24 ft. after 1 hours pumping 30 gpm  
 Est. Yield 40 gpm. Well water was ft. after hours pumping gpm  
 Bore Hole Diameter: 8 3/4 in. to 63 ft., and in. to ft.  
 WELL WATER TO BE USED AS:  
 Domestic     3 Feedlot     6 Oil field water supply     9 Dewatering     12 Other (Specify below)  
 2 Irrigation     4 Industrial     7 Lawn and garden only     10 Monitoring well  
 Was a chemical/bacteriological sample submitted to Department? Yes  No  If yes, mo/day/yr sample was submitted  
 Water Well Disinfected? Yes  No

5 TYPE OF BLANK CASING USED:  
 Steel     3 RMP (SR)     6 Asbestos-Cement     9 Other (specify below)  
 PVC     4 ABS     7 Fiberglass  
 Blank casing diameter: 5 in. to 23 ft., Dia. in. to ft., Dia. in. to ft.  
 Casing height above land surface: 24 in., weight lbs./ft. Wall thickness or gauge No. 200.1b  
 TYPE OF SCREEN OR PERFORATION MATERIAL:  
 Steel     3 Stainless steel     5 Fiberglass     PVC     10 Asbestos-cement  
 2 Brass     4 Galvanized steel     6 Concrete tile     9 ABS     11 Other (specify)  
 12 None used (open hole)  
 SCREEN OR PERFORATION OPENINGS ARE:  
 1 Continuous slot     3 Mill slot     5 Gauzed wrapped     Saw cut     11 None (open hole)  
 2 Louvered shutter     4 Key punched     6 Wire wrapped     9 Drilled holes  
 7 Torch cut     10 Other (specify)  
 SCREEN-PERFORATED INTERVALS: From 23 ft. to 63 ft., From ft. to ft.  
 From ft. to ft., From ft. to ft.  
 GRAVEL PACK INTERVALS: From 20 ft. to 63 ft., From ft. to ft.  
 From ft. to ft., From ft. to ft.

6 GROUT MATERIAL:  1 Neat cement     Cement grout     3 Bentonite     4 Other  
 Grout Intervals: From 17 ft. to 0 ft., From ft. to ft., From ft. to ft.  
 What is the nearest source of possible contamination:  
 1 Septic tank     4 Lateral lines     7 Pit privy     10 Livestock pens     Abandoned water well  
 2 Sewer lines     5 Cess pool     8 Sewage lagoon     11 Fuel storage     15 Oil well/Gas well  
 3 Watertight sewer lines     6 Seepage pit     9 Feedyard     12 Fertilizer storage     16 Other (specify below)  
 13 Insecticide storage  
 Direction from well? East How many feet? 600

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	5	Topsoil			
5	25	reddish brown clay			
25	50	sand + gravel			
50	63	sand + gravel with clay			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was  constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 3-10-92 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 101 This Water Well Record was completed on (mo/day/yr) 3-11-92 under the business name of Bartel Well Drilling, Inc. by (signature) Reuben J. Bartel

OFFICE USE ONLY

T

R

EW

SEC.

1/4

1/4

1/4