## CORRECTION(S) TO WATER WELL RECORD (WWC-5)

(to rectify lacking or incorrect information)

(,	County: <u>Meade</u>
Location listed as:	Location changed to:
Section-Township-Range: 18-345-27 W	18-345-27W
Fraction (1/4 1/4 1/4): None Given	SE SW SE SE
Other changes: Initial statements:	
Changed to:	
Comments:	
verification method: Latitude \$ longitude, KGS	"LEO" conversion tool,
Phone call to well contractor, and	mapping tool & actial
photos on KGS website.	initials: Off date: 8/10/2010

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726 to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

WATER WELL RECORD	Form W	WC-5	Divisi	ion of Wate	r Resources App. N			
1 LOCATION OF WATER WELL:	Fraction			Number	Township No.	Range Number		
County: Meade	1/4 1/4	1/4 1/4		8	T 34 S	R 27 DE WW		
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here						(in decimal degrees) (in decimal degrees)		
2 WATER WELL OWNER: Todd Si	verson		Collection	n Method:				
RR#, Street Address, Box #: City, State, ZIP Code : Meade, KS 67864		Dig	☐ GPS unit (Make/Model: Garmin GPSmap60 Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey  Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m					
3 LOCATE WELL								
WITH AN "X" IN SECTION BOX:  N  Depth(s) Groundwater Encountered (1).46. ft. (2). ft. (3). ft. WELL'S STATIC WATER LEVEL.46. ft. below land surface measured on mo/day/yr.9/8/09.  Pump test data: Well water was. 100. ft. after.1. hours pumping. 30. gpm  EST. YIELD.50. gpm. Well water was. ft. after. hours pumping. gpm  Bore Hole Diameter 8.3/4. in. to .180. ft., and in. to .ft.  WELL WATER TO BE USED AS: Public water supply Geothermal Injection well								
│	Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well							
S If yes, mo/	Was a chemical/bacteriological sample submitted to Department? Yes No  If yes, mo/day/yr sample was submitted							
5 TYPE OF CASING USED:       □ Steel       ♥ PVC       □ Other         CASING JOINTS:       ♥ Glued       □ Clamped       □ Welded       □ Threaded         Casing diameter       5								
SCREEN OR PERFORATION OPENING		Torob out	[] Deille	d holos	□ None (ones he	10)		
Continuous slot  Mill slot  Gauze wrapped  Other (specify)  Louvered shutter  Key punched  Wire wrapped  Saw cut  Other (specify)  SCREEN-PERFORATED INTERVALS: From 149 ft. to 180 ft., From ft. to ft.  From ft. to ft.  GRAVEL PACK INTERVALS: From 29 ft. to 180 ft., From ft. to ft.								
	From f	ft. to	f	ft., From	ft.	to ft.		
From								
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well								
FROM TO LITHOLOG	IC LOG	FROM				JGGING INTERVALS		
0 2 Sandy Topsoil								
2 30 sand								
30   120   sandy red clay   120   130   sand								
120   130   sand 130   150   red clay								
150 160 sand								
160 170 red clay								
170 180 sand and gravel								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was  constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year) .9/9/09								
under the business name of Bartel Well Drilling, Inc. by (signature)								
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include <u>fee</u> of \$5.00 for each <u>constructed</u> well. Visit us at								
http://www.kdheks.gov/waterwell/index.html. KSA 82a-1212			Chec	:k: □wi	nite Copy, B	ue Copy, Pink Copy		