| | | | SE | SE NE | del |) | | | |
|---|--|---------------------------|--|---|---|--|---|--|---------------------------|
| 1 LOCAT | A | ATER WELL: | Fraction 1/4 | / C | | tion Number | Township Nu | | Range Number |
| | _ | _ | | address of well if locate | ed within city? | <u> </u> | 1 37 | S R | Z E EM |
| | 3/=1 | ^ | a de | | | | | | |
| | | WNER: Kenn | | | | | | | |
| RR#, St. Ad | ddress, Bo | x#: | | _ | | | Board of Agr | iculture, Division | of Water Resources |
| City, State, | | | le 165 678 | 364 | 197 | | Application N | | |
| | AN "X" IN SECTION BOX: N Depth(s) Groundwater Encountered N WELL'S STATIC WATER LEVEL | | | | | | | | |
| | - NW | NE | Est. Yield? WELL WATER Domestic | O gpm: Well wa TO BE USED AS: 5 3 Feedlot 6 | ter was 5 Public water : 6 Oil field wate | ft. a supply r supply | after 8 Air conditioning 9 Dewatering | hours pumping 11 Injection 12 Other (S | well pecify below) |
| w | 1 | | 2 Irrigation | 4 Industrial 7 | 7 Domestic (lav | vn & garden) | 10 Monitoring well . | _ | |
| Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yrs sample mitted Water Well Disinfected? Yes No | | | | | | | | | vrs sample was sub- No |
| 1 | | CASING USED: | | 5 Wrought iron | 8 Concre | | | | Clamped |
| 1 Steel 3 RMP (SR) PVC 4 ABS | | | | 6 Asbestos-Cement7 Fiberglass | | (specify below |) | Welded Threaded | |
| Blank casir | ng diamete | | in. to | 96 ft., Dia . | | | | | |
| | | | | in., weight | | | | | |
| TYPE OF S | SCREEN C | OR PERFORATION | | | PVC 10 Asbestos-Cement | | | | |
| 1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 11 Other (Specify) | | | | | | | | | |
| SCREEN C | OR PERFO | RATION OPENII | NGS ARE: | 5 Gu | azed wrapped e wrapped | | 8 Saw cut 9 Drilled holes | | one (open hole) |
| | tinuous slo vered shutt | \mathcal{G}_{4}^{N} | fill slot (ey punched | | ch cut | | |) | ft. |
| | | TED INTERVALS | | 96 ft. to | 136 | ft From | | ft to | ft |
| JOHLLIVI | LIII ONA | TED INTERVALO | From | ft. to | | ft., From | | ft. to | ft. |
| (| GRAVEL P | ACK INTERVALS | | ft. to ft. to | | | | | |
| | | | FIOIII | | | II., FIOITI | ••••• | II. 10 | π. |
| 6 GROU | T MATER | IAL: 1 Nea | t cement | 2 Cement grout | Ø Ben | tonite 4 | 1 Other | | |
| Grout Intervals: From 12.0 ft. to 15.0 ft., From ft. to ft., From ft. to ft., From ft. to ft., From ft. to ft. | | | | | | | | ft. | |
| What is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned was | | | | | | | | | |
| | tic tank | | ral lines | 7 Pit priv | • | 11 Fuel storage | | 15 Oil well/Gas well | |
| 2 Sewer lines 5 Cess pool 3 Watertight sewer lines 6 Seepage pit | | | | 8 Sewage lagoon 9 Feedyard | | 12 Fertilizer storage13 Insecticide storage | | Other (specify below) | |
| Direction from well? N How many feet? 2000 | | | | | | | | | |
| FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS | | | | | | | | | LS |
| 0 | 3 | topso.1 | | | | | | | |
| 3 | 12 | browne | lay | | | | | | |
| 12 | 25 | cleacher | , | | | | | | |
| 25_ | 32 | brayen | ركافع | | | | | | |
| 3.7_ | 40 | Sand | | | | | | | |
| 40 | 28 | brown | cray 1 | | | | | | |
| 88 | 136 | Sand F | gravel | | | | | | |
| | | | | · | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| 7 | | | | | | | | | |
| completed of | on (mo/day | /year)// 's Licence No | 9-05 101 | TION: This water well | | and this re- was complete | cord is true to the be d on (mo/day/yr) | st of my knowledg | e and belief. Kansas |
| under the b | | ime of Barte | I Well | Drilling, Inc. | | | signature) Kuly | - 1. Bart | 1 |
| and Enviro | nment, Burea | pewriter or ball point pe | en. <i>PLEASE PRESS F</i> ection, 1000 SW Jacks | IRMLY and PRINT clearly. Plea on St., Suite 420, Topeka, Kan | | | | | |