		WATE	R WELL RECORD F	orm WWC-5		1212		
LOCATION OF W		Fraction		Sec	tion Number	Township Num	nber	Range Number
unty: Mead		15W 1/2	SW 14 SW		DX 7	T 33	S	R 28 E/10
	,	A .	address of well if located	within city?				
	34W 0							
WATER WELL O'	WNER: Wes	Powel						
t#, St. Address, B	ox # : Box3					Board of Agr	iculture, (	Division of Water Resource
y, State, ZIP Code	واطعاك :	+#e, Ki	67877			Application N	lumber:	
LOCATE WELL'S	LOCATION WITH	4 DEPTH OF C	COMPLETED WELL7	40	. ft. ELEVAT	ION:		
AN "X" IN SECTIO	ON BOX:							
			_					7-21-94
								mping gpr
NW	NE							mping gpr
1 1								to
w <del>                                    </del>	T E		•	Public wate		8 Air conditioning		Injection well
	] i [ ]	<b>D</b> Domestic				•		Other (Specify below)
SW	SE	2 Irrigation						· · · · · · · · · · · · · · · · · · ·
.		1		•	•			mo/day/yr sample was su
<u> </u>	<u>'</u>	mitted	basis iological campio se		•	er Well Disinfected?		and the second s
TYPE OF BLANK	CASING LISED:	1111100	5 Wrought iron	8 Concre				
1 Steel	3 RMP (S	R)	6 Asbestos-Cement		ste tile (specify below			ed
PVC	4 ABS	• •,	7 Fiberglass					aded
		in to 20				 # Dia		iaea
•			•			•		o. 20016.
	OR PERFORATIO		.in., weight	_				
			5 Fibereless	<b>O</b> *V		10 Asbes		
1 Steel	3 Stainless		5 Fiberglass		P (SR)			
2 Brass	4 Galvaniz		6 Concrete tile	9 AB	_	12 None	usea (op	
	DRATION OPENIN		/	d wrapped		Saw cut		11 None (open hole)
1 Continuous s	iot 3 M	lill slot	6 Wire w	rapped		9 Drilled holes		
				- 4				
2 Louvered shu		ey punched	7 Torch (					
	utter 4 K TED INTERVALS:	From	200 ft. to	240		١,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	ft. t	o
REEN-PERFORA	TED INTERVALS:	From	<b>2<i>0</i>0</b> ft. to ft. to	240	ft., Fron	) , , , , , , , , , , , , , , , , , , ,	ft. t	o
REEN-PERFORA		From From	200 ft. to ft. to	240	ft., Fron	ı	ft. t ft. t ft. t	o
GRAVEL P	TED INTERVALS:	From From From.	7.0 ft. to ft. to ft. to ft. to ft. to	240	ft., Fron ft., Fron ft., Fron	1	ft. t ft. t ft. t ft. t	of of of o f
GRAVEL P	ACK INTERVALS:	From From From cement	7.0 ft. to ft. ft. to ft. to ft. ft. to ft. to ft. ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft.	740 Bento	ft., Fron ft., Fron ft., Fron nite 4	1	ft. t	o
GRAVEL P.  GROUT MATERIA  out Intervals: Fr	ACK INTERVALS:  AL: 1 Neat om	FromFromFrom.cement	7.0 ft. to ft. ft. to ft. to ft. ft. to ft. to ft. ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft.	740 Bento	ft., Fron ft., Fron ft., Fron nite 4	1	ft. t	o
GRAVEL P.  GROUT MATERIA  out Intervals: Fr	ACK INTERVALS:	FromFromFrom.cement	ft. to ft. to ft. to ft. to ft. to  2 Cerment grout ft., From	740 Bento	ft., Fron ft., Fron ft., Fron ft., Fron nite 4 (	n	ft. t ft. t ft. t. ft. t. ft. t	o
GRAVEL P. GROUT MATERIA out Intervals: Froat is the nearest	ACK INTERVALS:  AL: 1 Neat om	From. From. From cement ft. to	7.0 ft. to ft. ft. to ft. to ft. ft. to ft. to ft. ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft.	740 Bento	ft., Fron ft., Fron ft., Fron ft., Fron nite 4 (	on	ft. t ft. t ft. t. ft. t. ft. t	o
GRAVEL P. GROUT MATERIA out Intervals: Fri	AL: 1 Neat of possible	From. From. From cement ft. to	ft. to ft. to ft. to ft. to ft. to  2 Cerment grout ft., From	240 240 Bento ft.	tt., Fron ft., Fron ft., Fron nite 4 ( to	n	ft. t. ft. f	b
GRAVEL P. GROUT MATERIA out Intervals: Fr at is the nearest s 1 Septic tank 2 Sewer lines	ACK INTERVALS:  AL: 1 Neat om	From	2 Cement grout  7 Pit privy	240 240 Bento ft.	tt., Fron ft., Fron ft., Fron nite 4 ( to	n	ft. t. ft. f	o
GRAVEL P. GROUT MATERIA out Intervals: Friat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se	ACK INTERVALS:  AL: 1 Neat om  source of possible 4 Later 5 Cess  wer lines 6 Seep	From	ft. to	Z#O Bento ft.	ft., Fron ft., Fron ft., Fron nite to	Dther	14 A 15 O 16 O	of the first of th
GRAVEL P. GROUT MATERIA out Intervals: From the state of the search of t	ACK INTERVALS:  AL: 1 Neat om  source of possible 4 Later 5 Cess  wer lines 6 Seep	From	ft. to	240 240 Bento ft.	ft., Fron ft., Fron ft., Fron nite 10 Livest 11 Fuel s 12 Fertiliz 13 Insect	Dther	14 A 15 O 16 O	b
GRAVEL P. GROUT MATERIA out Intervals: Frinat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO	ACK INTERVALS:  AL: 1 Neat of om. 70 p  Source of possible 4 Later 5 Cess  Ewer lines 6 Seep	From	ft. to	Z#O Bento ft.	ft., Fron ft., Fron ft., Fron nite to	Dther	14 A 15 O 16 O	o
GRAVEL P. GROUT MATERIA Out Intervals: Fro tat is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO	ACK INTERVALS:  AL: 1 Neat of om. 70 possible 4 Later 5 Cess ewer lines 6 Seep	From	ft. to	Z#O Bento ft.	ft., Fron ft., Fron ft., Fron nite to	Dther	14 A 15 O 16 O	o
GRAVEL P. GROUT MATERIA out Intervals: Froat is the nearest service tank 2 Sewer lines 3 Watertight service from well? ROM TO 10 10	ACK INTERVALS:  AL: 1 Neat of om. 70 p  Source of possible 4 Later 5 Cess  Ewer lines 6 Seep	From	ft. to	Z#O Bento ft.	ft., Fron ft., Fron ft., Fron nite to	Dther	14 A 15 O 16 O	o
GRAVEL P. GROUT MATERIA out Intervals: From the state of the second seco	ACK INTERVALS:  AL: 1 Neat of om	From	ft. to	Z#O Bento ft.	ft., Fron ft., Fron ft., Fron nite to	Dther	14 A 15 O 16 O	o
GRAVEL P. GRAVEL	ACK INTERVALS:  AL: 1 Neat of the community of the commun	From	ft. to	Z#O Bento ft.	ft., Fron ft., Fron ft., Fron nite to	Dther	14 A 15 O 16 O	o
GRAVEL P. GRAVEL P. GROUT MATERIA out Intervals: From the is the nearest something in the section from well? GROWN TO	ACK INTERVALS:  AL: 1 Neat of the community of the commun	From From From From cement .ft. to	ft. to	Z#O Bento ft.	ft., Fron ft., Fron ft., Fron nite to	Dther	14 A 15 O 16 O	o
GRAVEL P. GRAVEL	ACK INTERVALS:  AL: 1 Neat of the source of possible 4 Later 5 Cess ower lines 6 Seep  Tepsoil Sandy Clark Company Company Clark Company Compa	From From From From cement	ft. to	Z#O Bento ft.	ft., Fron ft., Fron ft., Fron nite to	Dther	14 A 15 O 16 O	of the first of th
GRAVEL P. GROUT MATERIA but Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO 10 10 10 10 10 10 10 10 10 10 10 10 10	ACK INTERVALS:  AL: 1 Neat of the source of possible 4 Later 5 Cess ower lines 6 Seep 10 Sandy Clark Sands for sand sand sand sand sand sand sand sand	From From From From cement	ft. to	Z#O Bento ft.	ft., Fron ft., Fron ft., Fron nite to	Dther	14 A 15 O 16 O	of the first of th
GRAVEL P. GROUT MATERIA but Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO 10 10 10 10 10 10 10 10 10 10 10 10 10	ACK INTERVALS:  AL: 1 Neat of the source of possible 4 Later 5 Cess ower lines 6 Seep 10 Sandy Clark Sands for sand sand sand sand sand sand sand sand	From From From From cement	ft. to	Z#O Bento ft.	ft., Fron ft., Fron ft., Fron nite to	Dther	14 A 15 O 16 O	of the first of th
GRAVEL P. GROUT MATERIA ut Intervals: Frat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight section from well? GROUT MATERIA 1 Septic tank 2 Sewer lines 3 Watertight section from well? GROUT TO	ACK INTERVALS:  AL: 1 Neat of the source of possible 4 Later 5 Cess ower lines 6 Seep 10 Sandy Clark Sands for sand sand sand sand sand sand sand sand	From From From From cement	ft. to	Z#O Bento ft.	ft., Fron ft., Fron ft., Fron nite to	Dther	14 A 15 O 16 O	of the first of th
GRAVEL P. GROUT MATERIA tut Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight se section from well? ROM TO 10 10 10 15 15 110 10 220	ACK INTERVALS:  AL: 1 Neat of the source of possible 4 Later 5 Cess ower lines 6 Seep 10 Sandy Clark Sands for sand sand sand sand sand sand sand sand	From From From From cement	ft. to	Z#O Bento ft.	ft., Fron ft., Fron ft., Fron nite to	Dther	14 A 15 O 16 O	of the to the thickness of the total of the total of the total of the thickness of the total of the thickness of the thickness of the total of the thickness of the total of the thickness of the total
GRAVEL P. GRAVEL P. GROUT MATERIA out Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO 10 10 10 10 10 10 10 10 10 10 10 10 10	ACK INTERVALS:  AL: 1 Neat of the source of possible 4 Later 5 Cess ower lines 6 Seep 10 Sandy Clark Sands for sand sand sand sand sand sand sand sand	From From From From cement	ft. to	Z#O Bento ft.	ft., Fron ft., Fron ft., Fron nite to	Dther	14 A 15 O 16 O	of the first of th
GRAVEL P. GRAVEL P. GROUT MATERIA out Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO 10 10 10 10 10 10 10 10 10 10 10 10 10	ACK INTERVALS:  AL: 1 Neat of the source of possible 4 Later 5 Cess ower lines 6 Seep 10 Sandy Clark Sands for sand sand sand sand sand sand sand sand	From From From From cement .ft. to	ft. to	Z#O Bento ft.	ft., Fron ft., Fron ft., Fron nite to	Dther	14 A 15 O 16 O	of the first of th
GRAVEL P. GRAVEL P. GRAVEL P. GROUT MATERIA out Intervals: Fr. lat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO 10 10 10 10 10 10 10 10 10 10 10 10 10	ACK INTERVALS:  AL: 1 Neat of the source of possible 4 Later 5 Cess ower lines 6 Seep 10 Sandy Clark Sands for sand sand sand sand sand sand sand sand	From From From From cement .ft. to	ft. to	Z#O Bento ft.	ft., Fron ft., Fron ft., Fron nite to	Dther	14 A 15 O 16 O	of the to the thickness of the total of the total of the total of the thickness of the total of the thickness of the thickness of the total of the thickness of the total of the thickness of the total
GRAVEL P. GRAVEL P. GRAVEL P. GROUT MATERIA out Intervals: Fr. lat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO 10 10 10 10 10 10 10 10 10 10 10 10 10	ACK INTERVALS:  AL: 1 Neat of the source of possible 4 Later 5 Cess ower lines 6 Seep 10 Sandy Clark Sands for sand sand sand sand sand sand sand sand	From From From From cement .ft. to	ft. to	Z#O Bento ft.	ft., Fron ft., Fron ft., Fron nite to	Dther	14 A 15 O 16 O	of the first of th
GRAVEL P. GRAVEL P. GROUT MATERIA out Intervals: Fr. nat is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO 10 16 18 40 20 220 20 240	ACK INTERVALS:  AL: 1 Neat of the source of possible 4 Later 5 Cess ower lines 6 Seep W  Tepsoil Sandy Clarent Company Clarent	From	ft. to ft.	Z-WO  Bento ft.	tt., Fron ft., Fron ft., Fron ft., Fron lte de fto	Dther  the fit, From  bock pens  storage  cer storage  icide storage  y feet? / DO  PLU	14 A 15 O 16 O O GGING II	of the second of
GRAVEL P. GRAVEL P. GROUT MATERIA Dut Intervals: Fr. lat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO 10 16 17 17 18 40 17 17 18 40 17 17 18 40 17 17 18 40 17 18 18 40 18 19 19 19 19 19 19 19 19 19 19 19 19 19	ACK INTERVALS:  AL: 1 Neat of om. 10 possible  4 Later  5 Cess  wer lines 6 Seep  W  Sandy cl  brown cl  redish  Sands has  sand mg w  red clo  OR LANDOWNE	From. From. From. From. Cement  ft. to	ft. to ft.	Bento ft.	tt., Fron ft., Fron ft., Fron nite 4 6 to	Dther	ft. t ft. t ft. t ft. t 14 A 15 O 16 O	of the to the standard wall of the topandoned water well of the
GRAVEL P. GRAVEL	ACK INTERVALS:  AL: 1 Neat of the community of the commun	From. From. From. From. Cement .ft. to	ft. to ft.	Bento ft.	tt., Fron ft., F	n	ft. t ft. t ft. t ft. t 14 A 15 O 16 O 9 & 5.	of the to the pandoned water well if well/Gas well ther (specify below)  NTERVALS  Her my jurisdiction and was owledge and belief. Kansa
GRAVEL P. GRAVEL	ACK INTERVALS:  AL: 1 Neat of the community of the commun	From. From. From. From. Cement .ft. to	ft. to ft.	Bento ft.	tt., Fron ft., F	Dther	ft. t ft. t ft. t ft. t 14 A 15 O 16 O	of the tomostate of the