

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: <u>Meade</u>	<u>C 1/4 NE 1/4 SE 1/4</u>	<u>11</u>	<u>T 34 S</u>	<u>R 29 EW</u>

Distance and direction from nearest town or city street address of well if located within city? Forgar: East to Hwy 23, N on 23 to state line, approx 7 mi on N to 7 U Ranch sign and East into

2 WATER WELL OWNER: Raydon Expl Co Inc 7U Ranch 1-11
 RR#, St. Address, Box # : 9400 N Broadway Ste. 400 Board of Agriculture, Division of Water Resources
 City, State, ZIP Code : Oklahoma City, Ok 73114 Application Number: 2004 0297

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

N			
W			E
S			

4 DEPTH OF COMPLETED WELL 320 ft. ELEVATION: _____
 Depth(s) Groundwater Encountered 1 140 ft. 2 _____ ft. 3 _____ ft.
 WELL'S STATIC WATER LEVEL 140 ft. below land surface measured on mo/day/yr 12-18-04
 Pump test data: Well water was 160 ft. after 1 hours pumping 100 gpm
 Est. Yield 100 gpm: Well water was _____ ft. after _____ hours pumping _____ gpm
 WELL WATER TO BE USED AS:
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 11 Injection well
 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well
 Was a chemical/bacteriological sample submitted to Department? Yes _____ No X; If yes, mo/day/yr sample was submitted
 Water Well Disinfected? Yes X No

5 TYPE OF BLANK CASING USED:
 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped _____
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded _____
 7 Fiberglass Threaded _____
 Blank casing diameter 6 in. to 360 ft., Dia _____ in. to _____ ft., Dia _____ in. to _____ ft.
 Casing height above land surface 24 in., weight 4.074 lbs./ft. Wall thickness or gauge No SDR 21.316
 TYPE OF SCREEN OR PERFORATION MATERIAL:
 1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 10 Asbestos-Cement
 2 Brass 4 Galvanized Steel 6 Concrete tile 8 RMP (SR) 11 Other (Specify) _____
 9 ABS 12 None used (open hole)
 SCREEN OR PERFORATION OPENINGS ARE:
 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes
 7 Torch cut 10 Other (specify) _____ ft.
 SCREEN-PERFORATED INTERVALS: From 260 ft. to 320 ft., From _____ ft. to _____ ft.
 GRAVEL PACK INTERVALS: From 120 ft. to 320 ft., From _____ ft. to _____ ft.
 From _____ ft. to _____ ft., From _____ ft. to _____ ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Hole Plug
 Grout Intervals: From 1 ft. to 25 ft., From _____ ft. to _____ ft., From _____ ft. to _____ ft.
 What is the nearest source of possible contamination:
 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)
 13 Insecticide storage
 Direction from well? Southwest How many feet? 250

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	2	Surface			
2	41	Clay			
41	54	Sand			
54	140	Clay			
140	160	Sandy clay			
160	190	Clay			
190	205	Sand			
205	215	Clay			
215	224	Sand			
224	249	Sandy Clay			
249	272	Sand			
272	291	Sandy Clay			
291	317	Sand and gravel			
317	320	Clay "red"			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 12-18-04 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No KWCL-430 This Water Well Record was completed on (mo/day/yr) 12-18-04 under the business name of Howard Drilling CO Box 806 Beaver, Ok 73932 by (signature) Howard Drilling