



1 LOCATION OF WATER WELL: County: Meade		Fraction 1/4 C-NW 1/4 NW 1/4	Section Number 10	Township Number T 34 S	Range Number R 29 E/W
Distance and direction from nearest town or city street address of well if located within city? From Plains go 6mi South 7mi West on Meade Lake road to west side of lake then 5mi South 1mi North east into location.					
2 WATER WELL OWNER: Steve Larrabee		Oil Co. Imperial		Eagle Drilling	
RR#, St. Address, Box #: RFD		Board of Agriculture, Division of Water Resources			
City, State, ZIP Code: Meade, Kansas		Application Number: T 83-136			
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: <div style="text-align: center;"></div>		4 DEPTH OF COMPLETED WELL: 405 ft. ELEVATION: Depth(s) Groundwater Encountered 1. 297 ft. 2. ft. 3. ft. WELL'S STATIC WATER LEVEL 108 ft. below land surface measured on mo/day/yr 4/4/83 Pump test data: Well water was ft. after hours pumping gpm Est. Yield 60 gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter 9 in. to 405 ft., and in. to ft. WELL WATER TO BE USED AS: 1 Domestic 3 Feedlot <u>6 Oil field water supply</u> 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well Was a chemical/bacteriological sample submitted to Department? Yes <u>No</u> ; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes No			
5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 2 PVC 4 ABS		5 Wrought iron 8 Concrete tile 6 Asbestos-Cement 9 Other (specify below) 7 Fiberglass		CASING JOINTS: <u>Glued</u> Clamped Welded Threaded.	
Blank casing diameter 5 in. to 300 ft., Dia. in. to ft., Dia. in. to ft.		Casing height above land surface 28 in., weight 2.78 lbs./ft. Wall thickness or gauge No. 256			
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 2 Brass 4 Galvanized steel 6 Concrete tile		7 PVC 8 RMP (SR) 9 ABS		10 Asbestos-cement 11 Other (specify) 12 None used (open hole)	
SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 2 Louvered shutter 4 Key punched		5 Gauzed wrapped 6 Wire wrapped 7 Torch cut 8 Saw cut 9 Drilled holes 10 Other (specify) 11 None (open hole)			
SCREEN-PERFORATED INTERVALS: From 280 ft. to 320 ft., From ft. to ft.		From 340 ft. to 400 ft., From ft. to ft.			
GRAVEL PACK INTERVALS: From 225 ft. to 405 ft., From ft. to ft.		From ft. to ft., From ft. to ft.			
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other		Grout Intervals: From 0 ft. to 10 ft., From ft. to ft., From ft. to ft.			
What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 2 Sewer lines 5 Cess pool 8 Sewage lagoon 3 Watertight sewer lines 6 Seepage pit 9 Feedyard		10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage 14 Abandoned water well 15 Oil well/Gas well 16 Other (specify below)			
Direction from well? Northeast of water well.		How many feet? 100'			
FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	2	surface			
2	23	clay			
23	45	medium to large sand			
45	84	sandy clay			
84	273	blue clay			
273	313	medium to large sand			
313	345	40% clay & 70% fine sand			
345	390	30% clay & 70% fine sand			
390	400	medium to large sand			
400	405	redbed			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) April 4, 1983 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 118 This Water Well Record was completed on (mo/day/yr) April 15, 1983 under the business name of Carlile Water Well Service, Inc. by (signature) 					
INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.					