				R WELL RECORD) Form	1 WWC-5						
	_	TER WELL	Fraction		377.7		tion Number		Number		ange Numb	
county:	Meade	\$64	NW 1/4		NW		11	T 3		<u> </u> R	29W	
		from nearest town of				nin city?	Meade,	Kansas	- 12 m	ııes	South	_
5 3/4	4 mile	s Wesst - S	South in	to locati	ion							
WATER	R WELL OW	NER: Bill	Larrabe	e								
R#, St. /	Address, Bo		N Persh					Board of	of Agriculture,	Division	of Water Re	source
City, State	ZIP Code							Applica	tion Number:			
LOCATE	WELL'S L	Liber OCATION WITH 4	DEPTH OF C	OMPLETED WEL	, 3	349	ft FLEVA	TION:				
AN "X"	IN SECTIO	N BOX:	onth(e) Ground	vater Encountered	1143	3	# 3)				ft
. г				WATER LEVEL								
) l'	^											
 -	- NW	NE	•	test data: Well					•			
	1			gpm: Well								
_₹ w ├				ter9in						. to		ft.
١ ٤	!	i j wi	ELL WATER T	O BE USED AS:	5 Pu	ıblic wate	r supply	8 Air condition	ing 11	Injection	well	
	SW.	, , , , , , , , , , , , , , , , , , ,	1 Domestic	3 Feedlot	_6 Oil	l field wa	ter supply	9 Dewatering	12	Other (S	Specify belo	w)
-	- 344	3:	2 Irrigation	4 Industrial	7 La	wn and g	arden only	10 Observation	well			
	i .	l wa	as a chemical/t	acteriological san	nple submi	itted to De	epartment? Ye	esNo	; If yes	, mo/day	/yr sample v	was sut
		mi	tted	-			Wa	ter Well Disinfe	cted? Yes X		No	
TYPE C	OF BLANK (CASING USED:		5 Wrought iron		8 Concre	ete tile	CASING	JOINTS: Glue	d	. Clamped .	
1 Ste		3 RMP (SR)		6 Asbestos-Cerr			(specify below					
(2 PV	_	4 ABS		7 Fiberglass				<i></i>				
		5.• 5.63in.	to 300									
		and surface										
-	_			in., weight							. • 202 .	
		R PERFORATION M				(7 PV			Asbestos-cem			
1 Ste		3 Stainless st		5 Fiberglass			IP (SR)		Other (specify)			
2 Bra	ass	4 Galvanized	steel	6 Concrete tile		9 AB			None used (or	en hole)		
SCREEN (OR PERFO	RATION OPENINGS	ARE:	5 (Gauzed wr	rapped	(8 Saw cut	>	11 No	ne (open ho	ole)
1 Co	ntinuous slo	t 3 Mills	lot	6 V	Vire wrapp	ped		9 Drilled hole				
2 Lo	uvered shut	ter 4 Key p	punched	7 7	Torch cut			10 Other (spe	ecify)			
SCREEN-F	PERFORAT	ED INTERVALS:	From 3	3 O.O ft.	to 3.45	9	ft., Froi	m	ft. :	ю		ft
			From	ft.	to		ft., Froi	m	ft. [.]	ю		ft
ď	RAVEL PA	CK INTERVALS:		25 ft.								
			From	ft.			ft., Fro					ft
GROUT	MATERIAL	: 1 Neat cerr	nent	2 Cement grout		3 Bento	nite > 4	Other				
Grout Inter		m5ft.										
		ource of possible cor						tock pens			ed water we	
	ptic tank	4 Lateral li		7 Pit priv	v		11 Fuel	•		il well/G		
		5 Cess po		8 Sewage	•			zer storage			ecify below)	`
	wer lines	•		•	-			_	10 0	ritier (Sp	ecity below,	,
	•	er lines 6 Seepage	•	9 Feedya	ıra			ticide storage	• • • • • • • • • • • • • • • • • • • •			
Direction f		Southw			٠,		How ma	ny feet? 21		10.1.00		
FROM	TO		LITHOLOGIC	LOG		FROM_	то		LITHOLOG	IC LOG		
0	2 ø	/ Surface						· · · · · · · · · · · · · · · · · · ·				
2	40 ø	#Sandy Cl	ay									
40	170'	Clay										
170	180	50% Clay	<u> </u>	Blue Clay								
180	210	Clay										
210	220		- 30% I	Blue Clay								
220	302 Ø	/ Clay										
302		# 30% Clay	- 70%	Sandy Cla	v							
315		Med. to			-							
		4 20% Grav			1 217		-					
340	349 0	4 20% Grav	er - 903	e panal C	Tay		-					
CONTE	RACTOR'S	OR LANDOWNER'S	CERTIFICATION	ON: This water w	ell was (1) constru	cted. (2) reco	enstructed or (3) plugged un	der mv i	urisdiction a	and wa
		year) 03/1										
		s License No		This Wa								
		me of Carlile					-				٠٠٠٠٠٠ شر	
INICTOIL	TIONS Heet	pewriter or ball point pe	n PIFASE DDES	S FIRMI V and PPIN	IT clearly Pi	ease fill in	blanks underlin	e or circle the corr	ect answers So	nd ton thre	e copies to K	ansas
Departme	nt of Health a	nd Environment, Bureau	of Water Protect	ion, Topeka, Kansas	66620-7320	0, Telephor	ne: 913-862-936	60. Send one to W	ATER WELL O	VNER and	retain one fo	r your
records.	c. r .camir a			,		, 						