Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

CWW Inv. #12487 Adams 1-31			175-147 17411445 65620
County Fraction	Section	number	Township number Range number
Meade 1/4 1/4 C-NE ^{1/4}		31	T 31, S R 29 E/W
2. Distance and direction from negrest town or city. Appr. 2 mi. So. of 3. Owner of well: Rains & Williamson Oil Co Inc.			
Port, So of Meade Lake to XI sign-l4 mi. We. R.R. or Street address of well location if in city:			
Oliza Goodan Magaza a 170 y on monday	tate, zip	code: W	ichita, Kansas 67202 6. Bore hole dia. 2 in. Completion date 1/14
4. Locate with "X" in section below: Sketch map: N N N N N N N N N N N N N		We'll depth <u>360</u> ft	
meade 1 !!! LAKE		KE	7 Cable tool X_ Rotary Driven Dug
\mu \mu		Hollow rod Jetted Bored Reverse rotary	
*Port		8. Use: Domestic Public supplyX Industry	
			Irrigation Air conditioning Stock LawnX Oil field water Other
sw st			9. Casing: Material Height: Above or below
It Little Tool Wall libert of			ThreadedSurface28 in.
S IN West - XI Sign		ign	RMP PVCX Weight _2.78 lbs./ft. Dia.5 in. to 250ft. depth Wall Thickness: inches or
5. Type and color of material	From	То	Dia. 5 in. to 360tt. depth gage No265
	 		10. Screen: Manufacturer's name
Surface	0	2	Time PVC Die 5tt
Clay	2	20	Slot/gauze 6930 Length 1001
- Ozay	 	20	ft. andft.
Fine sand & sandy clay 60-40	20	40	Gravel pack? Ves Size range of materia 1/8-3/16
6 lay	40	129	11. Static water level: mo./day/yr
Brown clay & sandy clay 60-40	129	180	12. Pumping level below land surfaces:
Blue clay & sandy clay \$0- 30	180	220	ft. after hrs. pumping g.p.m g.p.m g.p.m.
			Estimated maximum yieldg.p.m.
Blue sandy clay	220	250	13. Water sample submitted: mo./day/yr
Fine sand & blue sandy clay 60-40	250	260	14. Well head completion:
Fine sand & blue sandy clay 70-30	260	300	Pitless adapter <u>20</u> Inches above grade
Fine said & bide saidy ciay 10-30	1200	1500	15. Well grouted? <u>YES</u> With: X Neat cement Bentonite Concrete
Med. to lge. sand	300	350	Depth: From O ft. to 10 ft.
Med. to lge. sand & blue sandy clay 60-40	350	360	16. Negrest source of possible contamination: ft. 100 Direction NE Type 011Well
			Well disinfected upon completion? X Yes No
13.0 2			17. Pump: X Not installed
13 R. ?	 		Manufacturer's name HP Volts
			Length of drop pipe ft. capacityg.p.m.
			Туре:
	+		Submersible Turbine Reciprocating
(Use a second sheet if needed)			Centrifugal Other
18. Elevation: 19. Remarks:			20. Water well contractor's certification:
			This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Topography:			Carlile Water Well Service, 116
			Business name Address Box 275 Liberal, Ks.
Slope Yupland			21 mas & Margar 7/30
Valley			Authorized representative