

USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

T R EW sec 1/4 1/4 1/4 No.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas State Dept. Of Health
(Water Well Contractors)
Forbes-Bldg. 740
Topeka, Kansas 66620

Adams 1-34

CWW Inv. # 11184

Irish flats

1 Location of well:	County Meade	Township name	Fraction SW SW	Section number 34	Town number 34S	Range number 29W
Distance and direction from nearest town or city: 8 miles south of Meade Lake, 2 east.				3 Owner of well: Sage Drilling Company Rig #2 Address: 500 Biting Bldg. Wichita, Kansas 67202		
Locate with "X" in section below:		Sketch map:		4 Well depth: 300 ft. Date of completion 7-9-75 Well diameter 10 in.		
				5 <input type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary		
2		Type and color of material		From	To	6 Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input checked="" type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Commercial <input type="checkbox"/> Test well <input checked="" type="checkbox"/> Oil Rig
		Surface		0	2	7 Casing: Material PVC Height: above/below Threaded <input type="checkbox"/> Welded <input type="checkbox"/> Surface 28 in. Diam. 5 in. to 190 ft. depth! Drive shoe? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No 5 in. to 280 ft. depth! Weight 2.78 lbs./ft.
		Fine sand		2	20	8 Screen: sawed perf. Manufacturer PVC Dia. 5 Type PVC Slot/gauze .030 Length 90 Set between 190 ft. and 280 ft. Fittings: 1/8 - 3/16 Gravel pack <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Size range of material
		Sandy clay		20	100	9 Static water level: 150 ft. below land surface Date 7-9-75
		Clay & Med. to Large sand 30-70		100	115	10 Pumping level below land surfaces: ____ ft. after ____ hrs. pumping ____ g.p.m. ____ ft. after ____ hrs. pumping ____ g.p.m. Estimated maximum yield 50 g.p.m.
		Clay		115	119	11 Water sample submitted: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date
		Clay & Med. to Large sand 50-50		119	125	12 Well head completion: <input type="checkbox"/> Pitless adapter 28 inches above grade
		Clay		125	132	13 Well grouted <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Depth: From 0 ft. to 10 ft.
		Clay & Med. to large sand 50-50		132	138	14 Nearest source of possible contamination: ft. 100 Direction NE Type Oil Rig Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
		Clay		138	157	15 Pump: <input checked="" type="checkbox"/> Not installed Manufacturer's name Model number ____ HP ____ Volts ____ Length of drop pipe ____ ft. capacity ____ g.m.p. Type: <input type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other
		Clay & Med. to large sand 50-50		157	160	17 Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Carlile Water Well 118 Business name License No. Address Box 275, Liberal, Kansas Signed Carlile Date 7-17-75 Authorized representative
		Clay		160	194	
		Clay & Med. to large sand 80-20		194	288	
		Clay		288	300	
(use a second sheet if needed)						
16 Remarks: elevation <i>Too much red</i>						
Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input checked="" type="checkbox"/> Upland <input type="checkbox"/> Valley						

34 29W 34 SW 5W