


USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

T R EW sec 1/4 1/4 1/4 No.

Kansas State Dept. Of Health
(Water Well Contractors)
Forbes-Bldg. 740
Topeka, Kansas 66620

1 Location of well:	County <u>MEADE</u>	Township name	Fraction <u>SE 1/4 SW 1/4 SW 1/4</u>	Section number <u>9</u>	Town number <u>T34S</u>	Range number <u>R30W</u>
Distance and direction from nearest town or city: <u>From Plains, Ks.</u>				3 Owner of well: <u>Wendell Fox</u>		
Street address of well location if in city: <u>11 S 1/8 E 100' N</u>				Address: <u>611 Indiana Plains, Ks. 67869</u>		
Locate with "X" in section below: 				Sketch map:		
2				4 Well depth: <u>330</u> ft. Date of completion <u>1-11-76</u> Well diameter <u>28</u> in.		
Type and color of material				5 <input type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary		
From				6 Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Commercial <input type="checkbox"/> Test well <input type="checkbox"/>		
To				7 Casing: Material <u>SFL</u> Height: above <u>4</u> below <u>12</u> in. Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface <u>12</u> in. Diam. <u>16</u> in. to <u>125</u> ft. depth Drive shoe? <input type="checkbox"/> Yes <input type="checkbox"/> No <u>16</u> in. to <u>125</u> ft. depth		
Top soil, caliche, and clay				8 Screen: Manufacturer <u>W.A. Brown</u> Type <u>Punched</u> Dia. <u>1 3/4</u> Slot/size <u>1/32</u> Length <u>200</u> Set between <u>125</u> ft. and <u>375</u> ft. Fittings: Gravel pack <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Size range of material <u>#1 Fine to 1/2 Down</u>		
Fine sand				9 Static water level: <u>165</u> ft. below land surface Date <u>1-13-76</u>		
Medium sand				10 Pumping level below land surfaces: ____ ft. after ____ hrs. pumping ____ g.p.m. ____ ft. after ____ hrs. pumping ____ g.p.m. Estimated maximum yield ____ g.p.m.		
Medium sand				11 Water sample submitted: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date ____		
Blue clay				12 Well head completion: <input type="checkbox"/> Pitless adapter <input checked="" type="checkbox"/> <u>12</u> inches above grade		
Fine sand				13 Well grouted? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Neat cement <input checked="" type="checkbox"/> Bentonite <input type="checkbox"/> ____ Depth: From <u>5</u> ft. to <u>12</u> ft.		
Fine sand and clay streaks				14 Nearest source of possible contamination: ft. ____ Direction ____ Type ____ Well disinfected upon completion? <input type="checkbox"/> Yes <input type="checkbox"/> No		
Medium sand				15 Pump: <input type="checkbox"/> Not installed Manufacturer's name <u>Weatherhead</u> Model number <u>17M90</u> HP ____ Volts ____ Length of drop pipe <u>340</u> ft. capacity ____ g.p.m. Type: <input type="checkbox"/> Submersible <input checked="" type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other		
Medium sand				16 Remarks: elevation <u>Customer Poured Slab</u>		
Blue clay				17 Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. <u>James Drilling Co. 257</u> Business name License No. ____ Address <u>Box 167 Liberal, Ks.</u> Signed <u>Jim James</u> Date <u>3-11-76</u> Authorized representative		
(use a second sheet if needed)						
Topography: <input type="checkbox"/> Hill <input checked="" type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley						

34 30W 9 SE 1/4 SW 1/4