## WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

	County	Fraction		Section number		Township number Range number			
1. Location of well:	Meade	NE 1/4 NE 1/4 NE	1/4		18	т 34 s	r 30	E€	
2. Distance and direc	ction from nearest town or city: $11$	miles S and	i			rry Bond	_		
Street address of well location if in city:				or street: 2110 N Belmont, Apt. 3					
City, state, zip					code: Go	ode: Garden City Kansas 67846			
4. Locate with "X" in section below:  N						6. Bore hole dia. 28 in. Completion date 14-76  Well depth 458 ft.			
600' W of the NE corner of					The state of the s				
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1						Hollow rod Jetted Bored x Reverse rotary			
Manda County Kansas					ŀ	8. Use: Domestic Public supply Industry			
w i i i i i i i i i i i i i i i i i i i						X Irrigation Air conditioning Stock			
1 1 1 1 1						Lawn O	il field water Oth	ner	
SW   SE						9. Casing: Material STL	Height: <u>Above or</u> be	low	
<u> </u>						Threaded WeldedX	iSurface <u>1Z</u>	in.	
S 1 → → 1 Mile → → 1						RMPPVCWeight37_lbs./ft. Dia. 16 in. to 192ft. depth!Wall Thickness: inches or			
5. Type and color of				From	То	Dia in. to ft. dep	th gage No21	9	
- Type and color of						10. Screen: Manufacturer's r			
lm				١٥	3	Foster Louver and	Dia 1611		
Top soil				0	3	Louver and Type Millslot Slot/gauze 1/8!	_ Dia		
Very fine sand				3	20	Set between 192		ft.	
				00	40	ft. c	and	f <u>t</u> .	
Tan and white clay				20	40	Gravel pack? _yesize ra			
Fine to coarse sand clay streaks				40	160	<ol> <li>Static water level:</li> <li>191 ft. below land sur</li> </ol>	·	/day/yr.  76	
Plus alar				160	170	12. Pumping level below land	d surfaces:		
Blue clay						205 ft. after1	hrs. pumping 155/	g.p.m.	
Fine to coarse sand fine gravel				170	300	211 ft. after 1   Estimated maximum yield -	3000 44700	g.p.m.	
Fine to coarse sand				300	360	13. Water sample submitted:		/day/yr.	
						Yes <u>x</u> No	Date		
Fine to coarse sand fine gravel				360	458	14. Well head completion:		.	
Tan sandy clay				458	472	Pitless adapter	X Inches above g	rade	
•				472	480	With: Neat cement X		oncrete	
Tan clay				7/2	1-00	Depth: From O ft. to	<u>10</u> ft.		
13 R ?						16. Nearest source of possible		Unk	
	•					ft Direction Well disinfected upon comple		No	
-						17. Pump:	Not installed	, , , , , , , , , , , , , , , , , , ,	
						Manufacturer's name Lay		r	
						Model number 12KM	HP <b>_200</b> Volt ft. capacity <u>800</u>		
				<del>                                     </del>	$\vdash$	Length of drop pipe300 Type:	_ if. capacity	g.p.m.	
					L	Submersible	X Turbine		
	(Hear a sound	sheet if needed)				Jet Centrifugal	Reciprod	cating s	
18. Elevation:	19. Remarks:	meer ii liedday		I		20. Water well contractor's			
io. Elevation:	17 + Nations;					This well was drilled under m		report	
						is true to the best of my knowledge and belief.			
Topography:						<u>Layne - West</u>		150	
Hill Slope					.	Business name Address Garden C	City, Kansa	nse No.	
X Upland						Signed	int. 5	-24-76	
Valley						Authorized rep	resentative		
Forward the white, blu	e and pink copies to the Department	of Health and Environment					Form WW0	C- <b>5</b>	