


1 LOCATION OF WATER WELL: Fraction **SW SW NW** Section Number **33** Township Number **T 34 S** Range Number **R 32 E**
 County: **Seward**

Distance and direction from nearest town or city street address of well if located within city?
3 1/2 S and 1/4 W of Hayne

2 WATER WELL OWNER: **Javier Pineda**
 RR#, St. Address, Box #: **316 W Beech** Board of Agriculture, Division of Water Resources
 City, State, ZIP Code: **Liberal, KS 67901** Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

 4 DEPTH OF COMPLETED WELL: **280** ft. ELEVATION:
 Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.
 WELL'S STATIC WATER LEVEL: **178** ft. below land surface measured on mo/day/yr **6-14-95**
 Pump test data: Well water was **178** ft. after **1** hours pumping **30** gpm
 Est. Yield **50** gpm; Well water was ft. after hours pumping gpm
 Bore Hole Diameter: **8 3/4** in. to **280** ft., and in. to ft.
 WELL WATER TO BE USED AS:
 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well
 Was a chemical/bacteriological sample submitted to Department? Yes.....No.....; If yes, mo/day/yr sample was submitted
 Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED:
 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded
 PVC 4 ABS 7 Fiberglass Threaded
 Blank casing diameter: **5** in. to **240** ft., Dia. in. to ft., Dia. in. to ft.
 Casing height above land surface: **18** in., weight lbs./ft. Wall thickness or gauge No. **20016**
 TYPE OF SCREEN OR PERFORATION MATERIAL:
 1 Steel 3 Stainless steel 5 Fiberglass PVC 10 Asbestos-cement
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify)
 12 None used (open hole)
 SCREEN OR PERFORATION OPENINGS ARE:
 1 Continuous slot Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes
 7 Torch cut 10 Other (specify)
 SCREEN-PERFORATED INTERVALS: From **240** ft. to **280** ft., From ft. to ft.
 GRAVEL PACK INTERVALS: From **20** ft. to **280** ft., From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout Bentonite 4 Other
 Grout Intervals: From **4** ft. to **20** ft., From ft. to ft., From ft. to ft.
 What is the nearest source of possible contamination:
 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) **homestead**
 13 Insecticide storage
 Direction from well? **S** How many feet? **1000**

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	18	sand			
18	30	sand + white clay			
30	40	reddish brown clay			
40	105	brown clay			
105	130	sand + gravel			
130	150	brown clay			
150	220	sand + gravel			
220	240	brown clay			
240	280	sand + gravel w/ streaks of clay			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) **6-15-95** and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. **101** This Water Well Record was completed on (mo/day/yr) **6-22-95** under the business name of **Bartel Well Drilling, Inc.** by (signature) **Kenner J. Bartel**