


1 LOCATION OF WATER WELL: Fraction $\frac{1}{4}$ C/SW $\frac{1}{4}$ SW $\frac{1}{4}$ Section Number 23 Township Number T 34S S Range Number R 32W E/W
 County: Seward
 Distance and direction from nearest town or city street address of well if located within city?

7 East of Liberal, KS on Blue Bell Road, 2 north and east into.

2 WATER WELL OWNER: Slawson Drilling Co.
 RR#, St. Address, Box #: P.O. Box 1409 Board of Agriculture, Division of Water Resources
 City, State, ZIP Code: Great Bend, KS 67530 Application Number: T 84-577

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  4 DEPTH OF COMPLETED WELL: 280 ft. ELEVATION: ... ft.
 Depth(s) Groundwater Encountered 1. ... ft. 2. ... ft. 3. ... ft.
 WELL'S STATIC WATER LEVEL: 200 ft. below land surface measured on mo/day/yr 8-27-84
 Pump test data: Well water was 220 ft. after 1 hours pumping 95 gpm
 Est. Yield: 75 gpm; Well water was ... ft. after ... hours pumping ... gpm
 Bore Hole Diameter: ... in. to ... ft., and ... in. to ... ft.
 WELL WATER TO BE USED AS:
 5 Public water supply 8 Air conditioning 11 Injection well
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well
 Was a chemical/bacteriological sample submitted to Department? Yes.....No.....; If yes, mo/day/yr sample was submitted
 Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED:
 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped
 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded
 7 Fiberglass Threaded
 Blank casing diameter: 5 in. to 282 ft., Dia. ... in. to ... ft., Dia. ... in. to ... ft.
 Casing height above land surface: ... in., weight ... lbs./ft. Wall thickness or gauge No. 258
 TYPE OF SCREEN OR PERFORATION MATERIAL:
 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify)
 12 None used (open hole)
 SCREEN OR PERFORATION OPENINGS ARE:
 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes
 7 Torch cut 10 Other (specify)
 SCREEN-PERFORATED INTERVALS: From 200 ft. to 280 ft., From ... ft. to ... ft.
 GRAVEL PACK INTERVALS: From 180 ft. to 280 ft., From ... ft. to ... ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other
 Grout intervals: From 0 ft. to 15 ft., From ... ft. to ... ft., From ... ft. to ... ft.
 What is the nearest source of possible contamination:
 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)
 13 Insecticide storage
 Direction from well? How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	20	Clay			
20	40	1/4 Cleachie			
40	60	1/4 Cleachie-Sand			
60	120	5 Sand			
120	140	15' Sand-Clay			
140	160	Sandy Clay-12' Sand			
160	180	Sandy Clay-5' Sand			
180	200	12' Sand-Sandy Clay			
200	220	Sandy Clay-10' Sand			
220	240	10' Sandy Clay-15' Sand			
240	260	5 Sand			
260	280	10' Sand-Sandy Clay			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 8-27-84 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. KKWCL 430 This Water Well Record was completed on (mo/day/yr) 8-27-84 under the business name of Howard Drilling Company by (signature) *Howard Drilling Company*

INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.