WATER WELL RECORD Form WWC-5 KSA 82a-1212

	088 SEWAI	RD W	1/2 . W 1	nter of		02	mer	Township	S		R 33	
Distance	and direc	ction from neare	st town or	city street	address of	well if lo	cated wit	hin city?				
FROM LIB		PX 4 1/2 MILES N	ORTH & 1 1/	2 MILES EAST	·							
WATER WEL			ITZGERALD									
		Box # : RR 2 B					_	e, Division	n of Wat	er Res	ources	
City, Sta		code : LIBERA	L, KS 6	7901-		Applicatio	n Number:	45,366				
		ATION WITH		TH OF COMPLE)				
AN "X" IN	SECTION	BOX:	Dep	th(s) Ground	lwater Enco	untered	1.	0 ft.	2.	0 ft.	3.	0
\	1		- WELL'	S STATIC WAT	ER LEVEL	212 ft. he	low land	surface mea	asured o	n mo/d	av/vr	11/14
/ 1	1		#555			ell water w					umping	
1	- NW	NE	i									
İ	1	į l	Estim	ated Yield	0 gpm:	Well water	was (ft. after	0 h	ours p	umping	0
м	_ 1											
i W	K		E Bore	Hole Diamete	r 2	4 in. to	622 ft	, and	in. t	:0	0 ft.	
1		1 1										
e				WATER TO BE	USED AS: 0	2 IRRIGATIO	N					
	- SW	SE		chemical/ba	cteriologi	cal sample	gubmitted	l to depart	ment? We			
/	l I			es, mo/day/yr	_	=		t to departi			disinfe	acted?
•				is, mo, day, yr	. sampic wa	.s submitteed			Macei	. werr	GIBINIC	ccea
·									- -			
Blank cas Casing he TYPE OF S SCREEN OR	ight abov CREEN OR PERFORA	eter 16 ve land surface PERFORATION MAT	12 in., ERIAL: 01 S E: 01 C	weight TEEL CONT. SLOT				in. to		ft.		
Blank cas Casing he TYPE OF S SCREEN OR	ight abov	ve land surface PERFORATION MAT FION OPENINGS AR	12 in., ERIAL: 01 S E: 01 C	weight TEEL CONT. SLOT	42 lbs/	ft. Wall t				ft.		
Blank cas Casing he TYPE OF S SCREEN OR	ight abov	ve land surface PERFORATION MAT	12 in., ERIAL: 01 S E: 01 C From	weight CONT. SLOT 286 ft. to 417 ft. to	42 lbs/ 386 ft., 617 ft.,	ft. Wall t From 0 From 0	hickness ft. to ft. to	or gauge No		ft.		
Blank cas Casing he TYPE OF S SCREEN OR SCREEN PE	ight above CREEN OR PERFORATED	ve land surface PERFORATION MAT	12 in., ERIAL: 01 S E: 01 C From From	weight TEEL ONT. SLOT 286 ft. to 417 ft. to 20 ft. to	42 lbs/ 386 ft., 617 ft., 622 ft.,	ft. Wall t From 0 From 0 From 0	ft. to	or gauge No 0 ft. 0 ft. 0 ft.		ft.		
Blank cas Casing he TYPE OF S SCREEN OR SCREEN PE	ight above CREEN OR PERFORATED	ve land surface PERFORATION MAT: FION OPENINGS AR: FION OPENINGS A	12 in., ERIAL: 01 S E: 01 C From From	weight CONT. SLOT 286 ft. to 417 ft. to	42 lbs/ 386 ft., 617 ft., 622 ft.,	ft. Wall t From 0 From 0 From 0	hickness ft. to ft. to	or gauge No O ft. O ft.		ft.		
Blank cas Casing he TYPE OF S SCREEN OR SCREEN PE	ight abov CREEN OR PERFORATE RFORATED VEL PACK	ve land surface PERFORATION MAT: FION OPENINGS AR: INTERVALS: INTERVALS:	12 in., ERIAL: 01 S E: 01 C From From	weight TEEL ONT. SLOT 286 ft. to 417 ft. to 20 ft. to	42 lbs/ 386 ft., 617 ft., 622 ft.,	ft. Wall t From 0 From 0 From 0	ft. to	or gauge No 0 ft. 0 ft. 0 ft.		ft.		
Blank cas Casing he TYPE OF S SCREEN OR SCREEN PE GRA	ight abov CREEN OR PERFORATE RFORATED VEL PACK	ve land surface PERFORATION MAT: TION OPENINGS AR: INTERVALS: INTERVALS:	12 in., ERIAL: 01 S E: 01 C From From From From From	weight STEEL SONT. SLOT 286 ft. to 417 ft. to 20 ft. to 0 ft. to	386 ft., 617 ft., 622 ft., 0 ft.,	ft. Wall t From 0 From 0 From 0 From 0	ft. to ft. to ft. to ft. to	or gauge No 0 ft. 0 ft. 0 ft. 0 ft.				
Blank cas Casing he TYPE OF S SCREEN OR SCREEN PE GRA GROUT MAT Grout Int	ight above CREEN OR PERFORATE RFORATED VEL PACK ERIAL ervals:	ve land surface PERFORATION MAT: FION OPENINGS AR: INTERVALS: INTERVALS:	12 in., ERIAL: 01 S E: 01 C From From From From From	weight TEEL TONT. SLOT 286 ft. to 417 ft. to 20 ft. to 0 ft. to	386 ft., 617 ft., 622 ft., 0 ft.,	ft. Wall t From 0 From 0 From 0 From 0 From 0	ft. to	or gauge No 0 ft. 0 ft. 0 ft. 0 ft.				
Blank cas Casing he TYPE OF S SCREEN OR SCREEN PE GRA GROUT MAT Grout Int	ight above CREEN OR PERFORATED VEL PACK PERIAL ervals:	ve land surface PERFORATION MAT: FION OPENINGS AR: INTERVALS: INTERVALS: 03 BENTONITE From 0 ft. st source of pos	12 in., ERIAL: 01 S E: 01 C From From From From From	weight TEEL TONT. SLOT 286 ft. to 417 ft. to 20 ft. to 0 ft. to	386 ft., 617 ft., 622 ft., 0 ft.,	ft. Wall t From 0 From 0 From 0 From 0 From 0	ft. to ft. to ft. to ft. to	or gauge No 0 ft. 0 ft. 0 ft. 0 ft.			many fe	eet?
Blank cas Casing he TYPE OF S SCREEN OR SCREEN PE GRA GROUT MAT Grout Int What is t Direction	ight abov CREEN OR PERFORATE RFORATED VEL PACK ERIAL ervals: he neares	ve land surface PERFORATION MAT: FION OPENINGS AR: INTERVALS: INTERVALS: 03 BENTONITE From 0 ft. st source of pos	12 in., ERIAL: 01 S E: 01 C From From From From From From	weight TEEL ONT. SLOT 286 ft. to 417 ft. to 20 ft. to 0 ft. to, From mination: NO	386 ft., 617 ft., 622 ft., 0 ft.,	ft. Wall t From 0 From 0 From 0 From 0 From 0	ft. to ft. to ft. to ft. to	or gauge No 0 ft. 0 ft. 0 ft. 0 ft.	0 ft	How		eet?
Blank cas Casing he TYPE OF S SCREEN OR SCREEN PE GRA GROUT MAT Grout Int What is t Direction	ight above CREEN OR PERFORATED VEL PACK ERIAL ervals: he neares from well to the pack to t	ve land surface PERFORATION MAT: FION OPENINGS AR: INTERVALS: O3 BENTONITE From 0 ft. st source of pos	12 in., ERIAL: 01 S E: 01 C From From From From From	weight TEEL ONT. SLOT 286 ft. to 417 ft. to 20 ft. to 0 ft. to, From mination: NO	386 ft., 617 ft., 622 ft., 0 ft.,	ft. Wall t From 0 From 0 From 0 From 0 From 0	ft. to ft. to ft. to ft. to	or gauge No 0 ft. 0 ft. 0 ft. 0 ft.	0 ft			eet?
Blank cas Casing he TYPE OF S SCREEN OR SCREEN PE GRA GROUT MAT Grout Int What is t Direction FROM 0	ight abov CREEN OR PERFORATED VEL PACK PERIAL ervals: he neares from well TO	ve land surface PERFORATION MAT: FION OPENINGS AR: INTERVALS: INTERVALS: 03 BENTONITE From 0 ft. st source of pos	12 in., ERIAL: 01 S E: 01 C From From From From From From	weight TEEL ONT. SLOT 286 ft. to 417 ft. to 20 ft. to 0 ft. to, From mination: NO	386 ft., 617 ft., 622 ft., 0 ft.,	ft. Wall t From 0 From 0 From 0 From 0 From 0	ft. to ft. to ft. to ft. to	or gauge No 0 ft. 0 ft. 0 ft. 0 ft.	0 ft	How		eet?
Blank cas Casing he TYPE OF S SCREEN OR SCREEN PE GRA GROUT MAT Grout Int What is t Direction	ight above CREEN OR PERFORATED VEL PACK ERIAL ervals: he neares from well to the pack to t	re land surface PERFORATION MATE FION OPENINGS AR. INTERVALS: INTERVALS: 03 BENTONITE From 0 ft. st source of positive source of positive source.	12 in., ERIAL: 01 S E: 01 C From From From From From From	weight TEEL ONT. SLOT 286 ft. to 417 ft. to 20 ft. to 0 ft. to, From mination: NO	386 ft., 617 ft., 622 ft., 0 ft.,	ft. Wall t From 0 From 0 From 0 From 0 From 0	ft. to ft. to ft. to ft. to	or gauge No 0 ft. 0 ft. 0 ft. 0 ft.	0 ft	How		eet?
Blank cas Casing he TYPE OF S SCREEN OR SCREEN PE GRA GROUT MAT Grout Int What is t Direction FROM 0 2	ight abov CREEN OR PERFORATED VEL PACK ERIAL ervals: he neare: from we TO 2 21	re land surface PERFORATION MATE FION OPENINGS AR. INTERVALS: INTERVALS: 03 BENTONITE From 0 ft. 3t source of pos 11? 02 SILT 07 FINE SAND	12 in., ERIAL: 01 S E: 01 C From From From From Lto 20 ft Sible conta	weight TEEL ONT. SLOT 286 ft. to 417 ft. to 20 ft. to 0 ft. to, From mination: NO	386 ft., 617 ft., 622 ft., 0 ft.,	ft. Wall t From 0 From 0 From 0 From 0 From 0	ft. to ft. to ft. to ft. to	or gauge No 0 ft. 0 ft. 0 ft. 0 ft.	0 ft	How		eet?
Blank cas Casing he TYPE OF S SCREEN OR SCREEN PE GRA GROUT MAT Grout Int What is t Direction FROM 0 2 21	ight abov CREEN OR PERFORATED VEL PACK ERIAL ervals: he neares from we TO 2 21 31	re land surface PERFORATION MATE FION OPENINGS ARE INTERVALS: O3 BENTONITE From 0 ft. st source of positions 11? O2 SILT O7 FINE SAND O1 CLAY	12 in., ERIAL: 01 S E: 01 C From From From From LITHOLOGI	weight TEEL ONT. SLOT 286 ft. to 417 ft. to 20 ft. to 0 ft. to, From mination: NO	386 ft., 617 ft., 622 ft., 0 ft.,	ft. Wall t From 0 From 0 From 0 From 0 From 0	ft. to ft. to ft. to ft. to	or gauge No 0 ft. 0 ft. 0 ft. 0 ft.	0 ft	How		eet?
Blank cas Casing he TYPE OF S SCREEN OR SCREEN PE GRA GROUT MAT Grout Int What is t Direction FROM 0 2 21 31	ight above CREEN OR PERFORATED VEL PACK ERIAL ervals: he neares from we TO 2 21 31 50	PERFORATION MATERIAN OPENINGS ARE INTERVALS: O3 BENTONITE From 0 ft. St source of postal? O2 SILT O7 FINE SAND O1 CLAY O5 SAND 13 FII O4 SANDY CLAY	12 in., ERIAL: 01 S E: 01 C From From From From LO 20 ft sible conta	weight TEEL 200T. SLOT 286 ft. to 417 ft. to 20 ft. to 0 ft. to, From mination: NC	386 ft., 617 ft., 622 ft., 0 ft.,	ft. Wall t From 0 From 0 From 0 From 0 From 0	ft. to ft. to ft. to ft. to	or gauge No 0 ft. 0 ft. 0 ft. 0 ft.	0 ft	How		eet?
Blank cas Casing he TYPE OF S SCREEN OR SCREEN PE GRA GROUT MAT Grout Int What is t Direction FROM 2 21 31 50 62 75	ight above CREEN OR PERFORATED WEL PACK PERIAL ervals: he neares from we TO 2 21 31 50 62 75 97	PERFORATION MATERION OPENINGS ARE INTERVALS: INTERVALS: O3 BENTONITE From 0 ft. st source of position of the same of the sa	12 in., ERIAL: 01 S E: 01 C From From From From Control LITHOLOGI NE GRAVEL NE GRAVEL 0 20 LIMESTO	weight TEEL 200T. SLOT 286 ft. to 417 ft. to 20 ft. to 0 ft. to, From mination: NC	386 ft., 617 ft., 622 ft., 0 ft.,	ft. Wall t From 0 From 0 From 0 From 0 From 0	ft. to ft. to ft. to ft. to	or gauge No 0 ft. 0 ft. 0 ft. 0 ft.	0 ft	How		eet?
Blank cas Casing he TYPE OF S SCREEN OR SCREEN PE GRA GROUT MAT Grout Int What is t Direction FROM 2 21 31 50 62 75 97	ight above CREEN OR PERFORATED WEL PACK PERIAL ervals: he neares from we TO 2 21 31 50 62 75 97 130	PERFORATION MATERION OPENINGS ARE INTERVALS: INTERVALS: O3 BENTONITE From 0 ft. st source of position of the same of the sa	12 in., ERIAL: 01 S E: 01 C From From From From From LITHOLOGI NE GRAVEL NE GRAVEL 20 LIMESTO 20 LIMESTO 20 LIMESTO	weight TEEL 200T. SLOT 286 ft. to 417 ft. to 20 ft. to 0 ft. to, From mination: NC	386 ft., 617 ft., 622 ft., 0 ft.,	ft. Wall t From 0 From 0 From 0 From 0 From 0	ft. to ft. to ft. to ft. to	or gauge No 0 ft. 0 ft. 0 ft. 0 ft.	0 ft	How		eet?
Blank cas Casing he TYPE OF S SCREEN OR SCREEN PE GRA GROUT MAT Grout Int What is t Direction FROM 2 21 31 50 62 75 97 130	ight above CREEN OR PERFORATED VEL PACK ERIAL ervals: he neares from well store from the pack of the p	PERFORATION MATERION OPENINGS ARE INTERVALS: INTERVALS: O3 BENTONITE From 0 ft. St source of position of the same of the sam	12 in., ERIAL: 01 S E: 01 C From From From From From LITHOLOGI NE GRAVEL 20 LIMESTO 20 LIMESTO 20 LIMESTO 20 LIMESTO	weight TEEL 200T. SLOT 286 ft. to 417 ft. to 20 ft. to 0 ft. to, From mination: NC	386 ft., 617 ft., 622 ft., 0 ft.,	ft. Wall t From 0 From 0 From 0 From 0 From 0	ft. to ft. to ft. to ft. to	or gauge No 0 ft. 0 ft. 0 ft. 0 ft.	0 ft	How		eet?
Blank cas Casing he TYPE OF S SCREEN OR SCREEN PE GRA GROUT MAT Grout Int What is t Direction FROM 2 21 31 50 62 75 97	ight above CREEN OR PERFORATED WEL PACK PERIAL ervals: he neares from we TO 2 21 31 50 62 75 97 130	PERFORATION MATERION OPENINGS ARE INTERVALS: INTERVALS: O3 BENTONITE From 0 ft. st source of position of the same of the sa	12 in., ERIAL: 01 S E: 01 C From From From From From LITHOLOGI NE GRAVEL 20 LIMESTO 20 LIMESTO 20 LIMESTO 20 LIMESTO	weight TEEL 200T. SLOT 286 ft. to 417 ft. to 20 ft. to 0 ft. to, From mination: NC	386 ft., 617 ft., 622 ft., 0 ft.,	ft. Wall t From 0 From 0 From 0 From 0 From 0	ft. to ft. to ft. to ft. to	or gauge No 0 ft. 0 ft. 0 ft. 0 ft.	0 ft	How		eet?
Casing he TYPE OF S SCREEN OR SCREEN PE GRA GROUT MAT Grout Int What is t Direction FROM 2 21 31 50 62 75 97 130 185	ight above CREEN OR PERFORATED VEL PACK ERIAL ervals: he neares from well store from the pack of the p	PERFORATION MATERIAN PERFORATION MATERIAN PERFORATION MATERIAN PERFORMANCE PERFORATION MATERIAN PERFORMANCE PERFOR	12 in., ERIAL: 01 S E: 01 C From From From From From LITHOLOGI NE GRAVEL OLIMESTO 20 LIMESTO 20 LIMESTO 20 LIMESTO	weight STEEL CONT. SLOT 286 ft. to 417 ft. to 20 ft. to 0 ft. to, From mination: NC C LOG	386 ft., 617 ft., 622 ft., 0 ft.,	ft. Wall t From 0 From 0 From 0 From 0 From 0 From 0	ft. to ft. to ft. to ft. to ft. to ft. TO	O ft. O ft. O ft. O ft. O ft. U ft. O ft.	0 ft	How		eet?
Blank cas Casing he TYPE OF S SCREEN OR SCREEN PE GRA GROUT MAT Grout Int What is t Direction FROM 2 21 31 50 62 75 97 130 185	ight above CREEN OR PERFORATED VEL PACK ERIAL ervals: he neares from well store from the pack of the p	PERFORATION MATERION OPENINGS ARE INTERVALS: INTERVALS: O3 BENTONITE From 0 ft. St source of position of the same of the sam	12 in., ERIAL: 01 S E: 01 C From From From From From LITHOLOGI NE GRAVEL OLIMESTO 20 LIMESTO 20 LIMESTO NE GRAVEL	weight STEEL SONT. SLOT 286 ft. to 417 ft. to 20 ft. to 0 ft. to, From mination: NO C LOG 11 CLAY NE NE 05 SAND	386 ft., 617 ft., 622 ft., 0 ft. to ONE OBSERVE	From 0	ft. to ft. to ft. to ft. to ft. to ft. TO TO	or gauge No 0 ft. 0 ft. 0 ft. 0 ft. 1	0 ft PLUGGI	How ING INT		eet?

T.በርልጥፐርእ	U OF WATER	WELL: Fraction	Fraction Section Number Township					
	088 SEWA	•		T 34 S				
	ELL OWNER:	J.W. FITZGERALD Box # : RR 2 BOX 23	Board of Agriculty	ure Division of Water	r Pegources			
		code : LIBERAL, KS 67901-						
FROM	TO	LITHOLOGIC LOG	1					
197		05 SAND	I					
260		05 SAND 13 FINE GRAVEL	ļ.					
		01 CLAY						
356 386		07 FINE SAND 01 CLAY 01 CLAY	l t					
416		05 SAND 01 CLAY	! 					
507		05 SAND	1					
534		05 SAND	İ					
617	620	19 SHALE						
ļ								
		l 1						
1								
,	' 	•	İ					
i			i					
			I					
I			I					
!			ļ					
ļ								
		1 1	1					
		1 	1					
i			i					
i			į					
1								
1		1	1					
ľ								
į								
İ								
-								
}		1						
1		1 						
			1					

^{|7} CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed under my jurisdiction and was | completed on (mo/day/year) 11/09/07 and this record is true to the best of my knowledge and belief. Kansas