			<u>,</u>	0	Vien	me	ll 2-20	, [	20080341	
	ATER WELL REC		Form WWC-5	5	Division	of Wate	r Resources; App.	No.	10080371	
1	LOCATION OF WAT		Fraction	1					Range Number	
	County: Seward Distance and direction		SE 1/4 NE 1/4 SW	1/4	26		T 34 S		rees, min. of 4 digits)	
					lobal Posi					
	located within city? L			t	Latitude:					
2	of salvage yard WATER WELL OW	South into			Longitude	e:				
2	RR#, St. Address, Box	" PETEVCO				:				
	City, State, ZIP Code	2020 IV	Bramblewood St,		Datum:					
L	-	Wichita, RS 0/200					Method:			
3										
	LOCATION									
	WITH AN "X" IN SECTION BOX:	Depth(s) Groundwater Encountered (1)1.75 ft. (2) ft. (3) ft. WELL'S STATIC WATER LEVEL1.75 ft. below land surface measured on mo/day/yr								
	N SECTION BOX.	Pump test data	: Well water was	90	ft after		hours numr	o/uay/ ino	100 gnm	
	Est. Yield. Description: General Section of the Sec									
$ _{\mathbf{w}}$	-NW NE 1 Demostic 2 Foodlet (Charlet manufilm 0 Demostrating 12 Other (Specific below)									
''		2 Irrigation 4 Ind	ustrial Domestic	(lawn &	garden)	10 Mor	nitoring well			
	SW  SE									
	Was a chemical/bacteriological sample submitted to Department? Yes No .x; If yes, mo/day/yrs									
	Sample was submitted									
S										
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Gluedx Clamped										
Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded										
C2 VC 4 ABS 7 Fiberglass Threaded										
Blank casing diameter										
Casing height above land surface24										
1 Steel 3 Stainless Steel 5 Fiberglass VC 9 ABS 11 Other (Specify)										
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE:										
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)										
2 Louvered shutter 4 Key punched 6 Wire wrapped Saw cut 10 Other (specify)										
SCREEN-PERFORATED INTERVALS: From280 ft. to360 ft., From ft. to ft.										
From										
	GRAVEL PACK INTERVALS: From									
		From.	π. το		π.,	From	n	. το	п.	
6	GROUT MATERIAL	: 1 eat cement 2	Cement grout 3 Ben	tonite /	4 other		.bole.plug.			
	rout Intervals: From	m1 ft. to	25 ft., From		ft. to	f	t., From		ft. toft.	
W	hat is the nearest source	of possible contaminat	ion:							
	1 Septic tank	4 Lateral lines		0 Livesto			secticide storage		16 Other (specify	
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below)										
_	3 Watertight sewer	lines 6 Seepage pit	9 Feedyard 1:		er storage	_	l well/gas well			
1	rirection from well?		H		feet?		<u></u>		EDWALC	
F.	ROM TO	LITHOLOGIC		FROM		C	PLUGGING	JINI	EKVALS	
$\vdash$	1 1	dy topsoil		254	332		y clay			
-	1 1	dy clay		270 332	338	Sand				
$\vdash$	28 46 Clar 46 77 San	y dy clay		338	356	Sand	y clay			
	77 94 San			356	360		and blue ar	- A	ink alaw	
		iche and sandy c	lav			Lau	and brue ar	ia p	LIK CLAY	
		dy clay and clay								
	150 168 San									
		nd and clay stre	aks							
7	7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 1) constructed, (2) reconstructed, or (3) plugged									
under my jurisdiction and was completed on (mo/day/year) ./ O . A Ond this record is true to the best of my knowledge and belief										
Kansas Water Well Contractor's License No KWWCL. 430 This Water Well Record was completed by (mo/day/year)										
under the business name of Howard Drilling Box 806 Beaver, Oky (3) Tagature)  INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, under fine or circle the correct answers. Send top										
three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone										
785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at										
ht	http://www.kdheks.gov/waterwell/index.html.									